

## People Biodiversity Register (PBR): General Details

**Name of the Panchayat Samiti:** Saidgarh

**Taluk:** Bishnah

**District:** Jammu

**State/UT:** J&K

**Geographical Area of the Panchayat Samiti:** 624.02 Hec

**Population under the Panchayat Samiti:** 3175

**Male:** 1626      **Female:** 1549

**Habitat and Topography:** Plain

**Climate (Rainfall, Temperature and weather patterns):** Moderate

**Land Use (Nine fold classification available with village records)** 45' C in Summer & 7'C in Winter

**Date, Month and Year of PBR Preparation:** 27-02-2022

**Management Regime:** Reserve Forest (RF)/Joint Forest Management(JGM)/Protected Areas(PA)/ Community Owned and Managed Forest(COM)

## Annexure 1

### Details of Biodiversity Management Committee (BMC) of the Panchayat (One elected Chairperson and six persons nominated by the local body ; not less than one third to be women and not less than 18% belonging to SC/ST)

1)Name of the Chairperson: Sh. Vijay Singh

Age: years

Gender: Male

Address: R/o Chak Chimna

Area of specialization: Agriculture

2) Name: Smt. Deepu Devi

Age: 45yrs

Gender: Female

Address: R/o Chak Chimna

Area of specialization: Social Worker

3)Name: Bimla Devi

Age: 45yrs

Gender: Female

Address: R/o.Muzzaferpur, Po chak chimna

Area of specialization: Social Worker

4)Name: Sh. Ashok Kumar

Age: 55yrs

Gender: Male

Address: R/o. Chak Chimna

Area of specialization: Agriculture

5)Name: Sh. Girdhari lal

Age: 70yrs

Gender: Male

Address: R/o.Ratnal

Area of specialization:

6)Name: Tarsem Singh

Age: 57Yr.

Gender: Male

Address: R/o.Chak Chimna

Area of specialization: Agriculture

7)Name: Chhotu Ram

Age: yrs

Gender: Male

Address: Khairi

Area of specialization:

**Annexure-2**

**List of Vaid, hakims and traditional health care (Human and livestock) practitioners residing and or using biological resources occurring within the jurisdiction of the village**

1) Name : nil

Age:

Gender:

Address:

Area of specialization:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

2) Name:

Age:

Gender:

Address:

Area of specialization:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

3) Name:

Age:

Gender:

Address:

Area of specialization:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

### **Annexure 3**

#### **List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in agriculture, fisheries, and forestry**

1) **Name of the Chairperson:** Ashwani Kumar

**Age:** 50

**Gender:** Male

**Address:** Saidgarh

**Area of specialization:**

2) **Name of the Chairperson:**

**Age:**

**Gender:**

**Address:**

**Area of specialization:**

3) **Name of the Chairperson:**

**Age:**

**Gender:**

**Address:**

**Area of specialization:**

4) **Name of the Chairperson:**

**Age:**

**Gender:**

**Address:**

**Area of specialization:**

**Annexure 4**

**Details of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals involved in the preparation of the PBR**

**1) Contact Person:**

**Name and Address:**

**2) Contact Person:**

**Name and Address:**

**3) Contact Person:**

**Name and Address:**

**4) Contact Person:**

**Name and Address:**

**You may add names of more institutions/NGO/Individuals etc, if necessary**

**Annexure 5****Detail of access to biological resources and traditional knowledge granted, details of the collection fee imposed and details of the benefit derived and the mode of their sharing**

<b>S.no</b>	<b>Name and address of the Person/Institute/company others</b>	<b>Local and Scientific Name of the biological material Accessed and quantity</b>	<b>Date and resolution of the BMC and endorsement by the Panchayat</b>	<b>Detail of collection fee imposed</b>	<b>Anticipated mode of sharing benefits or quantum of benefits shared</b>
<b>Nil</b>					

*End of Part I*

**Part II**

**PBR - Formats**

**AGROBIODIVERSITY**

**Format 1 Crop Plants**

1	2	3	4	5	6	7	8		9	10	11	12	13	14	15
S.No	Crop	Scientific Name	Local Name	Description of the variety	Landscape / Habitat	Approx. Area sown(ha)	Local status		Special features	Uses	Associated TK	Other details	Cropping Season	Source of Seeds / Plants	Community / Known Holder
							Past	Present							
1	Rice	<i>Oryza sativa</i>	Dhan/ Munji	B-370(Fine & Long duration)	Planes / Low laying Areas		Normal	Normal	Basmati 370 is world wise known for its aroma	Food & Fodder	Provides energy fragrance and taste	-	Kharif (May to October)	Farmers / Department/ Private Suppliers	Farmers
				Basmati 1121/(Coarse K39 K434 Rattana & Long duration Sharbati)			Normal	Normal	Medium tall Coarse Grains						
2	Mash	<i>Vigna mungo</i>	Mhaa	PU-19	Warm / Humid of Sub tropical region		Normal	Normal	High yielding Variety	Food	Source of Vegetable Protein	-	Summer/ Kharif	Farmers / Department/ Private Suppliers	Farmers
				Utra			Normal	Normal							
3	Peas	<i>Pisum sativum</i>	Matar	Rachna	Cool & dry		Normal	Normal	Early maturing & High yielding	Food	Source of Protein/ Energy	Used as Vegetable	Rabi	Farmers / Department/ Private Suppliers	Farmers

4	Onion	<i>Allium cepa</i>	Gamd	nasik Red. Red Coral, Monsanto And Local Spp.	local Planee areas		Abundant	Abundant	Bulbs Cash Crop	Vegetables	Vegetable	Staple Vegetable food	Rabi	Farmers / Department/ Private Suppliers	
5	Mustard	<i>Brassica juncea/ Brassica compestris</i>	Sarson	Pusa Bold/ KOS -1	Cool & dry		Normal	Normal	Matures in 145-150 days with 40-42 % oil content	oil for Food	Source of energy	vegetable Oil extracted from seeds used in cooking	Rabi	Farmers / Department/ Private Suppliers	Farmers
6	Gobhi Sarson	<i>Brassica napus</i>	Gobhi Saria	GSL-1,DGS-1,Local	Cool & dry		Normal	Abundant	Annual Herb,yellow flowers bearing Pods	oil for Food,leaves used as vegetable	Source of energy ,calcium, copper, potassium	vegetable Oil extracted from seeds used in cooking	Rabi	Farmers / Department/ Private Suppliers	Farmers
7	Potato	<i>Solanum tuberosum</i>	Aalo	Kufri Sindhuri,Kufri Badsha, local	Potato is an herbaceous annual,requires cool weather,mostly rainfed conditions		Abundant	Abundant	Tubers are round to ovoid, creamish white to light red in colour with shallow eyes	Under ground tubers are used as vegetable, chips etc	-	High carbohydrate, provide high energy value	Rabi	Farmers / Department/ Private Suppliers	Farmers
8	Toria	<i>Brassica jrape cv.Toria</i>	Toria	RSPT-1,RSPT-2,Local var.	Cool & dry with bright sunshine		Normal	Normal	Short durationAnnual Herb	oil for prepration of Food	Source of energy ,calcium, copper, potassium	vegetable Oil extracted from seeds used in cooking	Between Kharif & Rabi season	Farmers / Department/ Private Suppliers	Farmers



9	Sugarcane	<i>Saccharum officinarum</i>	Ganna	COJ-64,COJ-81	Sub Tropical		Rare	Rare	Long duration crop for Nine months	Food	Source of energy in the shape of Gur/Sugar	Sugar cane Juice used as preferred drink for instant source of energy during summer besides beating heat	Spring season	Farmers / Department/ Private Suppliers	Farmers
10	Chilli	<i>Capsicum spp</i>	Mirchi	Pusa Jawala, CH-1	Tropical/sub tropical vegetable, grows well warm humid conditions		Abundant	Abundant	Pungency and flavor	Used as spice ,medicinal value	-	Contains good amount of vitamin A&C	winter season	Farmers / Department/ Private Suppliers	Farmers
11	Tomato	<i>Solanum lycopersicum</i>	Tamater	Pusa rubi,Pusa early dwarf, Manisha Plus/local	Warm season crop		Abundant	Abundant	Stems are woody and weak, and tend to vine over other types of plants.	Used as vegetable , salad, soup,Source	rich source of Ascorbic acid	<b>Tomatoes</b> are also packed with vitamins A and C, calcium, potassium.	Rabi	Farmers / Department/ Private Suppliers	Farmers
12	Okra	<i>Abelmoschus esculentus</i>	Bindi	Varsha uphar, Arka Anamika	Tropical/sub tropical vegetable Hot and humid climate		Abundant	Abundant	Tender green fruit used as vegetable	Mainly vegetable	Source of Fiber	Contains dietary fibers,protein and carbohydrates	Summer/ Kharif	Farmers / Department/ Private Suppliers	Farmers
13	Cucumber	<i>Cucumis sativus</i>	Kheera	Kheera local,JL	Grows in all climatic conditions,Tropical,Sub tropical &temperate		Abundant	Abundant	Limbing annual bearing elongated thick cylindrical fruit	Mainly used as salad	-	It also used as antipyretic and causing cooling effect	Summer/ Kharif	Farmers / Department/ Private Suppliers	Farmers

14	Bottle gourd	<i>Lagenaria siceraria</i>	Lokki	PSPL/Punjab Long	Summer & rainy season crop	Abundant	Abundant	Vines vigorous, profusely branched	Subzis, curries and gravies.	-	It also contains essential vitamins and minerals	Summer/kharif	Farmers / Department / Private Suppliers	Farmers
15	Bitter gourd	<i>Momordica charantia</i>	karela	Pusa Domausmi/Kundan	Warm and Humid climate	Abundant	Abundant	Herbaceous climbing annual with ridged stems	Vegetable and medicinal value	-	Used for maintaining low sugar level	Summer/kharif	Farmers / Department / Private Suppliers	Farmers
16	Beans	<i>Phaseolus Spp.</i>	Phaliya	Contender	Cool weather crop/Sandy/loamy soil	Abundant	Abundant	Tender green pods are used as vegetable	Mainly vegetable	Source of energy in the shape of Gur/Sugar	High value protein, Vitamins B1, B2, B6 and Manganese	Summer season	Farmers / Department / Private Suppliers	Farmers
17	Cauliflower	<i>Brassica oleraceae var. botrytis</i>	Fol gobi	Pusa snow ball, Pusa Katki, local Girja	Both sub tropical & intermediate	Abundant	Abundant	White and tender head, curd formed from shortened flower part	Curd Mainly used as vegetable	-	Also good source of protein, carbohydrate, phosphorus & iron	Rabi	Farmers / Department / Private Suppliers	Farmers
18	Cabbage	<i>Brassica oleraceae var. capitata</i>	Band gobi	Golden Acre, Pride of India, Green Flesh	Both sub tropical & intermediate	Abundant	Abundant	Round head with light to dark green colour	Head Mainly used as vegetable, salad	-	Also good source of protein, carbohydrate, phosphorus & iron	Rabi	Farmers / Department / Private Suppliers	Farmers
19	Knol khol	<i>Brassica oleraceae var. gongyloides</i>	Kadam	White vienna, Purple vienna	cool & moist climate/sub tropical	Abundant	Abundant	Swollen stem, green/purple with long and broad leaves	Swollen stem and leaves are consumed as vegetable	-	-	Rabi	Farmers / Department / Private Suppliers	Farmers

20	Spanich	<i>Beta vulgaris</i>	Palak	All Green,Delta	Cool season Crop, thrives well on well drained loam soils	Abundant	Abundant	Tender green leaves & root used as Vegetable	Tender green leaves used as leafy Vegetable	-	Vitamins A and C, fiber, folic acid, and other nutrients	Rabi	Farmers / Department / Private Suppliers	Farmers
21	Radish	<i>Raphanus sativus</i>	Mulli	Japenes White ,Koren Etc	Cool season Crop, thrives well on well drained Sandy loam soils	Abundant	Abundant	Tender green leaves & roots used as Vegetable	Modified Roots are used as Vegetabke & Salad	-	Full of vitamin A, C, E, B6, potassium, and other minerals,	Rabi	Farmers / Department / Private Suppliers	Farmers
22	Carrot	<i>Daucus carota</i>	Gajer	Pusa Kesar,local	Cool &moist climate/ sub tropical& intermedite	Abundant	Abundant	Modified Root is eatable	Root is used as Vegetable, Salad, Juice, Sweet Dish, Preserve etc.	-	Good source of carotene, , lutein, and zeaxanthin. Vit A,C,B6,Folic acid	Rabi	Farmers / Department / Private Suppliers	Farmers
23	Turnip	<i>Brassica rapa</i>	Gunglu /Shalgam	PTWG/Local	Cool &moist climate/sub tropical&inter medite	Abundant	Abundant	Modified Root is eatable	Root is used as Vegetable , Salad,.	-	Good source of Vit.C,Diatry Fiber &Potasium	Rabi	Farmers / Department / Private Suppliers	Farmers
24	Exocitic Vegetables	<i>Broccoli// Chines Cabbage / Capsccum etc.</i>		Prevelent Hybrid varieties	Cool &moist climate/sub tropical&inter medite	Rare	Abundant	All Plants Carts and Fruits are eadable Ric Source of antioxidants	Salad and Vegetable		Ric Source of Multivitimins , Minierals and Antioxidents	Rabi	Farmers / Department / Private Suppliers	Farmers

**Format 2: Fruit Plants**

1	2	3	4	5	6		7	8	9	10	11	12
Plant	Scientific Name	Local Name	Variety	Landscape / Habitat	Local Status		Source of Seeds/Plants	Season of Fruiting	Associated TK	Uses	Other details market / own use	Community / Knowledge holder
					Past	Present						
Guava	<i>Psidium guajava</i>	Amrood	Local	Plains	Plenty	Plenty						
Mango	<i>Magnifera indica</i>	Aam	Local	Plains	Plenty	Plenty						

**Format 03 Fodder Crop/ Species of Block Bishnah PanchayatChak Avtara (District Jammu)**

1	2	3	4	5	6	7	8		9	10	11	12	13
S. No.	Plant	Scientific Name	Local Name	Habit	Area (Approx.) Rabi/ Kharif	Landscape/ Habitat	Local Status		Part Used	Associated TK	Other details(mode of use)	Sources of Seeds and Plants	Community / Knowledge holder
							Past	Present					
1	Barseem	<i>Trifolium alexandrium</i>	Chhatala	Annual	8030	Sub Humid & moderately cool	Abundant	Abundant	Entire Plant	Nutritious & palatable fodder, Source of energy for animals	Fodder	Farmers / Department/ Private Suppliers	Farmers
2	Oats	<i>Avena spp.</i>	Javi	Annual		Cool & moist climate	Abundant	Abundant	Above ground part of plant	Nutritious & palatable fodder,	Fodder		Farmers
3	Sorghum	<i>Sorghum spp.</i>	cherri	Annual	6840	Warm & humid	Abundant	Abundant	Above ground part of plant	Source of energy	Fodder	Farmers / Department/ Private Suppliers	Farmers
4	Maize	<i>Zea mays</i>	Makki	Annual		Warm & humid	Abundant	Abundant	Above ground part of plant	Source of energy	Food & fodder		Farmers
5	Bajra	<i>Pennisetium americanum</i>	Bajra	Annual		Warm & humid	Abundant	Normal	Above ground part of plant	Source of energy	Food & fodder	Farmers / Department/ Private Suppliers	Farmers

### Format 4: Weeds

1	2	3	4	5	6	7	8		9	10	11	12	13
S. No.	Plant	Scientific Name	Local Name	Affected Crop	Habit	Landscape / Habitat	Local Status		Uses if any	Management options	Associated TK	Other details	Community / Knowledge holder
							Past	Present					
1	Pig Weed	<i>Amaranthus viridis</i>	Jangli Choulai	Rice, Maize & sugarcane	Annual herb	Agri. Land	Normal	Normal	Eaten as boiled green veg	Physical, Mechanical, Chemical	Rich Source of protein & amino acid	Also Used as medicinal herb	Farmers
2	Barnyard Grass	<i>Echinochloa crusgalli</i>	Swank	Paddy	Annual	Agri. Land	Abundant	Abundant	Fodder & Animals	Physical, Mechanical, Chemical	Nil	Nil	Farmers
3	Carrot grass	<i>Parthenum hysterophorus</i>	Congress Grass	Gardens & sugarcane ratoon crops & other crops	Annual	Agri. Land	Abundant	Abundant	Nil	Physical, Mechanical, Chemical	Abnoxious weed difficult to manage		Farmers
4	Bang	<i>Cannabisindica</i>	Bang	Kharif Crops	Perennial	Agri. & wasteLand	Normal	Normal		Mechanical, Chemical	Nil	#REF!	Farmers
5	Dub Grass	<i>Cynodon - dactylon</i>	Dub Grass	Rabi/ Kharif	Perennial	Agri. & wasteLand	Abudant	Abudant	Fooder	Mechanical, Chemical	Nil	Agri. & wasteLand	Farmers
6	wild onion	<i>Allium humaie</i>	Jangli payas	Onion	Annual herb	Temprate/ sub tropical	Rare	Rare	Food and medicine	All parts used	-	-	Farmers

### Format 05 Pests of Crops

1	2	3	4	5	6	7	8	9	10	11
S. No.	Insect /Animal	Scientific Name	Local Name	Habit	Habitat	Time/Season of Attack	Management Mechanism	Associated TK	Other details	Community / Knowledge holder
1	Mustard aphid	<i>Lipaphis erysimi</i>	aphid	Sucking pest	Attacks mustard & other cucurbit crops	Dec-March	Timely sowing of crop & Chemical, Biological & Mechanical	-	Major threat to oil seed crops of Rabi	Farmers
2	Termite	<i>Microtermis obesi/ Odontoremes obesus</i>	Telle	Chewing & biting	Wheat & other crops	Nov-May	Cultural & Chemical measures	-	Major threat to unirrigated crops	Farmers
3	Maize stem Borer	<i>Chilo partellus</i>	Sundi / Tana-shedak	Chewing & biting	Attacks Maize, sorghum , Bajra & sugarcane	July to sept	Mechanical& Chemical measures	-	Causes dead hearts in young plants	Farmers
4	Grasshopper	<i>Hygro blasses Negro / Hieroglyphus nigropletus</i>	Tidi	Maize and Paddy	Maize, Paddy, Jojr Bajra	July to sept	Mechanical& Chemical measures	-	Eats leaves	Farmers
5	Army worm	<i>Spodoptera Frugiperda</i>	Caterpillar	All Crops	Defoliaties Major crops	Through the year	Mechanical& Chemical measures	-	Defoliates all crops	Farmers
6	Leaf Floder	<i>Cnaphalocrocis meddialis</i>	Ctter Pillers	Feeds on leavs abd stem	Attacts on Paddy Leaves	June to Oct.	Mechanical& Chemical measures	-	Major threats	Farmers
7	Cut worm	<i>Agrotis ipsilon</i>	Ludi	Cuts stem and leaves	Wheat sorguham maize and other	Throughout the year	Mechanical& Chemical measures	-	Major threats	Farmers
8	Field rats	<i>Ratus meltada</i>	Chouha	Nocturnal in habit	Attacks all crops	Throughout the year	Mechanical& Chemical measures	-	Lives in burrows opening hidden in bushes	Farmers

**Format 6: Markets for Domesticated animals**

1	2	3	4	5	6	7	8	9
<b>Name of the market &amp; location</b>	<b>Weekly (D)/ Fortnightly (D) / Monthly (D) / Biannual (M) / Annual (M) [1]</b>	<b>Types of animals bought and sold [2]</b>	<b>Types and Average Number of animals transacted in a day</b>	<b>Places from which animals are brought</b>	<b>Places to which the animals are sold / transported</b>	<b>Name and location of fish market</b>	<b>Types of fishes sold</b>	<b>Source of fish</b>
NIL								



**Format 7: Peoplescape**

1	2	3	4	5	6	7	8	9	10	11
<b>Community &amp; Population</b>	<b>Families &amp; Major occupation</b>	<b>Sub- occupation</b>	<b>Depending Landscape</b>	<b>Major resources accessed and seasons of access</b>	<b>Landscape management practices</b>	<b>Resource management practices</b>	<b>Cast / tribe</b>	<b>Social condition</b>	<b>Nature of inhabitants</b>	<b>No. of HHs</b>
St 64	dairy farming	labours	agriculture	farm land water	traditional little modern	traditional	st	backward	some weak some good	12
sc 1239	farming, few govt. Jobs pvt. Jobs some business man	labours	agriculture	farm land water	traditional little modern	traditional	sc	Most are weak but some are good	Mostly economically weak expect few	249
oc 1872	Some Govt. Jobs agricultural work, pvt jobs business	labours	agriculture	land water	both traditional and modern	both traditional and modern	oc	some weak and some good	some weak some good	378



**Format 9: Waterscape**

1	2	3	4	5	6	7	8	9	10	11	12	13
<b>Waterscape element type</b>	<b>Sub- type</b>	<b>Features and approx area</b>	<b>Ownership</b>	<b>General flora</b>	<b>General fauna</b>	<b>Major uses</b>	<b>User groups</b>	<b>Management practices</b>	<b>General uses</b>	<b>Associated TK</b>	<b>Other details</b>	<b>Community accessed</b>
Ponds			State land and Private land	Tali, Kamal, Brankad, Bori Peepal and Khu jari etc	Frogs , fishes, snakes, snail,	Cattles, washing cloths, irrigation, Drinking etc	public					
Streams			State land and Private land	Bana, Aak, Khar grass, Panjphuli jari etc	Frogs , fishes, snakes, snail,	Cattles, washing cloths, irrigation, Drinking etc	public					
Hand pumps			Private	Panjphuli jari, Bana, Aak, Khar grass etc	Frogs , fishes, Torotoise, snakes, snail,	Cattles, washing cloths, Drinking etc	public					

### Format 10 Soil Type

1	2	3	4	5	6	7	8
Soil Type	Color & Texture	Features	Soil management	Plants / crop suitable	Flora and fauna	Associated TK	Other information
Alluvial sandy soil	Fine & coarse grain	rich in N,ca, fe,si			Succulants like cacti, Lambs ear, etc.	–	Genrally not suitable for plants which need lot of water
Hill and mountain soil	Fine & coarse grain	ca,fe,n,si, etc			Ornamental Plants/ grasses, plants with evergreen leaves,colourful Berries	–	Soil is good for wild varieties of crops, however drainage is a problem
Red podozolic soil	brown, red	fe,ca,fe,n,si					

## DOMESTICATED BIODIVERSITY

### Format 11: Fruit Trees

1	2	3	4	6	7		8	9	10	11	12	13
Plant Type	Local Name	Scientific Name	Variety	Landscape/ Habitat	Local Status		Source of plant/seeds	Season of Fruiting	Uses (usage)	Associated TK	Other details market/own use	Community/ Know. holder
					Past	Present						
Mango	Aam	<i>Mangifera indica</i>	Desi, Dusheri, Malta	Plains	Plenty	Plenty	Nurseries	Jun-Aug	Fruit, Pickle, Preserves	Alternate Bearing	Marketing, Own Use	
Citrus Fruit	Khatti, Galgal, Nimbu, Santra, Kinnoo etc.	<i>Citrus spp.</i>	Local Selection, Kagzi Lime etc.	Plains, mid hills	Plenty	Plenty	Nurseries	Through Out Year	Fruit, Pickle, Squashes etc	Tree, Regular Bearing	Marketing, Own Use	
Guava	Amrood	<i>Psidium guajava</i>	Local, L49 etc.	Plains, Lower Hills	Plenty	Plenty	Nurseries	Jul - Aug	Fruit	Tree, Regular Bearing	Marketing, Own Use	
Aonla	Ambla	<i>Phyllanthus emblica</i>	Local Selection, NA-7	Plains	Plenty	Plenty	Nurseries, Local Collections	Nov.- Dec	Pickling Preserve etc	Tree, Regular Bearing	Marketing, Own Use	
Jamun	Jamun	<i>Syzygium cumini</i>	Local Selection	Plains	Rare	Rare	Nurseries, Local Raised	Jul - Aug	Fruit	Tree, Regular Bearing	Own Use	

**Format 12: Medicinal Plants (Herbs, Shrubs, Trees etc.)**

1	2	3	4	5	6	7		8	9	10	11	12
Plant Type	Local Name	Scientific Name	Variety	Landscape/ Habitat	Source of plant/ seeds	Local status		Uses (usage)	Part used	Associated TK	Other details market/own	Community/ Know.
						Past	Present					
Herbs	Jungli putna	<i>Mentha arvensis</i>		Lower shiwalik/ Temperate area	Stem/Seed	Abundant	Abundant	medicinal	Leaves	N.A	N.A	Generally, held by community
Herbs	Bhang	<i>Canabis sativa</i>		Lower shiwalik	Seed	Abundant	Abundant	medicinal	Leaves	N.A	N.A	Generally, held by community
Tree	Draink	<i>Melia azedarach</i>		Lower shiwalik	Seed	Abundant	Abundant	medicinal	Leaves	N.A	N.A	Generally, held by community
Tree	Jamun	<i>Syzygium cumini</i>		Lower shiwalik	Seed	Abundant	Abundant	medicinal	Leaves/ Fruit	N.A	N.A	Generally, held by community
Tree	Siris	<i>Albizzia lebbeck</i>		Lower shiwalik	Seed	Abundant	Abundant	Firewood	Leaves/Stem	N.A	N.A	Generally, held by community
Tree	Tali	<i>Dalbergia sissoo</i>		Lower shiwalik	Seed	Abundant	Abundant	Timber & fodder	Stem	N.A	N.A	Generally, held by community
Tree	Amla	<i>Emblica officinalis</i>		Lower shiwalik	Seed	Rare	Rare	medicinal	Leaves/Bark	N.A	N.A	Generally, held by community

**Format 13: Ornamental Plants/ Trees/Climbers etc.**

1	2	3	4	5	6	7	8	9	10
Plant Type	Local Name	Scientific Name	Variety	Source of plant/seeds	Commercial/ non- commercial	Uses	Associated TK	Other details	Community/ Know. holder
Tree	Krangal	<i>Casia fistula</i>		Seed	Non-Commercial	N.A	N.A	N.A	Generally, held by community
Shrub	Gandela	<i>Nerium oleander</i>		Cuttings	Non-Commercial	N.A	N.A	N.A	Generally, held by community
Tree	Satpati	<i>Alstonia scholaris</i>		Seed	Non-Commercial	N.A	N.A	N.A	Generally, held by community
Tree	Bottle brush	<i>Callistemom citrinus</i>		Seed	Non-Commercial	N.A	N.A	N.A	Generally, held by community
Climber	Booganbel	<i>Bougainvillea glabra</i>		Cuttings	Non-Commercial	N.A	N.A	N.A	Generally, held by community





**Format 15: Domesticated Animals**

1	2	3	4	5	6	7		8	9	10	11	12
Animal Type	Local Name	Scientific Name	Breed (local/hybrid)	Features	Method of keeping	Local status		Uses	Associated TK	Commercial rearing	Other details including products and services	Community Know. Holders
						Past	Present					
Cow	Cow	<i>Bos indicus</i>	Local			Good	Good					
Buffalo	Buffalo	<i>Bubalus Bubalis</i>	Local			Good	Good					
Sheep	Bhaed	<i>Ovis aries</i>	Local			Good	Good					
Goat	Bakri	<i>Copra</i>	Local			Good	Good					

### Format 16: Culture Fisheries

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/ talao)	Local status		Uses	Associated TK	Commercial rearing	Other details	Community Know. Holders
						Past	Present					
Carp	Rohu	<i>Labeo rohita</i>	Indian Major Carp	Large Silver coloured fish, arched head	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	15%
	Catla	<i>Catla catla</i>	Indian Major Carp	large & broad head,grey scales,protruding lower jaw	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	15%
	Mrigal	<i>Cirrhinus mrigala</i>	Indian Major Carp	cycloid scales, mouth broad ,pharyngel teeth in 3 rows	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	15%
	Grass carp	<i>Ctenopharyngod on idella</i>	Exortic Carp	Wide & scaleless head,terminal mouth,protracted upper jaw	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	15%
	Common Carp	<i>Cyprinus Carpio</i>	Exortic Carp	Have long dorsal fin,have small barbels,mouth opens in an accordion like fashion	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	15%

**Mode of Catching Fish:-**Drag net, Cast net

**Time of Availability:-** Through out the year

**Breeding Time:-**a)Commom Carp-March & December

b) Grass carp:-April & May

c) Rohu,Catla,Mrigal:-June & July

**Feed:-** Ingridents include rice bran, wheat bran, Crushed Maize, Soyabeen , Mustard oil cake.

**Format 17: Markets / Fairs for Domesticated Animals, Medicinal Plants and other products**

1	2	3	4	5	6	7	8	9
Name of the Weekly Market / Fair	Location	Weekly / Fortnightly & Others Bi-annual / Annual	Day held	Month incase of bi-annual or annual market fair	Types of animal bought and sold	Number of animals (average) transacted in a day	Places from where the animals are arrived	Places to where the animals are transported
NIL								

**WILD BIODIVERSITY**  
**Format 18: Trees, Shrubs, Herbs, Tubers, Grasses, Climbers etc.**

1	2	3	4	5	6		7	8	9	10	11
Plant Type	Local Name	Scientific Name	Habit	Habitat	Local status		Commercial/ own use	Parts collected	Associated TK	Other details	Community Knowledge Holder
					Past	Present					
Tree	Tali	<i>Dalbergia sisoo</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/ own use	Stem, Timber	-	-	-
Tree	Amla	<i>Emblica officinalis</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/ own use	Fruit	Food processing	-	-
Tree	Siris	<i>Albizzia lebbek</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial own use	Timber/ Firewood	-	-	-
Tree	Plaah	<i>Butea monosperma</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Tree	Jamun	<i>Syzygium cumini</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Tree	Amb	<i>Mangifera indica</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Fruit	-	-	-
Tree	Kiker	<i>Acacia nilotica</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Tree	Safeda	<i>Eucalyptus</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Grass	Doob grass	<i>Cynodon dactylon</i>	Grass	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Shurb	Drenkeri	<i>Murraya koengii</i>	Shurb	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Herb	Congress grass	<i>Parthenium hysterophorus</i>	Herb	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-

**Format 19: Wild Plant Species of Importance**

1	2	3	4	5	6
Sl.No	Local Name	Scientific Name	Variety	Importance(as economic, social, cultural etc.)	Status
1	Lal Gandila	<i>Nerium indicum</i>	Shrub	Aesthetic	Good
2	Brenkar	<i>Adhatoda vasica</i>	Shrub	Medicinal	Good
3	Aak	<i>Calotropis gigantea</i>	Shrub	Medicinal	Good
4	Bana	<i>Vitex negundo</i>	Shrub	Medicinal	Good
5	Bhang	<i>Cannabis sativa</i>	Shrub	Medicinal	Good
6	Thor	<i>Euphorbia royleana</i>	Shrub	Live Hedge fencing	Good
7	Jojra	<i>Pupalia lappacea</i>	Shrub	Medicinal	Good

**Format 20: Aquatic Biodiversity**

1	2	3	4	5	6		7	8	9	10
Local Name	Scientific Name	Variety	Features	Habitat	Local status		Uses	Associated TK	Other details	Community/ Knowledge Holders
					Past	Present				
Marakhi	<i>Puntius ticto</i>	Local	Silver & gold in colour with two black spots near the pectoral fin and cordal fin	Nullah Aik	Available	Available	Own & Commercial use	Used as food as source of protein	-	55%
Sol	<i>Channa marulius</i>	Local	Snakehead fish, Air Breathing Fish	Nullah Aik	Available	Available	Own & Commercial use	Used as food as source of protein	-	55%

**Format 21: Wild Aquatic Plant Species of Importance**

1	2	3	4	5	6
Sl.No	Local Name	Scientific Name	Variety	Importance	Trends
1	Aak	<i>Ipomea carnea</i>			
2	Kumudene	<i>Nymphoides indica</i>			

**Format 22: Wild Plants of Medicinal Importance**

1	2	3	4	5	6		7	8	9	10	11
Plant (Herb,Shrub, Tree)	Local Name	Scientific Name	Variety	Landscape/ Habitat	Local Status		Associated TK	Uses (usage)	Part used	Other details market/own use	Community/ Knowledge Holder
					Past	Present					
Tree	Jamun	<i>Syzygium cumini</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Fruit	-	-
Tree	Kikar	<i>Acacia nilotica</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Bark & Pods	-	-
Tree	Dhrenk	<i>Melia azedarach</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Seeds & Leaves	-	-
Grass	Doob grass	<i>Cynadon dactylon</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Leaves	-	-
Shurb	Dhatura	<i>Datura stramonium</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Fruit	-	-



**Format 23: Wild relatives of Crops**

1	2	3	4	5		6	7	8	9	10
Local Name	Scientific Name	Associated crop	Landscape/ Habitat	Local Status		Uses (usage)	Part Used	Associated TK	Other details	Community/ Know holder
				Past	Present					
NIL										

**Format 24: Ornamental Plants**

1	2	3	4	5	6	7	8
Local Name	Scientific Name	Variety	Habitat	Commercial/Non-Commercial Uses	Associated TK	Any other Detail	Community/ Knowledge Holder
Lal Gandila	<i>Nerium oleander</i>	Shrub	Farm land	-	-	-	-
Kaneer	<i>Thevetia peruviana</i>	Tree	Farm land	-	-	-	-
Bougainvillea	<i>Bougainvillea glabra</i>	Shrub	Farm land	-	-	-	-

**Format 25: Fumigate / Chewing Plants**

1	2	3	4	5	6		7	8	9	10	11
Plant (Herb, Shrub, Tree)	Local Name	Scientific Name	Variety	Habitat	Local Status		Uses (Usage)	Part used	Associated TK	Other details(mode of use)	Community /Knowledge holder
					Past	Present					
Herb	Pudina	<i>Mentha arvensis</i>		Farm lands	Good	Abundant	Spice	Leaves			
Herb	Buch	<i>Acrous calmus</i>		Farm lands	Good	Good	Medicinal	Roots			
Herb	Haldi	<i>Corcuma domestica</i>		Farm lands	Good	Abundant	Spice	Roots			
Herb	Ginger	<i>Zingiber officinale</i>		Farm lands	Good	Abundant	Spice	Roots			
Herb	Methi	<i>Trigonella foenum</i>		Farm lands	Good	Abundant	Spice	Seeds			

**Format 26: Timber Plants**

1	2	3	4		5	6	7	8
Local Name	Scientific Name	Habitat	Local Status		Other Uses ,if any	Associated TK	Other Details	Community /Knowledge holder
			Past	Present				
Shisham	<i>Dalbergia sisoo</i>	Farmlands	Good	Good	Commercial/ own use	Timber/ Firewood	-	-
Safeda	<i>Eucalyptus tereticornis</i>	Farmlands	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Aam	<i>Mangifera indica</i>	Farmlands	Good	Good	Commercial/ own use	Timber/ Firewood	-	-
Kikar	<i>Acacia nilotica</i>	Farmlands	Good	Good	Commercial/ own use	Timber/ Firewood	-	-
Jamun	<i>Syzygium cumini</i>	Farmlands	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-

**Format 27 A: Coastal and Marine Flora**

1	2	3	4	5		6	7	8	9	10
Plant Type	Local Name	Scientific Name	Habitat	Local status		Part collected	Commercial uses (if any)	Other Uses	Associated TK	Community Knowledge Holder
				Past	Present					
NIL										

**Format 27 B: Coastal and Marine Fauna**

1	2	3	4	5		6	7	8	9	10
Animal Type	Local Name	Scientific Name	Habitat	Local status		Part collected (if any)	Commercial uses (if any)	Other Uses	Associated TK	Community Knowledge Holder
				Past	Present					

NIL

**Format 28: Wild Animals (Mammals, Birds, Reptiles, Amphibia, Insects, others)**

1	2	3	4	5	6	7		8	9	10	11	12
Animal Type	Local Name	Scientific Name	Habitat	Description	Season when seen	Local status		Uses ,if any	Associated TK	Other Details	Community Knowledge Holder	Community/ Knowledge Holder
						Past	Present					
Wild Animal	Squirrels	<i>Sciuridae</i>	Farmland	-	-	Good	Good	-	-	-	-	
Wild Animal	Pig	<i>Suidae</i>	Farmland		-	Good	Good	-	-	-	-	
Wild Animal	Jackal	<i>Canis aureus</i>	Farmland	-		Good	Good	-	-	-	-	
Wild Animal	Sparow	<i>Passer domesticus</i>	Farmland	-	-	Good	Good	-	-	-	-	
Wild Animal	Crow	<i>Corvus splendens</i>	Farmland	-	-	Good	Good	-	-	-	-	
Wild Animal	Pigeon	<i>Columba livia</i>	Farmland	-	-	Good	Good	-	-	-	-	
Wild Animal	Bee	<i>Apis cerana indica</i>	Farmland	-	-	Good	Good	-	-	-	-	
Wild Animal	Butterfly	<i>Rhopalocera spp.</i>	Farmland	-	-	Good	Good	-	-	-	-	
Wild Animal	Frog	<i>Anura spp.</i>	Farmland	-		Good	Good	-	-	-	-	

**URBAN BIODIVERSITY****Format 29: Flora**

1	2	3	4	5	6	7
Sr. No.	Local Name	Scientific Name	Type of Plants	Habitat	Flowering Season	Remarks (Rare / Common etc.)
1	Kikar	<i>Acacia nilotica</i>	Broad leaved	Sub-tropical	Summer	Common
2	Mango	<i>Mangifera indica</i>	Broad leaved	Sub-tropical	Summer	Common
3	Safeda	<i>Eucalyptus spp.</i>	Broad leaved	Sub-tropical	Summer	Common
4	Sree	<i>Albizzia lebbeck</i>	Broad leaved	Sub-tropical	Summer	Common
5	Talli	<i>Dalbergia sissoo</i>	Broad leaved	Sub-tropical	Summer	Common
8	Jammun	<i>Syzigium cumini</i>	Broad leaved	Sub-tropical	Summer	Common



**Format 30: Fauna**

1	2	3	4	5	6
Sr. No.	Local Name	Scientific Name	Type of Animals (Mammals / Birds / Fish / Insect etc.)	Habitat	Remarks (Rare / Common etc.)
1	Cow	<i>Bos taurus</i>	mammals	Terrestrial	Common
2	Buffalow	<i>Babalus bubalis</i>	mammals	Terrestrial	Common
3	Sheep	<i>Ovis aries</i>	mammals	Terrestrial	Common
4	Goat	<i>Capra aegagrus</i>	mammals	Terrestrial	Common
5	Sparow	<i>Passer domesticus</i>	Birds	Terrestrial	Common
6	Crow	<i>Corvius splendens</i>	Birds	Terrestrial	Common
7	Pigon	<i>Columba livia</i>	Birds	Terrestrial	Common
8	Butterfly	<i>Rhopalocera spp.</i>	insects	Terrestrial	Common
9	Mosquito	<i>Culicade</i>	insects	Terrestrial	Common

