

Peoples' Biodiversity Register (PBR): General Details

Name of the Panchayat Samiti: Taroti

Taluk/Tehsil: Khour

District: Jammu

State/UT: Jammu And Kashmir

Geographical Area of the Panchayat Samiti:

Population Of the Panchayat samiti...Total 4700

Male= 48%

Female = 52%

Habitat and Topography:

Climate (Rainfall, Temperature and other weather patterns):

Land Use (Nine fold classification available with village records):

Date, Month and Year of PBR preparation:

Annexure 1 :**Details of Biodiversity Management Committee (BMC) of the Panchayat (One elected Chairperson and six persons nominated by the local body ; not less than one third to be women and not less than 18% belonging to SC/ST)**

S.No.	Category	Name	Age	gender	Adress	Area of Specialization
1	Chairperson	Bachan Singh	72	M	Taroti	Sarpanch, Ex Army Person
2	Member	Madhu devi	19	F	Taroti	Housewife
3	Member	Bindu devi	24	F	Taroti	Panch
4	Member	Mohammad Safi	69	M	Taroti	Dairy
5	Member	Parveen Singh	37	M	Taroti	Social Welfare
6	Member	Jatinder Singh	26	M	Taroti	
7	Member	Ajit Singh	46	M	Taroti	Panch

Annexure 2

List of Vaid/Hakims and Traditional health care(human and livestock) practitioners residing and or using biological resources occurring with in the jurisdiction of the village

S.no	Block	Panchayat	Name	Age	Gender	Address	Area of Specialization	Location from which the person accesses biological material	Perception of the practitioner on the resource status	Medicinal use
1	Khour	Taroti	nil	-	-	-	-	-	-	-
2			Kewal	50			Vetinary Department			

Annexure 3

List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in agriculture, fisheries, and forestry

S.no	Block	Panchayat	Name	Age	Gender	Address	Area of Specialization		
							Agriculture	Fisheries	Forestry
1	KHOUR	Taroti	Jorawar Singh	40	Male			Social	

Annexure 4

Details of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals involved in the preparation of the PBR

1) Contact Person: NIL

Name and Address: nil

2) Contact Person: NIL

Name and Address: nil

3) Contact Person: NIL

Name and Address: nil

4) Contact Person: NIL

Name and Address: nil

You may add more names of Institutions/ NGO/ Individuals etc, if necessary

Detail of access to biological resources and traditional knowledge granted, details of the collection fee imposed and details of the benefit derived and the mode of their sharing

1	2	3	4	5	6
pyt.	Name and address of the Person/Institute/company others	Local and Scientific Name of the biological material Accessed and quantity	Date and resolution of the BMC and endorsement by the Panchayat	Detail of collection fee imposed	Anticipated mode of sharing benefits or quantum of benefits shared

End of Part I

Format 1 Crop Plants

1	2	3	4	5	6	7		8	9	10	11	12	13	14
S.No	Crop	Scientific Name	Local Name	Description of the variety	Landscape / Habitat	Local status		Special features	Uses	Associated TK	Other details	Cropping Season	Source of Seeds / Plants	Community / Known Holder
						Past	Present							
1	Rice	<i>Oryza sativa</i>	Dhan/ Munji	B-370(Fine & Long duration)	Planes / Low laying Areas	Normal	Normal	Basmati 370 is world wise known for its aroma	Food & Fodder	Provides energy fragrance and taste	-	Kharif (May to October)	Farmers / Department/ Private Suppliers	Farmers
				Basmati 1121/(Coarse K39 K434 Rattana & Long duration)		Normal	Normal	Medium tall Coarse Grains						
2	Moong	<i>Vigna radiata</i>	Moong	PDM-54	Hot / Humid of Sub tropical region	Normal	Rare	Medium	Food	Source of Vegetable Protein	Also suitable for green Manuring	Summer/ Kharif	Farmers / Department/ Private Suppliers	Farmers
				SML-668		Normal	Rare	High yielding Variety						
				IPM-0203		Normal	Rare	Excessive vegetative growth						
3	Mash	<i>Vigna mungo</i>	Mhaa	PU-19	Warm / Humid of Sub tropical region	Normal	Rare	High yielding Variety	Food	Source of Vegetable Protein	-	Summer/ Kharif	Farmers / Department/ Private Suppliers	Farmers
				Utra		Normal	Rare							
4	Bajra	<i>Pennisetum americanum</i>	Bajra	Local Variety	Warm / Humid climate under Sandy loam Soil	Normal	Rare	Tall & low Yielding variety	Food & Fodder	Source of Energy	-	Kharif (May to October)	Farmers / Department/ Private Suppliers	Farmers
				MHB-110		Normal	Rare							

5	Wheat	<i>Triticum aestivum</i>	Kanak	HD2967,PBW644	Cool Climate during early part of its growth	Plenty	Rare	High yielding Variety	Food & Fodder	Source of Energy	Suitable for Chappati/Bread making	Rabi	Farmers / Department/ Private Suppliers	Farmers
6	Lentil	<i>Lens esculantum</i>	Masar	PL406	Cool & dry	Normal	Rare	High yielding Variety	Food	Source of Protein/Energy	Improve soil fertility	Rabi	Farmers / Department/ Private Suppliers	Farmers
7	Chick-pea	<i>Cicer arietinum</i>	Chana	GNG-469/C 235	Cool & dry	Normal	Rare	High yielding Variety	Food	Source of Protein/Energy	Improve soil fertility	Rabi	Farmers / Department/ Private Suppliers	Farmers
8	Peas	<i>Pisum sativum</i>	Matar	Rachna	Cool & dry	Normal	Normal	Early maturing & High yielding	Food	Source of Protein/Energy	Used as Vegetable	Rabi	Farmers / Department/ Private Suppliers	Farmers
9	Onion	<i>Allium cepa</i>	Gamd	nasik Red. Red Coral, Monsanto And Local Spp.	local Planee areas	Abundant	Abundant	Bulbs Cash Crop	Vegetables	Vegetable	Staple Vegetable food	Rabi	Farmers / Department/ Private Suppliers	
10	Mustard	<i>Brassica juncea/ Brassica compestris</i>	Sarson	Pusa Bold/ KOS - 1	Cool & dry	Normal	Normal	Matures in 145-150 days with 40-42 % oil content	oil for Food	Source of energy i	vegetable Oil extracted from seeds used in cooking	Rabi	Farmers / Department/ Private Suppliers	Farmers
11	Gobhi Sarson	<i>Brassica napus</i>	Gobhi Saria	GSL-1,DGS-1 ,Local	Cool & dry	Normal	Abundant	Annual Herb,yellow flowers bearing Pods	oil for Food,leaves used as vegetable	Source of energy i,calciam, copper,potassium	vegetable Oil extracted from seeds used in cooking	Rabi	Farmers / Department/ Private Suppliers	Farmers

12	Linseed	<i>Linum usitatissimum</i>	Alsi	LC 54	Cool & dry	Normal	Normal	Medium duration	Food & fiber	Source of energy in the shape of Oil	Medicinal, industrial & domestic use	Rabi	Farmers / Department/ Private Suppliers	Farmers
13	Potato	<i>Solanum tuberosum</i>	Aalo	Kufri Sindhuri, Kufri Badsha, local	Potato is an herbaceous annual, requires cool weather, mostly rainfed conditions	Abundant	Abundant	Tubers are round to ovoid, creamish white to light red in colour with shallow eyes	Under ground tubers are used as vegetable, chips etc	-	High carbohydrate, provide high n energy value	Rabi	Farmers / Department/ Private Suppliers	Farmers
14	Toria	<i>Brassica j. rape cv. Toria</i>	Toria	RSPT-1, RSPT-2, Local var.	Cool & dry with bright sunshine	Normal	Normal	Short duration Annual Herb	oil for preparation of Food	Source of energy i, calcium, copper, potassium	vegetable Oil extracted from seeds used in cooking	Between Kharif & Rabi season	Farmers / Department/ Private Suppliers	Farmers
15	Sesame	<i>Sesamum indicum</i>	Til	Punjab Til No.1/local	Warm / Humid of Sub tropical region	Normal	Normal	Medium Yielding	Food	Source of Vegetable oil	Religious and medicinal value	June - Oct.	Farmers / Department/ Private Suppliers	Farmers
16	Chilli	<i>Capsicum spp</i>	Mirchi	Pusa Jawala, CH-1	Tropical/sub tropical vegetable, grows well warm humid conditions	Abundant	Abundant	Pungency and flavor	Used as spice , medicinal value	-	Contains good amount of vitamin A&C	winter season	Farmers / Department/ Private Suppliers	Farmers

17	Tomato	<i>Solanum lycopersicum</i>	Tamater	Pusa rubi,Pusa early dwarf, Manisha Plus/local	Warm season crop	Abundant	Abundant	Stems are woody and weak, and tend to vine over other types of plants.	Used as vegetable ,s salad, soup,Souce	rich source of Ascorbic acid	Tomatoes are also packed with vitamins A and C, calcium, potassium.	Rabi	Farmers / Department/ Privaate Suppliers	Farmers
18	Okra	<i>Abelmoschus esculentus</i>	Bindi	Varsha uphar, Arka Anamika	Tropica/sub tropical Hot and humid climate	Abundant	Abundant	Tender green fruit used as vegetable	Mainly vegetable	Source of Fiber	Contains diata fibers,protein and carbohydrates	Summer/ Kharif	Farmers / Department/ Privaate Suppliers	Farmers
19	Cucumber	<i>Cucumis sativus</i>	Kheera	Kheera local,JL	Grows in all climatoic conditions,Tropical,Sub tropical &temprate	Abundant	Abundant	Limbing annual bearing elongated thick cylendrical fruit	Mainly used as salad	-	It also used asantipyretic and causing cooling effect	Summer/ Kharif	Farmers / Department/ Privaate Suppliers	Farmers
20	Bottle gourd	<i>Lagenaria siceraria</i>	Lokki	PSPL/Punjab Long	Summer &rainy season crop	Abundant	Abundant	Vines vigrous, profusly branched	Subzis, curries and gravies.	-	It also contains essential vitamins and minerals	Summer/ kharif	Farmers / Department/ Privaate Suppliers	Farmers
21	Bitter gourd	<i>Momordica charantia</i>	karela	Pusa Domausmi/Kundan	Warm and Humid climate	Abundant	Abundant	Herbaceous climbing annual with ridged stems	Vegetable and medicinal value	-	Used for maitaining low suger level	Summer/ kharif	Farmers / Department/ Privaate Suppliers	Farmers
22	Beans	<i>Phaseolus Spp.</i>	Phaliya	Contender	Cool weather crop/Sandy/loamy soil	Abundant	Abundant	Tender green pods are used as vegetable	Mainly vegetable	Source of energy in the shape of Gur/Sugar	High vale protein,VitamineB1,B2<B6 and Maganese	Summer season	Farmers / Department/ Privaate Suppliers	Farmers
23	Cauliflower	<i>Brassica oleracae var.botrytis</i>	Fol gobi	Pusa snow ball,Pusa Katki,local Girja	Both sub tropical &intermediate	Abundant	Abundant	White and tender head ,curdformed from shortened flower part	Curd Mainly used as vegetable	-	Also good source of protein,carbohydrate,phosphorus& iron	Rabi	Farmers / Department/ Privaate Suppliers	Farmers

24	Cabbage	<i>Brassica oleraceae var. capitata</i>	Band gobi	Golden Acre, Pride of India, Green Flesh	Both sub tropical & intermediate	Abundant	Abundant	Round head with light to dark green colour	Head Mainly used as vegetable, salad	-	Also good source of protein, carbohydrate, phosphorus & iron	Rabi	Farmers / Department/ Private Suppliers	Farmers
25	Knol khol	<i>Brassica oleraceae var. gongyloides</i>	Kadam	White vienna, Purple vienna	cool & moist climate/ sub tropical	Abundant	Abundant	Swollen stem, green/purple with long and broad leaves	Swollen stem and leaves are consumed as vegetable	-	-	Rabi	Farmers / Department/ Private Suppliers	Farmers
26	Spanich	<i>Spinacea oleracea</i>	Palak	All Green, Delta	Cool season Crop, thrives well on well drained loam soils	Abundant	Abundant	Tender green leaves & root used as Vegetable	Tender green leaves used as leafy Vegetable	-	Vitamins A and C, fiber, folic acid, and other nutrients	Rabi	Farmers / Department/ Private Suppliers	Farmers
27	Radish	<i>Raphanus sativus</i>	Mulli	Japanes White, Koren Etc	Cool season Crop, thrives well on well drained Sandy loam soils	Abundant	Abundant	Tender green leaves & roots used as Vegetable	Modified Roots are used as Vegetable & Salad	-	Full of vitamin A, C, E, B6, potassium, and other minerals,	Rabi	Farmers / Department/ Private Suppliers	Farmers
28	Carrot	<i>Daucus carota</i>	Gajer	Pusa Kesar, local	Cool & moist climate/ sub tropical & intermediate	Abundant	Abundant	Modified Root is eatable	Root is used as Vegetable, Salad, Juice, Sweet Dish, Preserve etc.	-	Good source of carotene, lutein, and zeaxanthin. Vit A, C, B6, Folic acid	Rabi	Farmers / Department/ Private Suppliers	Farmers

29	Turnip	<i>Brassica rapa</i>	Gunglu /Shalgam	PTWG/Local	Cool &moist climate/sub tropical&intermedite	Abundant	Abundant	Modified Root is eatable	Root is used as Vegetable ,Salad,.	-	Good source of Vit.C,Diatry Fiber &Potasium	Rabi	Farmers / Department/ Privaate Suppliers	Farmers
----	--------	----------------------	-----------------	------------	--	----------	----------	--------------------------	------------------------------------	---	---	------	--	---------

Format 03 Fodder Crop/ Species

1	2	3	4	5	6	7	8		9	10	11	12	13
S. No.	Plant	Scientific Name	Local Name	Habit	Area (Approx.) Rabi/ Kharif	Landscape/ Habitat	Local Status		Part Used	Associated TK	Other details(mode of use)	Sources of Seeds and Plants	Community Kn. Holders
							Past	Present					
1	Barseem	<i>Trifolium alexandrium</i>	Chhatala	Annual		Sub Humid & moderately cool	Abundant	Abundant	Entire Plant	Nutritious & palatable fodder, Source of energy for animals	Fodder	Farmers / Department/ Private Suppliers	Farmers
2	Oats	<i>Avena spp.</i>	Javi	Annual		Cool & moist climate	Abundant	Abundant	Above ground part of plant	Nutritious & palatable fodder,	Fodder		Farmers
3	Sorghum	<i>Sorghum spp.</i>	cherri	Annual		Warm & humid	Abundant	Abundant	Above ground part of plant	Source of energy	Fodder	Farmers / Department/ Private Suppliers	Farmers
4	Maize	<i>Zea mays</i>	Makki	Annual		Warm & humid	Abundant	Abundant	Above ground part of plant	Source of energy	Food & fodder		Farmers
5	Bajra	<i>Pennisetium americanum</i>	Bajra	Annual		Warm & humid	Abundant	Normal	Above ground part of plant	Source of energy	Food & fodder	Farmers / Department/ Private Suppliers	Farmers
6	Cowpea	<i>Vigna unguiculata</i>	Rongi	Annual		Warm & humid	Abundant	Normal	Above ground part of plant	Kharif Legume with high protein	Fodder		Farmers

Format 04 Weeds

1	2	3	4	5	6	7	8		9	10	11	12	13
S. No.	Plant	Scientific Name	Local Name	Affected Crop	Habit	Landscape/ Habitat	Local Status		Uses if any	Management options	Associated TK	Other details	Community Kn. Holders
							Past	Present					
1	Pig Weed	<i>Amaranthus viridis</i>	Jangli Choulai	Rice, Maize & sugarcane	Annual herb	Agri. Land	Normal	Normal	Eaten as boiled green veg	Physical, Mechanical, Chemical	Rich Source of protein & amino acid	Also Used as medicinal herb	Farmers
2	Lamb's quarters	<i>Chenopodium album</i>	Bathua/ Kanh/Wild Spinach	Wheat, Pea, Potato	Annual herb	Agri. Land	Normal	Normal	Eaten as boiled green veg	Physical, Mechanical, Chemical	Rich Source of protein, Vit. A, Calcium, Phosphorous & potash	Annual feed & fermentation of Beverages	Farmers
3	Nut Grass	<i>Cyperus rotundus</i>	Dilla/Motha	Paddy, maize, sugarcane, vegetable	Perennial	Agri. & Non Agri. Land	Abundant	Abundant	Fodder & Animals	Physical, Mechanical, Chemical	Nil	Traditionally used as medicine	Farmers
4	Barnyard Grass	<i>Echinochloa crusgalli</i>	Swank	Paddy	Annual	Agri. Land	Abundant	Abundant	Fodder & Animals	Physical, Mechanical, Chemical	Nil	Nil	Farmers
5	Carrot grass	<i>Parthenum hysterophorus</i>	Congress Grass	Gardens & sugarcane ratoon crops & other crops	Annual	Agri. Land	Abundant	Abundant	Nil	Physical, Mechanical, Chemical	Abnoxious weed difficult to manage		Farmers
6	Bur Clover	<i>Medicago denticulata</i>	Maina	Wheat Grass Peas	Perennial herbaceous legume	Agri. Land	Normal	Normal	Fodder, vegetable & green manure	Mechanical, Chemical	Nil	Improves Soil fertility	Farmers

7	Canary Grass	<i>Phalaris minor</i>	Sitti/gilli danda	Wheat Grass Peas, mustard	annual	Agri. Land	Abundant	Abundant	Fodder & forage	Mechanical, Chemical	Source for High quality protein	Agri. Land	Farmers
8	Meadow Pea	<i>Lathyrus aphaca</i>	Matri	Wheat Grass Peas, mustard	annual	Agri. Land	Normal	Normal	Fodder	Mechanical, Chemical	Nil	Agri. Land	Farmers
9	Canada Thistle	<i>Cirsium arvense</i>	Leh	Wheat gram, Barley	Perennial	Agri. & wasteLand	Normal	Normal		Mechanical, Chemical	Nil	Agri. Land	Farmers
10	Bang	<i>Cannabisindica</i>	Bang	Kharif Crops	Perennial	Agri. & wasteLand	Normal	Normal		Mechanical, Chemical	Nil	Agri. Land	Farmers
11	Nilibuti	<i>Ageratum conyzoides</i>	Nilibuti	Rabi Crops	Perennial	Agri. & wasteLand	Normal	Normal		Mechanical, Chemical	Nil	Agri. & wasteLand	Farmers
12	Dub Grass	<i>Cynodon dactylon</i>	Dub Grass	Rabi/ Kharif	Perennial	Agri. & wasteLand	Abudant	Abudant	Fooder	Mechanical, Chemical	Nil	Agri. & wasteLand	Farmers
13	Wild oats	<i>Avena fatua</i>	Jangli Javi	Oats	Annual herb	Sub Tropical	Rare	Rare	Fodder	Above ground parts	-	Nutrative Fodder for Animals	Farmers
14	Wild Rice	<i>Echinochloa colonum</i>	Swanki	Paddy	Annual herb	Sub Tropical	Rare	Rare	Fodder	Above ground parts	-	Nutrative Fodder for Animals	Farmers
15	Jhonson Grass	<i>Sorghum helepense</i>	Beru grass	Sorghum	Perinneal	Sub Tropical	Rare	Rare	Fodder	Above ground parts	-	Nutrative Fodder for Animals	Farmers
16	wild onion	<i>Allium humaie</i>	Jangli payas	Onion	Annual herb	Temprate/sub tropical	Rare	Rare	Food and medicine	All parts used	-	-	Farmers

Format 7: Peoplescape

1	2	3	4	5	6	7	8	9	10	11
Community & Population	Families & Major occupation	Sub-occupation	Depending Landscape	Major resources accessed and season of access	Landscape management practices	Resource management practices	Cast/tribe	Social condition	Nature of inhabitants	No. of HHs
Hindu,Muslim,Sikh (Total Population 48584)	Government Services, private services,Agriculture,Live stock etc	Labourers	Plane and Hilly	Paddy (June to ending July),Maize (April to ending may),Wheat (Oct to Nov),Mustard (Sep/Oct)	Check Dam	Check Dam	General cast/Scheduled Cast/Scheduled tribes	Average	Farmers,Labourers	11,373
					Nallah Bank Erosion Structure (Protective Banks)	Nallah Bank Erosion Structure (Protective Banks)				
					Concrete Channel	Concrete Channel				
					Lined Channel	Lined Channel				
					Water Harvesting Structures	Water Harvesting Structures				

Format 8: Landscape

1			2	3	4	5	6	7	8	9	10	11	12
Major Landscapes			Sub - Landscapes	Features and approx. Area	Ownership	General flora	General fauna	User groups	Management practices	General uses	Associated TK	Other details	Community accessed
Agricultural land	Pond	Fallow Land											
Plains & Kandi areas			Plains	hilly as well as	Forest land, Private, state lands,	Broad leaved mainly	Domestic animals, wildlife such as porcupine, jackal etc.	Public, as well as pvt, and Govt also		Plantation and agriculture			
			Hillocks	plain terrain with gentle slope	Forest land, Private, state lands,	Broad leaved	Domestic animals, wildlife such as porcupine, jackal etc.	Public, as well as pvt, and Govt also		Plantation and agriculture			
Shivalik areas			Hills	Hills with gentle slopes	Forest land, Private, state lands,	Broad leaved	Domestic animals, wildlife such as porcupine, jackal etc.	Public, as well as pvt, and Govt also		Plantation and agriculture			

Format 9: Waterscape

1	2	3	4	5	6	7	8	9	10	11	12	13
Waterscape element type	Sub- type	Features and approx area	Ownership	General flora	General fauna	Major uses	User groups	Management practices	General uses	Associated TK	Other details	Community accessed
Ponds			Forest land and Private land	kamal,Baryan,	Frogs , fishes, snakes, snail,	Cattles, washing cloths, irrigation, Drinking etc	public					
Streams			Forest land and Private land		Frogs , fishes, snakes, snail,	Cattles, washing cloths, irrigation, Drinking etc	public					
Tube well			Forest land and Private land		Frogs , fishes, snakes, snail,	Cattles, washing cloths, irrigation, Drinking etc	public					
Dug wells			Private		Frogs , fishes, snakes, snail,	Cattles, washing cloths, irrigation, Drinking etc	public					
Canals			Private		Frogs , fishes, snakes, snail,	Cattles, washing cloths, irrigation, Drinking etc	public					
Hand pumps			Private		Frogs , fishes, snakes, snail,	Cattles, washing cloths, irrigation, Drinking etc	public					
Bowlis			Private		Frogs , fishes, snakes, snail,	Cattles, washing cloths, irrigation, Drinking etc	public					

Format 10: Soil type

1	2	3	4	5	6	7	8	9	10
S.No.	Soil	Type	Colour	Features	Soil management	Plants/Crop Suitable	Flora and Fauna	Associated TK	Other Information
1	Sandy Loam	Type B	Soft Dark	Large particle size, Water drains Rapedily	Add compost, humus, Green Manuring, Decomposed manure etc improves soil quality for better plant growth	Beans, Tomato, Potato, Cucumber, onion, eggplants, carrot, Spinach etc.	Succulants like cacti, Lambs ear, etc.	-	Genrally not suitable for plants which need lot of water
2	Clay Loam	Type A	Light yellow to raddish colour	Small particles size, Texture dense and compact, retains water and nutrition	Provide good drainage, add organic manure in the form of compost or humus	Plants/Crop Suitable	Ornamental Plants/ grasses, plants with evergreen leaves, colourful Berries	-	Soil is good for wild varieties of crops, however drainage is a problem

Format 11 Fruit trees

1	2	3	4	5	6	7		8	9	10	11	12	13
Plants	Scientific Name	Local Name	Variety	Habit	Landscape / Habitat	Local Status		Source of Plants / Seeds	Seasons of Fruiting	Uses (Usages)	Associated TK	Others Details Market / Own Use	Community / Know Holder
						Past	Present						
Mango	<i>Mangifera indica</i>	Aam	Desi, Dusheri, Malta	Alternate Bearing	Plains	Plenty	Plenty	Nurseries	Jun-Aug	Fruit, Pickle, Preserves		Marketing, Own Use	
Citrus Fruit	<i>Citrus spp.</i>	Khatti, Galgal, Nimbu, Santra, Kinnoo etc.	Local Selection, Kagzi Lime etc.	Tree, Regular Bearing	Plains, mid hills	Plenty	Plenty	Nurseries	Through Out Year	Fruit, Pickle, Squashes etc		Marketing, Own Use	
Litchi	<i>Litchi chinensis</i>	Litchi	Culcatta, Dehradun	Tree, Regular Bearing	Plains	Plenty	Plenty	Nurseries	Jul - Aug	Fruit		Marketing	
Guava	<i>Psidium guajava</i>	Amrood	Local, L49 etc.	Tree, Regular Bearing	Plains, Lower Hills	Plenty	Plenty	Nurseries	Jul - Aug	Fruit		Marketing, Own Use	
Grapes	<i>Vitis vinifera</i>	Angoor	Local Dakh, Perlette	Vine, Regular Bearing	Plains, Mid Hills	Rare	Plenty	Nurseries	Jul - Aug	Fruit			
Aonla	<i>Phyllanthus emblica</i>	Ambla	Local Selection, NA-7	Tree, Regular Bearing	Plains	Plenty	Plenty	Nurseries, Local Collections	Nov.- Dec	Pickling Preserve etc		Marketing, Own Use	

Ber	<i>Ziziphus mauritiana lamk</i>	Ber	Gola, Varanasi	Tree, Regular Bearing	Plains	Plenty	Plenty	Local	Jul - Aug	Fruit		Own Use	
Jamun	<i>Syzygium cumini</i>	Jamun	Local Selection	Tree, Regular Bearing	Plains	Rare	Rare	Nurseries, Local Raised	Jul - Aug	Fruit		Own Use	
Pomegranate	<i>Punica granatum</i>	Anaar, Druni	Ganesh, Kandhari, Local	Tree, Regular Bearing, Shrub	Plains, Mid hills	Rare	Rare	Nurseries, Local Raised, Wild	May - Aug	Fruit, Anardana		Own Use	
Pear	<i>Pyrus spp.</i>	Nakh	Pathar Nakh, China Pear	Tree, Regular Bearing	Plains, mid hills	Rare	Rare	Nurseries	Aug - Sep	Fruit		Own Use	
Peach	<i>Prunus persica</i>	Aaroo	July Elberta, Quetta	Tree, Regular Bearing	Plains, mid hills	Rare	Plenty	Nurseries	Jun - Jul	Fruit		Marketing, Own Use	
Strawberry	<i>Fragaria × ananassa</i>	Strawberry	Chandler	Runner, Annual	Plains, mid hills	Rare	Plenty	Nurseries	Mar - Apr	Fruit		Marketing	
Karonda	<i>Carissa carandas</i>	Garnay	Local	Shrub	Hills/ Plains	Rare	Rare	Wild, Local	Jun - Aug	Fruit		Marketing, Own Use	
Papaya	<i>Carica papaya</i>	Papita	Local	Tree	Plains	Rare	Plenty	Nurseries, Locally Raised	Aug - Oct	Fruit		Own Use	

Format 12: Medicinal Plants (Herbs, Shrubs, Trees etc.)

1	2	3	4	5	6	7		8	9	10	11	12
Plant Type	Local Name	Scientific Name	Variety	Landscape/ Habitat	Source of plant/seeds	Local status		Uses (usage)	Part used	Associated TK	Other details market/own	Community/ Know.
						Past	Present					
Herbs	Dudlu	<i>Taraxacum officinale</i>		Temperate area	Root	Rare	Rare	nil	Leaves	N.A	N.A	Generally, held by community
Herbs	Tarad	<i>Dioscorea belophylla</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Root	N.A	N.A	Generally, held by community
Herbs	Jungli putna	<i>Mentha arvensis</i>		Lower shiwalik/Temperate area	Root	Abundant	Abundant	nil	Leaves	N.A	N.A	Generally, held by community
Shrubs	Trimuru	<i>Zanthoxylum aurmatum</i>		Lower shiwalik	Seed	Rare	Rare	nil	Fruit	N.A	N.A	Generally, held by community
Shrubs	brankad	<i>Adhatoda vesica</i>		Lower shiwalik	Seed	Abundant	Abundant	nil		N.A	N.A	Generally, held by community
Shrubs	Drainkdu	<i>Murraya koenigii</i>		Sub-Tropical area	Seed	Rare	Abundant	nil	Fruit	N.A	N.A	Generally, held by community
Shrubs	Dussa	<i>Colebrookia oppositifolia</i>		Lower shiwalik	Seed	Rare	Rare	nil	Flower	N.A	N.A	Generally, held by community
Shrubs	Thor/Shuu	<i>Euphorbia royleana</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Leaves	N.A	N.A	Generally, held by community

Shrubs	Bareyan	<i>Acorus calamus</i>		Lower shiwalik	Seed	Rare	Rare	nil	Leaves	N.A	N.A	Generally, held by community
Shrubs	Bhang	<i>Canabis sativa</i>		Lower shiwalik	Seed	Abundant	Abundant	nil		N.A	N.A	Generally, held by community
Tree	Amla	<i>Phyllanthus emblica</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Leaves/Fruit	N.A	N.A	Generally, held by community
Tree	Bair	<i>Ziziphus xylocarpa</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Stem	N.A	N.A	Generally, held by community
Tree	Bheda	<i>Terminalia bellerica</i>		Lower shiwalik	Seed	Rare	Abundant	nil	Fruit	N.A	N.A	Generally, held by community
Tree	Bill-Patre	<i>Aegle mermelos</i>		Sub-Tropical area	Seed	Abundant	Abundant	nil	Root	N.A	N.A	Generally, held by community
Tree	Drankh	<i>Melia azadirach</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Leaves	N.A	N.A	Generally, held by community
Tree	Harad	<i>Terminalia chebula</i>		Lower shiwalik	Seed	Abundant	Abundant	Good for digestion	Stem/Fruit	N.A	N.A	Generally, held by community
Tree	Jaman	<i>Syzygium cumini</i>		Lower shiwalik	Seed	Abundant	Abundant	maintains sugar level in human body	Leaves/Fruit	N.A	N.A	Generally, held by community
Tree	Kakad-Singhi	<i>Pistacia khinjuk</i>		Lower shiwalik	Seed	Rare	Rare	nil	Leaves/Fruit	N.A	N.A	Generally, held by community
Tree	Karal	<i>Bauhinia variegata</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Leaves/Flower	N.A	N.A	Generally, held by community
Tree	Khair	<i>Acacia catechu</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Leaves/Stem	N.A	N.A	Generally, held by community

Tree	Kringal	<i>Casia fistula</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Fruit	N.A	N.A	Generally, held by community
Tree	Lusada	<i>Cordia dichotoma</i>		Lower shiwalik	Seed	Rare	Abundant	nil	Leaves/Fruit	N.A	N.A	Generally, held by community
Tree	Mango	<i>Mangifera indica</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Stem/Fruit	N.A	N.A	Generally, held by community
Tree	Retha	<i>Sapindus mukorossii</i>		Lower shiwalik	Seed	Rare	Rare	nil	Fruit	N.A	N.A	Generally, held by community
Tree	Rumbal	<i>Ficus racemosa</i>		Lower shiwalik	Seed	Rare	Abundant	nil	Leaves	N.A	N.A	Generally, held by community
Tree	Sree	<i>Albizzia lebbeck</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Leaves/Stem	N.A	N.A	Generally, held by community
Tree	Talli	<i>Dalbergia sissoo</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Stem	N.A	N.A	Generally, held by community
Tree	Trimbal	<i>Ficus auriculata</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Leaves/Fruit	N.A	N.A	Generally, held by community
Tree	Tuni	<i>Toona ciliata</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Stem	N.A	N.A	Generally, held by community
Tree	Arjun	<i>Terminalia arjuna</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Leaves/Bark	N.A	N.A	Generally, held by community
Tree	Bheda	<i>Terminalia bellerica</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Leaves/Bark	N.A	N.A	Generally, held by community
Tree	Amla	<i>Emblica officinalis</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Leaves/Bark	N.A	N.A	Generally, held by community
Tree	Neem	<i>Azadirachta indica</i>		Lower shiwalik	Seed	Abundant	Abundant	nil	Leaves/Bark	N.A	N.A	Generally, held by community

tree	Khair	Accacia catechu		Lower shiwalik	Seed	Abundant	Abundant	nil	Leaves/Bark	N.A	N.A	Generally, held by community
Shrubs	Bhang	Cannabis sativa		Lower shiwalik	Seed	Abundant	Abundant	nil	Leaves/Bark	N.A	N.A	Generally, held by community

Note uses: Food/ Veterinary Medicine,/ Human Medicine (Sub-divisions like for children, women etc),/ Agricultural Purpose (Bio-pesticide) Other details: Propagation methods, / Harvesting period,/ Cultivated or collected from wild or both,/ Perennial/annual/seasonal

Format 13: Ornamental Plants/ Trees/Climbers etc.

1	2	3	4	5	6	7	8	9	10
Plant Type	Local Name	Scientific Name	Variety	Source of plant/seeds	Commercial/ non-commercial	Uses	Associated TK	Other details	Community/ Know. holder
Tree	Gandera	<i>Nerium oleander</i>		Seed	Non-Commercial	N.A	N.A	N.A	Generally, held by community
Tree	Thub	<i>Erythrina indica</i>		Seed	Non-Commercial	N.A	N.A	N.A	Generally, held by community
Tree	Badah	<i>Salix alba</i>		Seed	Non-Commercial	N.A	N.A	N.A	Generally, held by community
Climber	Kareer	<i>Rosa acicularis</i>		Seed	Non-Commercial	N.A	N.A	N.A	Generally, held by community

Format 14: Timber Plants / Trees

1	2	3	4	5		6	7	8	9	10
Plant Type	Local Name	Scientific Name	Habitat	Local status		Wild/ home-garden	Other uses (multi)	Associated TK	Other details	Community/ Know. holder
				Past	Present					
Trees	Kiker	<i>Acacia nilotica</i>	Lower shiwalik	Rare	Rare	Wild	own	nil	nil	Generally, held by community
Trees	Mangoo	<i>Mangifera indica</i>	Lower shiwalik	Abundant	Abundant	Wild/ home-garden	own	nil	nil	Generally, held by community
Trees	Safeda	<i>Eucalyptus spp.</i>	Lower shiwalik	Rare	Abundant	Wild	commercial	nil	nil	Generally, held by community
Trees	Sree	<i>Albizia lebbeck</i>	Lower shiwalik	Abundant	Abundant	Wild	own	nil	nil	Generally, held by community
Trees	Talli	<i>Dalbergia sissoo</i>	Lower shiwalik	Abundant	Abundant	Wild	own	nil	nil	Generally, held by community
Trees	Tuni	<i>Toona ciliata</i>	Lower shiwalik	Abundant	Abundant	Wild	own	nil	nil	Generally, held by community
Trees	Popular	<i>Populus ciliata</i>	Lower shiwalik	Rare	Abundant	Wild	own	nil	nil	Generally, held by community
Trees	chir	<i>Pinus roxburghii</i>	Lower shiwalik	Rare	Rare	Wild	own	nil	nil	Generally, held by community
Trees	Jammun	<i>Syzygium cumini</i>	Lower shiwalik	Rare	Abundant	Wild	own	nil	nil	Generally, held by community

Format 15: Domesticated Animals

1	2	3	4	5	6	7		8	9	10	11	12
Animal Type	Local Name	Scientific Name	Breed (local/hybrid)	Features	Method of keeping	Local status		Uses	Associated TK	Commercial rearing	Other details including products and services	Community Know. Holders
						Past	Present					
Sheep	Bhaed	<i>Ovis aries</i>	Local (Non descript)	Small size, low body weight, rough body coat	Statonary	Pleny	Rare	Mutton, wool, skin and manure	Yes	Some	Mutton, wool, skin and manure bones hide and gut	Locals
Sheep	Bhaed	<i>Ovis aries</i>	Rambouillet cross	Large size, fine wool, with long legs mostly white in color	Statonary	Pleny	Rare	Mutton, wool, skin and manure	Yes	Some	Mutton, wool, skin and manure bones hide and gut	Locals
Goat	Bakri	<i>Copra</i>	Beetal Crosses	Large size, high body wt. mostly black & brown body color	Statonary	Pleny	Rare	Chevon milk, skin, hair and manure	Yes	Some	Chevo, milk skin, hair, bones, hide and gut	Locals
Camel		<i>Camelus</i>				Pleny	Rare					
Horse		<i>Equus caballus</i>					Plenty					

Format 16: Culture Fisheries

1	2	3	4	5	6	7	8	9	10	11	12	
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					

There is no culture Fisheries taken up in this panchayat

na Chak)

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					
Carp	Rohu	Labeo rohita	Indian Major Carp	Large Silver coloured fish, arched head	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	20%
	Mrigal	Cirrhinus mrigala	Indian Major Carp	cycloid scales, mouth broad ,pharyngel teeth in 3 rows	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	20%

	Common Carp	Cyprinus Carpio	Exotic Carp	Have long dorsal fin, have small barbels, mouth opens in an accordion like fashion	Pond	Available	Available	Own & Commercial use	Use as food as a good source of protein	Yes	-	20%
--	-------------	-----------------	-------------	--	------	-----------	-----------	----------------------	---	-----	---	-----

ing fish, time of availability, breeding time, feeds and etc.

Mode of Catching Fish:- Drag net, Cast net

Availability:- Through out the year

Common Carp- March & December
 Mrigal:- June & July
 Feed:- Wheat bran, Crushed Maize, Soyabean, Mustard oil cake.

Not Applicable

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					
There is no culture Fisheries taken up in this panchayat												

ing fish, time of availability, breeding time, feeds and etc.

Not Applicable

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					
There is no culture Fisheries taken up in this panchayat												

ing fish, time of availability, breeding time, feeds and etc.

Not Applicable

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					
There is no culture Fisheries taken up in this panchayat												

ing fish, time of availability, breeding time, feeds and etc.

Not Applicable

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					
There is no culture Fisheries taken up in this panchayat												

ing fish, time of availability, breeding time, feeds and etc.

Not Applicable

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other details	Community Know. Holders
						Past	Present					

There is no culture Fisheries taken up in this panchayat

ing fish, time of availability, breeding time, feeds and etc.

eeth)

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other details	Community Know. Holders
						Past	Present					
Carp	Rohu	Labeo rohita	Indian Major Carp	Large Silver coloured fish, arched head	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	40%
	Mrigal	Cirrhinus mrigala	Indian Major Carp	cycloid scales, mouth broad ,pharyngel teeth in 3 rows	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	40%
	Common Carp	Cyprinus Carpio	Exortic Carp	Have long dorsal fin,have small barbels,mouth opens in an accordion like fashion	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	40%

ing fish, time of availability, breeding time, feeds and etc.

Mode of Catching Fish:-Drag net, Cast net

lability:- Through out the year

Commom Carp-March & December

u,Mrigal:-June & July

eat bran, Crushed Maize, Soyabean , Mustard oil cake.

ra lower)

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					
Carp	Rohu	Labeo rohita	Indian Major Carp	Large Silver coloured fish, arched head	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	30%
	Mrigal	Cirrhinus mrigala	Indian Major Carp	cycloid scales, mouth broad ,pharyngel teeth in 3 rows	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	30%
	Common Carp	Cyprinus Carpio	Exortic Carp	Have long dorsal fin,have small barbels,mouth opens in an accordion like fashion	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	30%

ing fish, time of availability, breeding time, feeds and etc.

Mode of Catching Fish:-Drag net, Cast net

lability:- Through out the year

Commom Carp-March & December

u,Mrigal:-June & July

eat bran, Crushed Maize, Soyabean , Mustard oil cake.

ariwala Upper)

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					
Carp	Rohu	Labeo rohita	Indian Major Carp	Large Silver coloured fish, arched head	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	30%
	Mrigal	Cirrhinus mrigala	Indian Major Carp	cycloid scales, mouth broad ,pharyngel teeth in 3 rows	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	30%
	Common Carp	Cyprinus Carpio	Exortic Carp	Have long dorsal fin,have small barbels,mouth opens in an accordion like fashion	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	30%

ing fish, time of availability, breeding time, feeds and etc.

Mode of Catching Fish:-Drag net, Cast net

lability:- Through out the year

Commom Carp-March & December

u,Mrigal:-June & July

reat bran, Crushed Maize, Soyabeen , Mustard oil cake.

ot Applicable

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other details	Community Know. Holders
						Past	Present					
There is no culture Fisheries taken up in this panchayat												

ing fish, time of availability, breeding time, feeds and etc.

t Applicable

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other details	Community Know. Holders
						Past	Present					
There is no culture Fisheries taken up in this panchayat												

ing fish, time of availability, breeding time, feeds and etc.

na Lower)

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other details	Community Know. Holders
						Past	Present					
Carp	Rohu	Labeo rohita	Indian Major Carp	Large Silver coloured fish, arched head	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	25%
	Mrigal	Cirrhinus mrigala	Indian Major Carp	cycloid scales, mouth broad ,pharyngel teeth in 3 rows	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	25%

	Common Carp	Cyprinus Carpio	Exortic Carp	Have long dorsal fin,have small barbels,mouth opens in an accordion like fashion	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	25%
--	-------------	-----------------	--------------	--	------	-----------	----------	----------------------	---	-----	---	-----

ing fish, time of availability, breeding time, feeds and etc.

Mode of Catching Fish:-Drag net, Cast net

lability:- Through out the year

Commom Carp-March & December

u,Mrigal:-June & July

eat bran, Crushed Maize, Soyabeen , Mustard oil cake.

na Upper)

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					
Carp	Rohu	Labeo rohita	Indian Major Carp	Large Silver coloured fish, arched head	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	50%
	Mrigal	Cirrhinus mrigala	Indian Major Carp	cycloid scales, mouth broad ,pharyngel teeth in 3 rows	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	50%

	Common Carp	Cyprinus Carpio	Exortic Carp	Have long dorsal fin,have small barbels,mouth opens in an accordion like fashion	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	50%
--	-------------	-----------------	--------------	--	------	-----------	----------	----------------------	---	-----	---	-----

ing fish, time of availability, breeding time, feeds and etc.

Mode of Catching Fish:-Drag net, Cast net

lability:- Through out the year

Commom Carp-March & December

u,Mrigal:-June & July

eat bran, Crushed Maize, Soyabeen , Mustard oil cake.

riwala)

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					
Carp	Rohu	Labeo rohita	Indian Major Carp	Large Silver coloured fish, arched head	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	40%
	Mrigal	Cirrhinus mrigala	Indian Major Carp	cycloid scales, mouth broad ,pharyngel teeth in 3 rows	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	40%

	Common Carp	Cyprinus Carpio	Exortic Carp	Have long dorsal fin,have small barbels,mouth opens in an accordion like fashion	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	40%
--	-------------	-----------------	--------------	--	------	-----------	----------	----------------------	---	-----	---	-----

ing fish, time of availability, breeding time, feeds and etc.

Mode of Catching Fish:-Drag net, Cast net

lability:- Through out the year

Commom Carp-March & December

u,Mrigal:-June & July

eat bran, Crushed Maize, Soyabeen , Mustard oil cake.

ala lower)

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					
Carp	Rohu	Labeo rohita	Indian Major Carp	Large Silver coloured fish, arched head	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	25%
	Mrigal	Cirrhinus mrigala	Indian Major Carp	cycloid scales, mouth broad ,pharyngel teeth in 3 rows	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	25%

	Common Carp	Cyprinus Carpio	Exortic Carp	Have long dorsal fin,have small barbels,mouth opens in an accordion like fashion	Pond	Available	Availabe	Own & Commercial use	Use as food as a good source of protein	Yes	-	25%
--	-------------	-----------------	--------------	--	------	-----------	----------	----------------------	---	-----	---	-----

ing fish, time of availability, breeding time, feeds and etc.

Mode of Catching Fish:-Drag net, Cast net

lability:- Through out the year

Commom Carp-March & December

u,Mrigal:-June & July

eat bran, Crushed Maize, Soyabeen , Mustard oil cake.

ot Applicable

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					
There is no culture Fisheries taken up in this panchayat												

ing fish, time of availability, breeding time, feeds and etc.

ot Applicable

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					
There is no culture Fisheries taken up in this panchayat												

ing fish, time of availability, breeding time, feeds and etc.

ot Applicable

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					
There is no culture Fisheries taken up in this panchayat												

ing fish, time of availability, breeding time, feeds and etc.

t Applicable

Performa-1

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local name	Scientific Name	Variety	Features	Waterscape (Pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other deatails	Community Know. Holders
						Past	Present					
There is no culture Fisheries taken up in this panchayat												

ing fish, time of availability, breeding time, feeds and etc.

FORMAT 18: Trees, Shrubs, Herbs, Tubers, Grasses, Climbers etc

1	2	3	4	5	6		7	8	9	10	11
Plant Type	Local Name	Scientific Name	Habit	Habitat	Local status		Commercial/own use	Part collected	Associated TK	Other details	Community Knowledge Holder
					Past	Present					
Tree	Shisham	<i>Dalbergia sisoo</i>	Tree	Northern/ Sub-Tropical	Good	Moderate	Commercial/ own use	Stem, Timber	-	-	-
Tree	Khair	<i>Acacia catechu</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	Katha	-	-
Tree	Amla	<i>Emblica officinalis</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Fruit	Food processing	-	-
Tree	Siris	<i>Albizia lebbek</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial own use	Timber/ Firewood	-	-	-
Tree	Chir	<i>Pinus roxburghii</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	Resin	-	-
Tree	Lecunia	<i>Leucaena leucocephala</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-	-
Tree	Simbal	<i>Bombax cebia</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-	-
Tree	Kamila	<i>Mallotus philippensis</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial /own use	Timber/ Firewood	-	-	-
Tree	Krangal	<i>Cassia fistula</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-	-
Tree	Ber	<i>Ziziphus jujuba</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial /own use	Fruit	-	-	-
Tree	Plash	<i>Butea monosperma</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Tree	Arjun	<i>Terminalia arjuna</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-

Plant Type	Local Name	Scientific Name	Habit	Habitat	Local status		Commercial/own use	Part collected	Associated TK	Other details	Community Knowledge Holder
					Past	Present					
Tree	Jamun	<i>Syzygium cumini</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/Firewood	-	-	-
Tree	Santha	<i>Dodonaea viscosa</i>	Shrubs	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/Firewood	-	-	-
Tree	Amb	<i>Mangifera indica</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Fruit	-	-	-
Tree	Kiker	<i>Acacia nilotica</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/Firewood	-	-	-
Tree	Sagwan	<i>Tectona grandis</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/Firewood	-	-	-
Tree	Safeda	<i>Eucalyptus</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/Firewood	-	-	-
Tree	Bel	<i>Aegle marmelos</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Leaves/ Fruit	-	-	-
Tree	kakoa	<i>Flacourtia indica</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Fruit	-	-	-
Grass	Bamboo	<i>Dendrocalamus strictus</i>	Grass	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Sticks	-	-	-
Herbs	Bhang	<i>Cannabis sativa</i>	herbs	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Leaves	-	-	-
Shrub	Jojra	<i>Pupalia lappacea</i>	Shrubs	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	-	-	-	-
Shrub	Garna	<i>Carissa spinarum</i>	Shrubs	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Fruit	-	-	-
Shrub	Panjphuli	<i>Lantana camara</i>	Shrubs	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	-	-	-	-
Shrub	Gandila	<i>Nerium indicum</i>	Shrubs	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Flower	-	-	-
Shrub	Pansar	<i>Wendlandia heynei</i>	Shrubs	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	-	-	-	-

Plant Type	Local Name	Scientific Name	Habit	Habitat	Local status		Commercial/own use	Part collected	Associated TK	Other details	Community Knowledge Holder
					Past	Present					
Herbs	congress Grass	<i>Parthenium hysterophrous</i>	herbs	Northern/Sub-Tropical	Good	Moderate	-	-	-	-	-
Tree	Badh	<i>Ficus religiosa</i>	Tree	Northern/Sub-Tropical	Good	Moderate	-		-	-	-
Tree	Phulai	<i>Acacia modesta</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/Firewood	-	-	-
Climber	Tarad	<i>Dioscorea belophylla</i>	Climber	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Roots			
Climber	Jungli bitter melon	<i>Momordica charantia</i>	Climber	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Fruit			
Climber	Purple yam	<i>Dioscorea alata</i>	Climber	Northern/Sub-Tropical	Good	Moderate	-				
Climber	Striped cucumber	<i>Diplocyclos palmatus</i>	Climber	Northern/Sub-Tropical	Good	Moderate	-				

Format 19: Wild Plant Species of Importance

1	2	3	4	5	6
SI.No	Local Name	Scientific Name	Variety	Importance(as economic,social,cultural etc.)	Status
1	Santha	<i>Dodonaea viscosa</i>	Shrub	Firewood	Good
2	Kanner/Lal Gandila	<i>Nerium indicum</i>	Shrub		Good
3	Daduni	<i>Punica grantum</i>	Shrub	Live Hedge fencing	Good
4	Brenker	<i>Adhatoda vasica</i>	Shrub	-	Good
5	Bhang	<i>Cannabis sativa</i>	Shrub	Medicinal	Good
6	Aakh	<i>Ipomea cornea</i>	Shrub	Soil binder	Good
7	pansar	<i>Wendlandia heynei</i>	Shrub	Firewood	Good

Format 20: Aquatic Biodiversity

1	2	3	4	5	6		7	8	9
Local Name	Scientific Name	Variety	Features	Habitat	Local Status		Associated TK	Other details	Community/ Knowledge Holder
					Past	Present			
Snail	<i>Gastropoda</i>		Land snails have a strong muscular foot, they use mucus to enable them to crawl over rough surfaces and to keep their soft bodies from drying out.		Good	Good			
Carp	<i>Cyprinus carpio</i>		Dorsal fin base long with 17-22 branched rays and a strong toothed spine in front, pharyngeal teeth 5:5 teeth with flattened crowns.		Good	Good			
Brown trout	<i>Salmo trutta</i>		An average length of 40-80 cm with a maximum length of 140 cm the spawning behaviour of brown trout is similar to that of the closely related Atlantic salmon.		Good	Good			
Turtle	<i>Testudines</i>		Turtles spend most of their lives in water, they are adapted for aquatic life, freshwater turtles live in ponds and lakes, and they climb out of the water onto logs or rocks to bask in the warm sun		Good	Good			
Sago pondweed	<i>Potamogeton pectinatus</i>		is a perennial at a fast rate, it is in flower from May to September. The species is hermaphrodite (has both male and female organs) and is pollinated by water. It is noted for attracting wildlife.		Good	Good			
Lotus	<i>Nelumbo nucifera</i>		edible, with rhizome, seeds, and leaves have been used as folk medicine, Ayurveda and oriental medicine		Good	Good			
Water Spinach	<i>Ipomoea aquatica</i>		it contains abundant quantities of water, iron, Vitamin C, Vitamin A and other nutrients		Good	Good			
Watercress	<i>Rorippa nasturtium - aquaticum</i>		It contains a plethora of antioxidants, which may lower your risk of heart disease and several types of cancer it's also a good source of minerals that protect your bones		Good	Good			

Format 21: Wild Aquatic Plant Species of Importance

1	2	3	4	5	6
SI.No	Local Name	Scientific Name	Variety	Importance	Trends
1	Lotus	<i>Nelumbo nucifera</i>		edible, with rhizome ,seeds, and leaves have been used as folk medicine, ayurveda and oriental medicine	
2	Water Spinach	<i>Ipomoea aquaticum</i>		it contains abundant quantities of water, iron, vitaminC, Vitamin A and other nutrients	
3	Watercress	<i>Rorippa nasturtium - aquaticum</i>		It contains a plethora of antioxidants, which may lower your risk of heart disease and several types of cancer it's also a good source of minerals that protect your bones	

Format 22: Wild Plants of Medicinal Importance

1	2	3	4	5	6		7	8	9	10
Plant (Herb,Shrub, Tree)	Local Name	Scientific Name	Variety	Landscape/ Habitat	Local Status		Uses (usage)	Part used	Other details market/own use	Community/ Knowledge Holder
					Past	Present				
Tree	Arjun	<i>Terminalia arjuna</i>	Tree	Northern/Sub-Tropical	Good	Good	Medicinal	Bark	-	-
Tree	Amla	<i>Emblica officinalis</i>	Tree	Northern/Sub-Tropical	Good	Good	Medicinal	Bark/ Fruit	-	-
Tree	Harad	<i>Terminalia chebula</i>	Tree	Northern/Sub-Tropical	Good	Good	Medicinal	Bark/ Fruit	-	-
Tree	Behra	<i>Terminalia bellerica</i>	Tree	Northern/Sub-Tropical	Good	Good	Medicinal	Bark/ Fruit	-	-
Tree	Sukchain	<i>Pongamia pinnata</i>	Tree	Northern/Sub-Tropical	Good	Good	Medicinal	Bark	-	-
Tree	Jamun	<i>Syzygium cumini</i>	Tree	Northern/Sub-Tropical	Good	Good	Medicinal	Fruit /seeds	-	-

Format 23: Wild relatives of Crops

1	2	3	4	5		6	7	8	9	10
Local Name	Scientific Name	Associated crop	Landscape/ Habitat	Local Status		Uses (usage)	Part Used	Associated TK	Other details	Community/Know holder
				Past	Present					
NIL										

Format 24: Ornamental Plants

1	2	3	4	5	6	7	8
Local Name	Scientific Name	Variety	Habitat	Commercial/Non-Commercial Uses	Associated TK	Any other Detail	Community /Knowledge Holder
Gandila	<i>Nerium indicum</i>	Shrub	Northern/ Sub-Tropical	-	-	-	-
Panjtara	<i>Tara spinosa</i>	Shrub	Northern/ Sub-Tropical	-	-	-	-
Bougainvillea	<i>Bougainvillea glabra</i>	Shrub	Northern/ Sub-Tropical	-	-	-	-
Gulmohar	<i>Delonix regia</i>	Tree	Northern/ Sub-Tropical	-	-	-	-

Format 25:Fumigate/Chewing Plants

1	2	3	4	5	6		7	8	9	10	11
Plant (Herb,Shrub, Tree)	Local Name	Scientific Name	Variety	Habitat	Local Status		Uses (Usage)	Part used	Associated TK	Other details (mode of use)	Community /Knowledge holder
					Past	Present					
Herb	Pudina	<i>Mentha spp.</i>		Homestead, agricultural land	Abudant	abudant	Spice	leaves			
Tree	curry tree	<i>Murraya koenigii</i>		moist forest and agricultral land	Abudant	abudant	Spice	leaves			
Herb	wild Tulsi	<i>Ocimum sanctum</i>		Moist soil	Abudant	abudant	Medicinal	leaves			

Format26: Timber Plants

1	2	3	4		5	6	7	8
Local Name	Scientific Name	Habitat	Local Status		Other Uses ,if any	Associated TK	Other Details	Community / Knowledge holder
			Past	Present				
Chir	<i>Pinus roxburghii</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Shisham	<i>Dalbergia sissoo</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Ber	<i>Ziziphus jujuba</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Sagwan	<i>Tectona grandis</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Safeda	<i>Eucalyptus</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Simbal	<i>Bombax ceiba</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Tunu	<i>Cidrela toona</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Jamun	<i>Syzygium cumini</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-

Format27 A:Coastal and Marine Flora

1	2	3	4	5		6	7	8	9	10
Plant Type	Local Name	Scientific Name	Habitat	Local status		Part collected	Commercial uses(if any)	Other Uses	Associated TK	Community Knowledge Holder
				Past	Present					
NIL										

|

Format 27 B:Coastal and Marine Fauna

1	2	3	4	5		6	7	8	9	10
Animal Type	Local Name	Scientific Name	Habitat	Local status		Part collected (if any)	Commercial uses (if any)	Other Uses	Associated TK	Community Knowledge Holder
				Past	Present					
NIL										

Format 28: Wild Animal (Mammals,Birds,Reptiles,Amphibia,Insects,others)

1	2	3	4	5	6	7		8	9	10	11
Animal Type	Local Name	Scientific Name	Habitat	Description	Season when seen	Local status		Uses ,if any	Associated TK	Other Details	Community Knowledge Holder
						Past	Present				
Wild Animal	Leopad	<i>Panthera Pardus</i>	Northern/ Sub-Tropical	-	Winter	Good	Good	-	-	-	-
Wild Animal	Squirrels	<i>Sciuridae</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-
Wild Animal	Boar	<i>Sus scofra</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-
Wild Animal	Indian Hare	<i>lepus nigricollis</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-
Wild Animal	Monkey	<i>Cercopithecidae</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-
Wild Bird	Red jungle fowl	<i>Gallus gallus</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-
Wild bird	Rose ringed parakeet	<i>Psittaculidae</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-

Wild Animal	Fox	<i>Vulpes</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-
Wild Animal	Porcupine	<i>Erethizon dorsatum</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-
wild insects	Grasshopper	<i>Parallelus</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-
wild insects	butterfly	<i>Chorthippus brunneus</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-
wild insects	bees	<i>Apis mellifera</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-
wild insects	ants	<i>Brachymyrmex patagonicus</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-
wild insects	Bumble bee	<i>Bombus</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-
Amphibia	Frog	<i>Euphlyctis cyanophlyctis</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-
Reptiles	Tortoises	<i>Testudines</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-
Reptiles	Snake	<i>Natrix</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	-

Format 29: Flora

1	2	3	4	5	6	7
Sr. No.	Local Name	Scientific Name	Type of Plants	Habitat	Flowering Season	Remarks (Rare / Common etc.)
1	<i>kikar</i>	<i>Acacia nilotica</i>	Broad leave	sub tropical	summer	Common
2	<i>Mangoo</i>	<i>Mangifera indica</i>	Broad leave	sub tropical	summer	Common
3	<i>Safeda</i>	<i>Eucalyptus spp.</i>	Broad leave	sub tropical	summer	Common
4	<i>Sree</i>	<i>Albizzia lebbeck</i>	Broad leave	sub tropical	summer	Common
5	<i>Talli</i>	<i>Dalbergia sissoo</i>	Broad leave	sub tropical	summer	Common
7	<i>Popular</i>	<i>Populus ciliata</i>	Broad leave	sub tropical	summer	Common
9	<i>Jammun</i>	<i>Syzygium cumini</i>	Broad leave	sub tropical	summer	Common

Format 30: Fauna

1	2	3	4	5	6
S.No	Local Name	Scientific Name	Type of Animals(Mammals /Birds/Fish/Insects etc.)	Habitat	Remarks(Rare/common etc.)
1	Cow	<i>Bos taurus</i>	Mammal	Terrestrial	Common
2	Buffalow	<i>Bubulus</i>	Mammal	Terrestrial	Common
3	Sheep	<i>Ovis aries</i>	Mammal	Terrestrial	Common
4	Goat	<i>Capra aegagrus hircus</i>	Mammal	Terrestrial	Common
5	Sparow	<i>Passeridae</i>	Birds	Terrestrial	Common
6	Crow	<i>Corvus</i>	Birds	Terrestrial	Common
7	Parrot	<i>Psittaciformes</i>	Birds	Terrestrial	Common
8	Peacock	<i>Pavo cristatus</i>	Birds	Terrestrial	Rare
9	Ant	<i>Formicidae</i>	insects	Terrestrial	Common
10	Bee	<i>Anthophila</i>	insects	Terrestrial	Common
11	Butterfly	<i>Rhopalocera</i>	insects	Terrestrial	Common
12	Mosquto	<i>Culicidae</i>	insects	Terrestrial	Common
13	Caterpillar	<i>Lepidoptera</i>	insects	Terrestrial	Common
14	Fish		Aquatic Animals	Aquatic	Common
15	Frog	<i>Anura</i>	Aquatic Animals	Aquatic	Common
16	Torotise	<i>Testudinidae</i>	Aquatic Animals	Aquatic	Rare
17	Crocodile	<i>Crocodylidae</i>	Aquatic Animals	Aquatic	Rare

Format 31: Any other information of local importance

1	2	3
Sr. No.	Information of local importance	Remarks

End of Part II