

People Biodiversity Register (PBR): General Details

Name of the Panchayat Samiti: Haripur

Taluk: Mandal Phallian

District: Jammu

State/UT: J&K

Geographical Area of the Panchayat Samiti: 3.901 Hect.

Population under the Panchayat Samiti: 3000

Male: 60%

Female: 40%

Habitat and Topography: Plain

Climate (Rainfall, Temperature and weather patterns): Hot, Cold & Pleasant

Land Use (Nine fold classification available with village records) Agriculture

Date, Month and Year of PBR Preparation: 12-02-2020

Management Regime: Reserve Forest (RF)/Joint Forest Management(JGM)/Protected Areas(PA)/ Community Owned and M

Details of Biodiversity Management Committee (BMC) of the Panchayat (One elected Chairperson and six persons nominated body ; not less than one third to be women and not less than 18% belonging to SC/ST)**1)Name of the Chairperson:** Balbir Kumar**Age:** 32 Yr**Gender:** Male**Address:** Haripur Tehsil Mandal 180003**Area of specialization:** Sarpanch**2) Name:** Seema Devi W/o Mohinder Lal**Age:** 27 Yr.**Gender:** Female**Address:** Haripur Tehsil Haripur 180003**Area of specialization:** Panch**3)Name:** Kamlesh Kumari W/o Puran Chand**Age:** 45 Yr.**Gender:** Female**Address:** Karwal Pyt Haripur Tehsil Mandal 180003**Area of specialization:** Panch**4)Name:** Manjeet Kumar S/o Bindra Ram**Age:** 38 Yr.**Gender:** Male**Address:** Karwal Pyt Haripur Tehsil Mandal 180003**Area of specialization:** Panch**5)Name:** Tarlochan Singh S/o Sujjan Singh**Age:** 60 Yr.**Gender:** Male**Address:** Haripur Tehsil Mandal 180003**Area of specialization:** Rtd. Police**6)Name:** Tarvinder Singh S/o Inder Singh**Age:** 28 Yr.**Gender:** Male**Address:** Haripur Tehsil Mandal 180003**Area of specialization:****7)Name:** Kushal Kumar S/o Inder Dass**Age:** 27 Year**Gender:** Male**Address:** Haripur Tehsil Mandal 180003**Area of specialization:** Atta Mill

List of Vaid, hakims and traditional health care (Human and livestock) practitioners residing and or using biological resources within the jurisdiction of the village
1)Name:
Age:
Gender:
Address:
Area of specialization:
Location from which the person accesses biological material:
Perception of the practitioner on the resource status:
Medicinal Use:
2) Name:
Age:
Gender:
Address:
Area of specialization:
Location from which the person accesses biological material:
Perception of the practitioner on the resource status:
Medicinal Use:
3)Name:
Age:
Gender:
Address:
Area of specialization:
Location from which the person accesses biological material:
Perception of the practitioner on the resource status:
Medicinal Use:

List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in agriculture, fishery and forestry

1) Name of the Chairperson: Vikas

Age: 34 Year

Gender: Male

Address: Gandhi Nagar, Jammu

Area of specialization: Veterinary Doctor

2) Name:

Age:

Gender:

Address:

Area of specialization:

3) Name:

Age:

Gender:

Address:

Area of specialization:

4) Name: Inder Dass

Age: 70

Gender: Male

Address: Haripur

Area of specialization: Agriculture

Details of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals preparation of the PBR

1) Contact Person:

Name and Address:

2) Contact Person:

Name and Address:

3) Contact Person:

Name and Address:

4) Contact Person:

Name and Address:

You may add names of more institutions/NGO/Individuals etc, if necessary

Annexure 5**Detail of access to biological resources and traditional knowledge granted, details of the collection fee imposed and details of the benefit derived and the mode of their sharing**

S.No	Name and address of the Person/Institute/company others	Local and Scientific Name of the biological material Accessed and quantity		Date and resolution of the BMC and endorsement by the Panchayat	Detail of collection fee imposed	Anticipated mode of sharing benefits or quantum of benefits shared
	Karwal	Milk				
	Bablu Singh	Milk				
	Parshotam Sharma	Milk				
	Bachan Singh	Poultry				

End of Part I

**Part II
PBR – Formats
AGROBIODIVERSITY**

Format 1: Crop Plants

1	2	3	4	5	6	7		8	9	10	11	12	13	14	15
Crop	Scientific Name	Local Name	Variety	Landscape /Habitat	Approx Area Sown	Local Status		Special features	Cropping Season	Uses	Associated TK	Other Details	Cropping Season	Source of Seeds / Plants	Community /Knowledge Holder
						Past	Present								
1	Rice	<i>Oryza sativa</i>	Dhan/ Munji	(Fine & Long duration)	Planes / Low laying Areas		Normal	Normal	Basmati 370 is world wise known for its aroma	Food & Fodder	Provides energy fragrance and taste	-	Kharif (May to October)	Farmers / Department/ Privaate Suppliers	Farmers
				Basmati 1121/(Coarse low K39 K434 Rattana & Long duration)			Normal	Normal							
2	Wheat	<i>Triticum aestivum</i>	Kanak	HD2967,PBW64 4	Cool Climate during early part of its growth		Plenty	Plenty	High yielding Variety	Food & Fodder	Source of Energy	Suitable for Chappati/Bread making	Rabi	Farmers / Department/ Privaate Suppliers	Farmers
3	Peas	<i>Pisum sativum</i>	Matar	Rachna	Cool & dry		Normal	Normal	Early maturing & High yielding	Food	Source of Protein/Energy	Used as Vegetable	Rabi	Farmers / Department/ Privaate Suppliers	Farmers

4	Onion	<i>Allium cepa</i>	Gamd	nasik Red. Red Coral, Monsanto And Local Spp.	local Planee areas		Abundant	Abundant	Bulbs Cash Crop	Vegetables	Vegetable	Staple Vegetable food	Rabi	Farmers / Department/ Privaate Suppliers	
5	Mustard	<i>Brassica juncea</i>	Sarson	Pusa Bold/ KOS - 1	Cool & dry		Normal	Normal	Matures in 145-150 days with 40-42 % oil content	oil for Food	Source of energy i	vegetable Oil extracted from seeds used in cooking	Rabi	Farmers / Department/ Privaate Suppliers	Farmers
6	Gobhi Sarson	<i>Brassica napus</i>	Gobhi Saria	GSL-1,DGS-1 ,Local	Cool & dry		Normal	Abundant	Annual Herb,yellow flowers bearing Pods	oil for Food,leaves used as vegetable	Source of energy i,calciam,copper,potassium	vegetable Oil extracted from seeds used in cooking	Rabi	Farmers / Department/ Privaate Suppliers	Farmers
7	Linseed	<i>Linum usitatissimum</i>	Alsi	LC 54	Cool & dry		Normal	Normal	Medium duration	Food & fiber	Source of energy in the shape of Oil	Medicinal,i ndustrial & domestic use	Rabi	Farmers / Department/ Privaate Suppliers	Farmers
8	Potato	<i>Solanum tuberosum</i>	Aalo	Kufri Sindhuri,Kufri Badsha, local	Potato is an herbaceous annual,requires cool weather,mostly rainfed conditions		Abundant	Abundant	Tubers are round to ovoid, creamish white to light red in colour with shallow eyes	Under ground tubers are used as vegetable, chips etc	-	High carbohydrate,provide high n energy value	Rabi	Farmers / Department/ Privaate Suppliers	Farmers

9	Toria	<i>Brassica j. rape cv.Toria</i>	Toria	RSPT-1,RSPT-2,Local var.	Cool & dry with bright sunshine		Normal	Normal	Short durationAnnual Herb	oil for prepration of Food	Source of energy i,calciam,coper,potassium	vegetable Oil extracted from seeds used in cooking	Between Kharif & Rabi season	Farmers / Department/ Privaate Suppliers	Farmers
10	Sugarcane	<i>Saccharum officinarum</i>	Ganna	COJ-64,COJ-81	Sub Tropical		Rare	Rare	Long duration crop for Nine months	Food	Source of energy in the shape of Gur/Sugar	Juice used as prefered drink for instant source of energy during summer besides	Spring season	Farmers / Department/ Privaate Suppliers	Farmers
11	Chilli	<i>Capsicum spp</i>	Mirchi	Pusa Jawala, CH-1	Tropica/sub tropical vegetable,grows well warm humid conditions		Abundant	Abundant	Pungency and flavor	Used as spice ,medicinal value	-	Contains good ammount of vitamin A&C	winter season	Farmers / Department/ Privaate Suppliers	Farmers
12	Tomato	<i>Solanum lycopersicum</i>	Tamater	Pusa rubi,Pusa early dwarf, Manisha Plus/local	Warm season crop		Abundant	Abundant	Stems are woody and weak, and tend to vine over other types of plants.	Used as vegetable ,salad, soup,Souce	rich source of Ascorbic acid	Tomatoes are also packed with vitamins A and C, calcium, potassium.	Rabi	Farmers / Department/ Privaate Suppliers	Farmers
13	Okra	<i>Abelmoschus esculentus</i>	Bindi	Varsha uphar, Arka Anamika	Tropica/sub tropical vegetableHot and humid climate		Abundant	Abundant	Tender green fruit used as vegetable	Mainly vegetable	Source of Fiber	Contains dietary fibers,protein and carbohydrates	Summer/ Kharif	Farmers / Department/ Privaate Suppliers	Farmers

14	Cucumber	<i>Cucumis sativus</i>	Kheera	Kheera local, JL	Grows in all climatic conditions, Tropical, Sub tropical & temperate		Abundant	Abundant	Limbing annual bearing elongated thick cylindrical fruit	Mainly used as salad	-	It also used as antipyretic and causing cooling effect	Summer/ Kharif	Farmers / Department/ Private Suppliers	Farmers
15	Bottle gourd	<i>Lagenaria siceraria</i>	Lokki	PSPL/Punjab Long	Summer & rainy season crop		Abundant	Abundant	Vines vigorous, profusely branched	Subzis, curries and gravies.	-	It also contains essential vitamins and minerals	Summer/ kharif	Farmers / Department/ Private Suppliers	Farmers
16	Bitter gourd	<i>Momordica charantia</i>	karela	Pusa Domausmi/Kundan	Warm and Humid climate		Abundant	Abundant	Herbaceous climbing annual with ridged stems	Vegetable and medicinal value	-	Used for maintaining low sugar level	Summer/ kharif	Farmers / Department/ Private Suppliers	Farmers
17	Beans	<i>Phaseolus Spp.</i>	Phaliya	Contender	Cool weather crop/Sandy/loamy soil		Abundant	Abundant	Tender green pods are used as vegetable	Mainly vegetable	Source of energy in the shape of Gur/Sugar	High value protein, Vitamin B1, B2 < B6 and Magnesium	Summer season	Farmers / Department/ Private Suppliers	Farmers
18	Cauliflower	<i>Brassica oleraceae var. botrytis</i>	Fol gobi	Pusa snow ball, Pusa Katki, local Girja	Both sub tropical & intermediate		Abundant	Abundant	White and tender head, curd formed from shortened flower part	Curd Mainly used as vegetable	-	Also good source of protein, carbohydrate, phosphorus & iron	Rabi	Farmers / Department/ Private Suppliers	Farmers

19	Cabbage	<i>Brassica oleraceae var. capitata</i>	Band gobi	Golden Acre, Pride of India, Green Flesh	Both sub tropical & intermediate		Abundant	Abundant	Round head with light to dark green colour	Head Mainly used as vegetable, salad	-	Also good source of protein, carbohydrate, phosphorus & iron	Rabi	Farmers / Department/ Private Suppliers	Farmers
20	Knol khol	<i>Brassica oleraceae var. gongyloides</i>	Kadam	White Vienna, Purple Vienna	cool & moist climate/sub tropical		Abundant	Abundant	Swollen stem, green/purple with long and broad leaves	Swollen stem and leaves are consumed as vegetable	-	-	Rabi	Farmers / Department/ Private Suppliers	Farmers
21	Spanich	<i>Spinacea oleracea</i>	Palak	All Green, Delta	Cool season Crop, thrives well on well drained loam soils		Abundant	Abundant	Tender green leaves & root used as Vegetable	Tender green leaves used as leafy Vegetable	-	Vitamins A and C, fiber, folic acid, and other nutrients	Rabi	Farmers / Department/ Private Suppliers	Farmers
22	Radish	<i>Raphanus sativus</i>	Mulli	Japanes White, Koren Etc	Cool season Crop, thrives well on well drained Sandy loam soils		Abundant	Abundant	Tender green leaves & roots used as Vegetable	Modified Roots are used as Vegetable & Salad	-	Full of vitamin A, C, E, B6, potassium, and other minerals,	Rabi	Farmers / Department/ Private Suppliers	Farmers
23	Carrot	<i>Daucus carota</i>	Gajer	Pusa Kesar, local	Cool & moist climate/ sub tropical & intermedite		Abundant	Abundant	Modified Root is eatable	Root is used as Vegetable, Salad, Juice, Sweet Dish, Preserve etc.	-	Good source of carotene, lutein, and zeaxanthin. Vit A, C, B6, Folic acid	Rabi	Farmers / Department/ Private Suppliers	Farmers

24	Turnip	<i>Brassica rapa</i>	Gunglu /Shalgam	PTWG/Local	Cool &moist climate/sub tropical&intermediate		Abundant	Abundant	Modified Root is eatable	Root is used as Vegetable , Salad,.	-	Good source of Vit.C,Diatry Fiber &Potasium	Rabi	Farmers / Department/ Privaate Suppliers	Farmers
----	--------	----------------------	-----------------	------------	---	--	----------	----------	--------------------------	-------------------------------------	---	---	------	--	---------

Format-4 : Weeds

Format-4 : Weeds													
1	2	3	4	5	6	7	8		9	10	11	12	13
S. No.	Plant	Scientific Name	Local Name	Affected Crop	Habit	Landscape/ Habitat	Local Status		Uses if any	Management options	Associated TK	Other details	Community Kn. Holders
							Past	Present					
1	Pig Weed	<i>Amaranthus viridis</i>	Jangli Choulai	Rice, Maize & sugarcane	Annual herb	Agri. Land	Normal	Normal	Eaten as boiled green veg	Physical, Mechanical, Chemical	Rich Source of protein & amino acid	Also Used as medicinal herb	Farmers
2	Lamb's quarters	<i>Chenopodium album</i>	Bathua/ Kanh/Wild Spinach	Wheat, Pea, Potato	Annual herb	Agri. Land	Normal	Normal	Eaten as boiled green veg	Physical, Mechanical, Chemical	Rich Source of protein, Vit. A, Calcium, Phosphorous & potash	Annual feed & fermentation of Beverages	Farmers
3	Nut Grass	<i>Cyperus rotundus</i>	Dilla/Motha	Paddy, maize, sugarcane, vegetable	Perennial	Agri. & Non Agri. Land	Abundant	Abundant	Fodder & Animals	Physical, Mechanical, Chemical	Nil	Traditionally used as medicine	Farmers
4	Barnyard Grass	<i>Echinochloa crusgalli</i>	Swank	Paddy	Annual	Agri. Land	Abundant	Abundant	Fodder & Animals	Physical, Mechanical, Chemical	Nil	Nil	Farmers
5	Carrot grass	<i>Parthenum hysterophorus</i>	Congress Grass	Gardens & sugarcane ratoon crops & other crops	Annual	Agri. Land	Abundant	Abundant	Nil	Physical, Mechanical, Chemical	Abnoxious weed difficult to manage		Farmers
6	Bur Clover	<i>Medicago denticulata</i>	Maina	Wheat Grass Peas	Perennial herbaceous legume	Agri. Land	Normal	Normal	Fodder, vegetable & green manure	Mechanical, Chemical	Nil	Improves Soil fertility	Farmers
7	Canary Grass	<i>Phalaris minor</i>	Sitti/gilli danda	Wheat Grass Peas, mustard	annual	Agri. Land	Abundant	Abundant	Fodder & forage	Mechanical, Chemical	Source for High quality protein	Agri. Land	Farmers

8	Meadow Pea	<i>Lathyrus aphaca</i>	Matri	Wheat Grass Peas, mustard	annual	Agri. Land	Normal	Normal	Fodder	Mechanical, Chemical	Nil	Agri. Land	Farmers
9	Canada Thistle	<i>Cirsium arvense</i>	Leh	Wheat gram, Barley	Perennial	Agri. & wasteLand	Normal	Normal		Mechanical, Chemical	Nil	Agri. Land	Farmers
10	Bang	<i>Cannabis indica</i>	Bang	Kharif Crops	Perennial	Agri. & wasteLand	Normal	Normal		Mechanical, Chemical	Nil	Agri. Land	Farmers
11	Nilibuti	<i>Ageratum conyzoides</i>	Nilibuti	Rabi Crops	Perennial	Agri. & wasteLand	Normal	Normal		Mechanical, Chemical	Nil	Agri. & wasteLand	Farmers
12	Dub Grass	<i>Cynodon dactylon</i>	Dub Grass	Rabi/ Kharif	Perennial	Agri. & wasteLand	Abudant	Abudant	Fodder	Mechanical, Chemical	Nil	Agri. & wasteLand	Farmers
13	Wild oats	<i>Avena fatua</i>	Jangli Javi	Oats	Annual herb	Sub Tropical	Rare	Rare	Fodder	Above ground parts	-	Nutrativ Fodder for Animals	Farmers
14	Wild Rice	<i>Echinochloa colonum</i>	Swanki	Paddy	Annual herb	Sub Tropical	Rare	Rare	Fodder	Above ground parts	-	Nutrativ Fodder for Animals	Farmers
15	Jhonson Grass	<i>Sorghum helepense</i>	Beru grass	Sorghum	Perinneal	Sub Tropical	Rare	Rare	Fodder	Above ground parts	-	Nutrativ Fodder for Animals	Farmers

Format-5: Pests of Crops

1	2	3	4	5	6	7	8	9	10	11
S. No.	Insect /Animal	Scientific Name	Local Name	Habit	Habitat	Time/Season of Attack	Management Mechanism	Associated TK	Other details	Community Kn. Holders
1	Mustard aphid	<i>Lipaphis erysimi</i>	Tela	Sucking pest	Attacks mustard & other cucurbit crops	Dec-March	Timely sowing of crop & Chemical, Biological & Mechanical	-	Major threat to oil seed crops of Rabi	Farmers
2	Termite	<i>Microtermis obesi</i>	Telle	Chewing & biting	Wheat & other crops	Nov-May	Cultural & Chemical measures	-	Major threat to unirrigated crops	Farmers
3	Blister beetle	<i>Mylabris spp.</i>	Ghori	Chewing & biting	Attacks Maize, Bhindi & Pulses	June-Oct	Mechanical & Chemical measures	-	Insectivorous feed on grasshopper	Farmers
5	Red Pumpkin Beetle	<i>Raphidopalpa foveicellis</i>	Lal Kaddu Beetle	Chewing & biting	Cucurbits	March-Oct	Chemical measures	-	Most common in fields of Cucurbits	Farmers
6	Cucurbits fruit fly	<i>Bactrocera cucurbitae</i>	Melon fly	Chewing & biting	Attacks Pumpkin, cucumber & gourds	Throughout the year	Mechanical & Chemical, Pheronon trap	-	Danger to all cucumber crops	Farmers

8	Grasshopper	<i>Hieroglyphus nigropletus</i>	Tidi	Maize and Paddy	Maize, Paddy, Jojr Bajra	July to sept	Mechanical& Chemical measures	-	Eats leaves	Farmers
9	Rice Gandi Bug	<i>Leptocorzia varcornis</i>	Gandi Bug	Paddy	Paddy at miliking stage	July to Oct.	Mechanical& Chemical measures	-	Pierce the grains at miliking stage	Farmers
10	Army worm	<i>Spodoptera Frugiperda</i>	Caterpillar	All Crops	Defoliaties Major crops	Through the year	Mechanical& Chemical measures	-	Defoliates all crops	Farmers
11	Leaf Floder	<i>Cnaphalocrocis meddialis</i>	Ctter Pillers	Feeds on leavs abd stem	Attacts on Paddy Leaves	June to Oct.	Mechanical& Chemical measures	-	Major threats	Farmers
12	Stem Borer	<i>Tryporza incrtules</i>	Tana shedat/ Catter pillers	Bores into stem results into dead heart	Crops Plants	June to Oct.	Mechanical& Chemical measures	-	Major threats	Farmers
13	Cut worm	<i>Agrotis ipsilon</i>	Ludi	Cuts stem and leaves	Wheat sorguham maize and other	Throughout the year	Mechanical& Chemical measures	-	Major threats	Farmers

Format 6: Markets for Domesticated animals

1	2	3	4	5	6	7	8	9
Name of the market & location	Weekly (D)/ Fortnightly (D) / Monthly (D) / Biannual (M) / Annual (M) [1]	Types of animals bought and sold [2]	Types and Average Number of animals transacted in a day	Places from which animals are brought	Places to which the animals are sold / transported	Name and location of fish market	Types of fishes sold	Source of fish

Note: [1] (D) – day; (M) – month;

[2] **Types of animals may include:** Poultry / Sheep / Goats / Cattle / Ducks / Pigs / Donkeys / Mules / Horses / Camels / Others (Specify)

Format 7: Peoplescape

1	2	3	4	5	6	7	8	9	10	11
Community & Population	Families & Major occupation	Sub-occupation	Depending Landscape	Major resources accessed and seasons of access	Landscape management practices	Resource management practices	Cast / Tribe	Social condition	Nature of inhabitants	No. of HHs
Hindu, Muslim, Sikh (2025)	Agriculture	Labour	Plain Area	Agriculture Rabi/Kharif	Plain area	Satisfied	Mix	Average	Average	700

Major occupation may be farming. Sub-occupations could be fishing, collection of NTFP animal husbandry, artisans, services Examples of depending landscapes are agriculture landscape, rivers, forest etc.
 Major resources accessed could be agriculture resources of different nature, fish, birds, water, mud, and etc
 How the community manages the landscapes they use for satisfying different needs, their strategies and perception
 How the community manages the resources they access for satisfying different needs, their strategies and perception, conflicts etc

Format 8: Landscape													
1			2	3	4	5	6	7	8	9	10	11	12
Major Landscapes			Sub - Landscapes	Features and approx. area	Ownership	General flora	General fauna	User groups	Management practices	General uses	Associated TK	Other details	Community accessed
Agricultural land	Pond	Fallow land											
Plains			Plains	Flat sweepng landmass with small change in elevation	Private and State lands.	Broad leaved mainly Tali, Phagari, Beri, Plah, Jamun, Aamb, Amla, Kikar, Bohr, Neem, Bana, Drenk, Jojera, Panjphulai, Khar grass, Dhub grass,	Domestic animals, wildlife such as wild pig, Snakes, jackal, etc.	Public,as well as pvt and Govt also		Aesthetic and scenic beauty in urban areas			
Lower Shiwalik areas			Sub-mountains or Hillocks	Plain terrain with gentle slope									
Shiwalik areas			Hills	Hills with gentle slopes									

Provide a brief description of landscapes such as forests, plantations, cultivated land, estuary, pond, lake or other elements

Format 11: Fruit Trees

1	2	3	4	6	7		8	9	10	11	12	13
Plant	Local Name	Scientific Name	Variety	Landscape /Habitat	Local Status		Source of Seeds / Plants	Season of fruiting	Associated TK	Uses	Other Details market / own use	Community /Knowledge Holder
					Past	Present						
Mango	<i>Aam</i>	<i>Mangifera indica</i>	Desi, Dushari , Malta	Plains	plenty	plenty	Nurseries	June- August		Fruit,Picking, Preserves	Marketing, own use	
Citrus Fruits	<i>Khatti, Mosambi, santra, Nimbu,</i>	<i>Citrus spp</i>	Local,Kagzi lime, Italian limeHill lemon etc	plains,mid hills	plenty	plenty	Nurseries	throughout year		Fruit, picking Squashes etc.	Marketing, own use	
Litchi	<i>Litchi</i>	<i>Litchi chinensis</i>	Calcutta Dehradun	plains	rare	rare	Nurseries	June- August		fruit	Marketing	
Guava	<i>Amrood</i>	<i>Psidium guajava</i>	Local, Allahabadi, Safaida	plains lower hills	plenty	plenty	Nurseries	June- August		fruit	Marketing, own use	
Grapes	<i>Angoor</i>	<i>Vitis vinifera</i>	Local Dakh perlette	plains mid hills	rare	rare	Nurseries	June- August		fruit		
Ber	<i>ber</i>	<i>Zizyphus mauritiana lamk</i>	Gola Banarasi	Plains	plenty	plenty	local raised	July- August		fruit	Own use	
Jamun	<i>Jamun</i>	<i>Syzygium cumini</i>	local selection	plains	rare	rare	Nurseries, local raised	July- August		fruit	Own use	
Pomegranate	<i>Anar, Druni</i>	<i>Punica granatum</i>	Ganesh, Kandhari local	plains	rare	rare	Nurseries, local raised, wild	May- August		fruit, anardana	Own use	
Papaya	<i>Papita</i>	<i>Carica papaya</i>	local	plains	rare	plenty	Nurseries, locally raised	August-October		fruit	own use	

Format 12: Medicinal Plants (Herbs, Shrubs, Trees etc.)

1	2	3	4	5	6	7		8	9	10	11	12
Plant Type	Local Name	Scientific Name	Variety	Landscape/ Habitat	Source of plant/seeds	Local Status		Uses (usage)	Part used	Associated TK	Other details market/own use	Community/ Know. holder
						Past	Present					
Herbs	Jungli putna	<i>Mentha arvensis</i>		Lower shiwalik/Temperate area	Stem/Seed	Abundant	Abundant	medicinal	Leaves	N.A	N.A	Generally, held by community
Shrubs	Brankad	<i>Adhatoda vasica</i>		Lower shiwalik	Seed	Abundant	Abundant	medicinal	Roots & Flower	N.A	N.A	Generally, held by community
Shrubs	Drainkad	<i>Murraya koenigii</i>		Sub-Tropical area	Seed	Rare	Rare	medicinal & spice	Fruit	N.A	N.A	Generally, held by community
Shrubs	Bareyan	<i>Acorus calamus</i>		Lower shiwalik	Seed	Rare	Rare	medicinal	Leaves	N.A	N.A	Generally, held by community
Herbs	Bhang	<i>Canabis sativa</i>		Lower shiwalik	Seed	Abundant	Abundant	medicinal	Leaves	N.A	N.A	Generally, held by community
Tree	Bair	<i>Ziziphus marutiana</i>		Lower shiwalik	Seed	Rare	Rare	medicinal	Stem	N.A	N.A	Generally, held by community
Tree	Draink	<i>Melia azadirach</i>		Lower shiwalik	Seed	Abundant	Abundant	medicinal	Leaves	N.A	N.A	Generally, held by community
Tree	Jamun	<i>Syzygium cumini</i>		Lower shiwalik	Seed	Abundant	Abundant	medicinal	Leaves/Fruit	N.A	N.A	Generally, held by community
Tree	Mango	<i>Mangifera indica</i>		Lower shiwalik	Seed	Abundant	Abundant	Fruits	Stem/Fruit	N.A	N.A	Generally, held by community
Tree	Rumbal	<i>Ficus racemosa</i>		Lower shiwalik	Seed	Rare	Rare	medicinal	Leaves	N.A	N.A	Generally, held by community
Tree	Siris	<i>Albizia lebeck</i>		Lower shiwalik	Seed	Abundant	Abundant	Firewood	Leaves/Stem	N.A	N.A	Generally, held by community
Tree	Tali	<i>Dalbergia sissoo</i>		Lower shiwalik	Seed	Abundant	Abundant	Timber & fodder	Stem	N.A	N.A	Generally, held by community
Tree	Amla	<i>Emblica officinalis</i>		Lower shiwalik	Seed	Rare	Rare	medicinal	Leaves/Bark	N.A	N.A	Generally, held by community

Format 14: Timber Plants / Trees

1	2	3	4	5		6	7	8	9	10
Plant Type	Local Name	Scientific Name	Habitat	Local status		Wild/ home-garden	Other uses (multi)	Associated TK	Other details	Community/ Know. holder
				Past	Present					
Tree	Kiker	<i>Acacia nilotica</i>	Lower shiwalik	Rare	Rare	Wild	Own	Nil	Nil	Generally, held by community
Tree	Mangoo	<i>Mangifera indica</i>	Lower shiwalik	Abundant	Abundant	Wild/ home-garden	Own	Nil	Nil	Generally, held by community
Tree	Safeda	<i>Eucalyptus spp.</i>	Lower shiwalik	Rare	Abundant	Wild	Commercial	Nil	Nil	Generally, held by community
Tree	Sree	<i>Albizia lebbeck</i>	Lower shiwalik	Abundant	Abundant	Wild	Own	Nil	Nil	Generally, held by community
Tree	Talli	<i>Dalbergia sissoo</i>	Lower shiwalik	Abundant	Abundant	Wild	Own	Nil	Nil	Generally, held by community
Tree	Tuni	<i>Toona ciliata</i>	Lower shiwalik	Abundant	Abundant	Wild	Own	Nil	Nil	Generally, held by community
Tree	Popular	<i>Populus ciliata</i>	Lower shiwalik	Rare	Abundant	Wild	Own	Nil	Nil	Generally, held by community
Tree	Simbal	<i>Bombax ceiba</i>	Lower shiwalik	Rare	Rare	Wild	Own	Nil	Nil	Generally, held by community
Tree	Jammun	<i>Syzygium cumini</i>	Lower shiwalik	Rare	Abundant	Wild	Own	Nil	Nil	Generally, held by community
Tree	Peepal	<i>Ficus religiosa</i>	Lower shiwalik	Rare	Abundant	Wild	Own	Nil	Nil	Generally, held by community

Format 16: Culture Fisheries

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local Name	Scientific Name	Variety	Features	Waterscape (Pond/Bheri/Talao)	Local status		Uses	Associated TK	Commercial Rearing	Other details	Community Know. Holders
						Past	Present					
There is no culture Fisheries taken up in this panchayat												

Note: Other details include mode of catching fish, time of availability, breeding time, feeds and etc

Format 18: Trees, Shrubs, Herbs, Tubers, Grasses, Climbers etc.

1	2	3	4	5	6		7	8	9	10	11
Plant Type	Local Name	Scientific Name	Habit	Habitat	Local status		Commercial / own use	Part collected	Associated TK	Other details	Community Knowledge Holder
					Past	Present					
Tree	Tali	<i>Dalbergia sisoo</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/ own use	Stem, Timber	-	-	-
Tree	Amla	<i>Emblica officinalis</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/ own use	Fruit	Food processing	-	-
Tree	Siris	<i>Albizia lebbeck</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial own use	Timber/ Firewood	-	-	-
Tree	Simbal	<i>Bombax cebia</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-	-
Tree	Ber	<i>Ziziphus jujuba</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial /own use	Fruit	-	-	-
Tree	Jamun	<i>Syzygium cumini</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Tree	Amb	<i>Mangifera indica</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Fruit	-	-	-
Tree	Kiker	<i>Acacia nilotica</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-

Tree	Safeda	<i>Eucalyptus spp.</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Tree	Neem	<i>Azadirachata indica</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Grass	Doob grass	<i>Cynadon dactylon</i>	Grass	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Shurb	Dhatura	<i>Datura stramonium</i>	Shurb	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Shurb	Arnid	<i>Ricinus communis</i>	Shurb	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Shurb	Bana	<i>Vitex negundo</i>	Shurb	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Tree	Bel	<i>Aegle marmelos</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Shurb	Daduni	<i>Punica granatum</i>	Shurb	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Tree	Fagora	<i>Ficus palmata</i>	Tree	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-
Grass	Nad	<i>Arundo donax</i>	Grass	Farmlands & Urban areas	Good	Moderate	Commercial/own use	Timber/ Firewood	-	-	-

Format 19: Wild Plant Species of Importance

1	2	3	4	5	6
S.No.	Local Name	Scientific Name	Variety	Importance (economic,social,cultural etc.)	Status
1	Lal Gandila	<i>Nerium indicum</i>	Shrub	Aesthetic	Good
2	Daduni	<i>Punica grantum</i>	Shrub	Live Hedge fencing	Good
3	Brenkar	<i>Adhatoda vasica</i>	Shrub	Medicinal	Good
4	Aak	<i>Calotropis gigantea</i>	Shrub	Medicinal	Good
5	Arnid	<i>Ricinus cuminus</i>	Shrub	Medicinal	Good
6	Bana	<i>Vitex negundo</i>	Shrub	Medicinal	Good
7	Bhang	<i>Cannabis sativa</i>	Shrub	Medicinal	Good
8	Jojra	<i>Pupalia lappacea</i>	Shrub	Medicinal	Good

Format 21: Wild Aquatic Plant Species of Importance

1	2	3	4	5	6
S.No.	Local Name	Scientific Name	Variety	Importance (economic,social,cultural etc.)	Trends
1	Aak	<i>Ipomea carnea</i>			
2	Kumudene	<i>Nymphoides indica</i>			

Format 22: Wild Plants of Medicinal Importance

1	2	3	4	5	6		7	8	9	10	11
Plant(herb, shrub,tree)	Local Name	Scientific Name	Variety	Landscape/ habitat	Local status		Associated TK	Uses	Part used	Other details market/own use	c.knowledge holder
					Past	Present					
Tree	Amla	<i>Emblica officinalis</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Fruit	-	-
Tree	Jamun	<i>Syzygium cumini</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Fruit	-	-
Tree	Ber	<i>Ziziphus jujuba</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Fruit	-	-
Tree	Kikar	<i>Acacia nilotica</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Bark & Pods	-	-
Tree	Dhrenk	<i>Melia azadirach</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Seeds & Leaves	-	-
Tree	Neem	<i>Azadirachata indica</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Leaves	-	-
Grass	Doob grass	<i>Cynodon dactylon</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Leaves	-	-

Shurb	Dhatura	<i>Datura stramonium</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Fruit	-	-
Shurb	Arnid	<i>Ricinus communis</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Oil	-	-
Shurb	Bana	<i>Vitex negundo</i>		Alluvial plain/Farm lands	Good	Good	-	Medicinal	Leaves	-	-

Format 24: Ornamental Plants

1	2	3	4	5	6	7	8
Local Name	Scientific Name	Variety	Habitat	Commercial/non-commercial uses	Associated Tk	Any other detail	Community knowledge holder
Lal Gandila	<i>Nerium oleander</i>	Shrub	Farm land	-	-	-	-
Kaneer	<i>Thevetia peruviana</i>	Tree	Farm land	-	-	-	-
Bougainvillea	<i>Bougainvillea glabra</i>	Shrub	Farm land	-	-	-	-
Gulmohar	<i>Delonix regia</i>	Tree	Farm land	-	-	-	-
Karal	<i>Bahunia purpurea</i>	Tree	Farm land	-	-	-	-

Format 25: Fumigate / Chewing Plants

1	2	3	4	5	6		7	8	9	10	11
Plant (herb,shrub,Tree)	Local Name	Scientific Name	Variety	Habitat	Local status		uses	Part used	Ass.TK	Other details	Community knowledge holder
					Past	Present					
Herb	Pudina	<i>Mentha arvensis</i>		Farm lands	Good	Abundant	Spice	Leaves			
Herb	Buch	<i>Acrorus calmus</i>		Farm lands	Good	Good	Medicinal	Roots			
Herb	Haldi	<i>Corcuma domestica</i>		Farm lands	Good	Abundant	Spice	Roots			
Herb	Methi	<i>Trigonella foenum</i>		Farm lands	Good	Abundant	Spice	Seeds			
Herb	Horioh	<i>Brassica campestris</i>		Farm lands	Good	Abundant	Spice	Seeds			

Format 26: Timber Plants

1	2	3	4		5	6	7	8
Local Name	Scientific Name	Habitat	Local Status		Other uses, if any	Associated Tk	Any other detail	Community knowledge holder
			Past	Present				
Shisham	<i>Dalbergia sissoo</i>	Farmlands	Good	Good	Commercial/ own use	Timber/ Firewood	-	-
Ber	<i>Ziziphus jujuba</i>	Farmlands	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Safeda	<i>Eucalyptus tereticornis</i>	Farmlands	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Aam	<i>Mangifera indica</i>	Farmlands	Good	Good	Commercial/ own use	Timber/ Firewood	-	-
Kikar	<i>Acacia nilotica</i>	Farmlands	Good	Good	Commercial/ own use	Timber/ Firewood	-	-
Dherenk	<i>Melia azadirach</i>	Farmlands	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Tut	<i>Morus alba</i>	Farmlands	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Jamun	<i>Syzygium cumini</i>	Farmlands	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Dhaman	<i>Grewia optiva</i>	Farmlands	Good	Moderate	Commercial/ own use	Timber/ Firewood		
Simbal	<i>Bombax ceiba</i>	Farmlands	Good	Good	Commercial/ own use	Timber/ Firewood		

Format 28: Wild Animals (Mammals, Birds, Reptiles, Amphibia, Insects, others)

1	2	3	4	5	6	7		8	9	10	11
Animal Type	Local Name	Scientific Name	Habitat	Description	Season when seen	Local status		uses if any	Ass. TK	Other details	Community/ Knowledge Holder
						Past	Present				
Wild Animal	Squirrels	<i>Sciuridae spp.</i>	Farmland	-	-	Good	Good	-	-	-	-
Wild Animal	Rose ringed parakeet	<i>Psittaculidae spp.</i>	Farmland	-	-	Good	Good	-	-	-	-
Wild Animal	Mongoose	<i>Herpestes spp.</i>	Farmland	-	-	Good	Good	-	-	-	-
Wild Animal	Sparrow	<i>Passer domesticus</i>	Farmland	-	-	Good	Good	-	-	-	-
Wild Animal	Crow	<i>Corvus splendens</i>	Farmland	-	-	Good	Good	-	-	-	-
Wild Animal	Pigeon	<i>Columba livia</i>	Farmland	-	-	Good	Good	-	-	-	-
Wild Animal	Bee	<i>Apis cerana indica</i>	Farmland	-	-	Good	Good	-	-	-	-
Wild Animal	Butterfly	<i>Rhopalocera spp.</i>	Farmland	-	-	Good	Good	-	-	-	-
Wild Animal	Frog	<i>Anura spp.</i>	Farmland	-	-	Good	Good	-	-	-	-

Format 29: Flora			URBAN BIODIVERSITY			
1	2	3	4	5	6	7
Sr. No.	Local Name	Scientific Name	Type of Plants	Habitat	Flowering Season	Remarks (Rare / Common etc.)
1	Kikar	<i>Acacia nilotica</i>	Broad leaved	Sub-tropical	Summer	Common
2	Mango	<i>Mangifera indica</i>	Broad leaved	Sub-tropical	Summer	Common
3	Safeda	<i>Eucalyptus spp.</i>	Broad leaved	Sub-tropical	Summer	Common
4	Sree	<i>Albizia lebbek</i>	Broad leaved	Sub-tropical	Summer	Common
5	Talli	<i>Dalbergia sissoo</i>	Broad leaved	Sub-tropical	Summer	Common
8	Jammun	<i>Syzygium cumini</i>	Broad leaved	Sub-tropical	Summer	Common

Note: Separate format should be used for road side plantation / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

Format 30: Fauna

1	2	3	4	5	6
Sr. No.	Local Name	Scientific Name	Type of Animals (Mammals / Birds / Fish / Insect etc.)	Habitat	Remarks (Rare / Common etc.)
1	Cow	<i>Bos taurus</i>	Mammals	Terrestrial	Common
2	Buffalow	<i>Bubalus spp.</i>	Mammals	Terrestrial	Common
3	Sheep	<i>Ovis aries</i>	Mammals	Terrestrial	Common
4	Goat	<i>Capra aegagrus hircus</i>	Mammals	Terrestrial	Common
5	Sparrow	<i>Passeridae spp.</i>	Birds	Terrestrial	Common
6	Crow	<i>Corvus spp.</i>	Birds	Terrestrial	Common
7	Parrot	<i>Psittaciformes spp.</i>	Birds	Terrestrial	Common
8	Ant	<i>Formicidae spp.</i>	Insects	Terrestrial	Common
9	Bee	<i>Anthophila spp.</i>	Insects	Terrestrial	Common
10	Butterfly	<i>Rhopalocera spp.</i>	Insects	Terrestrial	Common

11	Mosquito	<i>Culicidae spp.</i>	Insects	Terrestrial	Common
12	Caterpillar	<i>Larva spp.</i>	Insects	Terrestrial	Common
13	Frog	<i>Anura spp.</i>	Aquatic Animals	Aquatic	Common

Format 31: Any other information of local importance

1	2	3
Sr. No.	Information of local importance	Remarks

End of Part II