

People Biodiversity Register (PBR): General Details

Name of the Panchayat Samiti: Chanu Chak

Taluk: Marh

District: Jammu

State/UT: J&K

Geographical Area of the Panchayat Samiti: 451.64 Hect.

Population under the Panchayat Samiti: 4473

Male: 2343

Female :2130

Habitat and Topography: Plain

Climate (Rainfall, Temperature and weather patterns): Sub Tropical Climate Zone/Irrigated Sub-Tropical Zone

Land Use (Nine fold classification available with village records): Agriculture + Vegetables + Animal Husbandry + Horticulture

Date, Month and Year of PBR Preparation: 27/10/2020

Management Regime: Reserve Forest (RF)/Joint Forest Management(JGM)/Protected Areas(PA)/ Community Owned and Managed Forest(C

A
Details of Biodiversity Management Committee (BMC) of the Panchayat (One elected Chairperson and six persons nominated body ; not less than one third to be women and not less than 18% belonging to SC/ST)
1) Name of the Chairperson: Prem Singh
Age: 55 Years
Gender: Male
Address: Channu Chak
Area of specialization: Sarpanch
2) Name: Rekha Rani
Age: 42 Years
Gender: Female
Address: Channu Chak
Area of specialization: Social Worker and Sarpanch
3) Name: Chander Lata
Age: 48 years
Gender: Female
Address: Channu Chak
Area of specialization: Social Worker and Sarpanch
4) Name: Rakesh Kumar
Age: 35 years
Gender: Male
Address: Channu Chak
Area of specialization: Social Worker and Sarpanch
5) Name: Naseeb Singh
Age: 64 Years
Gender: Male
Address: Channu Chak
Area of specialization: Social Worker and Sarpanch
6) Name: Suresh Kumar
Age: 50 Years
Gender: Male
Address: Channu Chak
Area of specialization: Social Worker
7) Name: Madan Lal
Age: 70
Gender: Male
Address: Channu Chak
Area of specialization: Social Worker

List of Vaid, hakims and traditional health care (Human and livestock) practitioners residing and or using biological resources within the jurisdiction of the village
1) Name: Simar Singh (Mobile No: 9796265931)
Age: 70
Gender: Male
Address: Channu Chak
Area of Specialization: Vaid
Location from which the person accesses biological material:
Perception of the practitioner on the resource status:
Medicinal use:
2) Name:
Age:
Gender:
Address:
Area of Specialization:
Location from which the person accesses biological material:
Perception of the practitioner on the resource status:
Medicinal use:
3)Name:
Age:
Gender:
Address:
Area of specialization:
Location from which the person accesses biological material:
Perception of the practitioner on the resource status:
Medicinal Use:

List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in agriculture, fisheries, and forestry

Name: Parbhat Singh (Mobile No.: 9070227169)

Age: 70

Gender: Male

Address: Channu Chak

Area of specialization: Progressive Farmer

Name: Puran Chand

Age: 75

Gender: Male

Address: Channuchak

Area of specialization: Progressive Farmer

Name: Ram Lal

Age: 70

Gender: Male

Address: Channuchak

Area of specialization: Forestry

4)Name of the Chairperson:

Age:

Gender:

Address:

Area of specialization:

Details of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals involved in the preparation of the PBR

1) Contact Person: 9797629400

Name and Address: Devinder Singh

2) Contact Person: 9419101090

Name and Address: Gurmeet Singh (Education)

3) Contact Person: 9787639621

Name and Address: Muneer Ahmed

4) Contact Person:

Name and Address:

You may add names of more institutions/NGO/Individuals etc, if necessary

Annexure 5**Detail of access to biological resources and traditional knowledge granted, details of the collection fee imposed and details of the benefit derived and the mode of their sharing**

S.No	Name and address of the Person/Institute/company others	Local and Scientific Name of the biological material Accessed and quantity		Date and resolution of the BMC and endorsement by the Panchayat	Detail of collection fee imposed	Anticipated mode of sharing benefits or quantum of benefits shared

End of Part I

Part II
PBR – Formats
AGROBIODIVERSITY

Format 1: Crop Plants

1	2	3	4	5	6	7		8	9	10	11	12	13	14
Crop	Scientific Name	Local Name	Description of the variety	Landscape / Habitat	Approx. Area sown(ha)	Local status		Special features	Uses	Associated TK	Other details	Cropping Season	Source of Seeds / Plants	Community / Known. Holder
						Past	Present							
Rice	<i>Oryza sativa</i>	Dhan/ Munji	B-370(Fine & Long duration)	Planes / Low laying Areas		Abundant	Abundant	Basmati 370 is world wise known for its aroma	Food & Fodder	Provides energy fragrance and taste	-	Kharif (May to October)	Farmers / Department/ Private Suppliers	Farmers
			Basmati 1121/(Coarse K39 K434 Rattana & Long duration)			Abundant	Abundant	Medium tall Coarse Grains						
Wheat	<i>Triticum aestivum</i>	Kanak	HD2967,PBW644	Cool Climate during early part of its growth		Plenty	Plenty	High yielding Variety	Food & Fodder	Source of Energy	Suitable for Chappati/Bread making	Rabi	Farmers / Department/ Private Suppliers	Farmers
Peas	<i>Pisum sativum</i>	Matar	Rachna	Cool & dry		Normal	Normal	Early maturing & High yielding	Food	Source of Protein/Energy	Used as Vegetable	Rabi	Farmers / Department/ Private Suppliers	Farmers
Onion	<i>Allium cepa</i>	Gand	nasik Red. Red Coral, Monsanto And Local Spp.	local Planee areas		Normal	Normal	Bulbs Cash Crop	Vegetables	Vegetable	Staple Vegetable food	Rabi	Farmers / Department/ Private Suppliers	
Mustard	<i>Brassica juncea/ Brassica campestris</i>	Sarson	Pusa Bold/ KOS -1	Cool & dry		Normal	Normal	Matures in 145-150 days with 40-42 % oil content	oil for Food	Source of energy	vegetable Oil extracted from seeds used in cooking	Rabi	Farmers / Department/ Private Suppliers	Farmers
Gobhi Sarson	<i>Brassica napus</i>	Gobhi Saria	GSL-1,DGS-1,Local	Cool & dry		Normal	Normal	Annual Herb,yellow flowers bearing Pods	oil for Food,leaves used as vegetable	Source of energy i,calciam, copper,potassium	vegetable Oil extracted from seeds used in cooking	Rabi	Farmers / Department/ Private Suppliers	Farmers

Linseed	<i>Linum usitatissimum</i>	Alsi	LC 54	Cool & dry		Normal	Normal	Medium duration	Food & fiber	Source of energy in the shape of Oil	Medicinal, industrial & domestic use	Rabi	Farmers / Department/ Private Suppliers	Farmers
Potato	<i>Solanum tuberosum</i>	Aalo	Kufri Sindhuri, Kufri Badsha, local	Potato is an herbaceous annual, requires cool weather, mostly rainfed conditions		Abundant	Abundant	Tubers are round to ovoid, creamish white to light red in colour with shallow eyes	Under ground tubers are used as vegetable, chips etc	-	High carbohydrate, provide high n energy value	Rabi	Farmers / Department/ Private Suppliers	Farmers
Toria	<i>Brassica campestris L. var. toria</i>	Toria	RSPT-1, RSPT-2, Local var.	Cool & dry with bright sunshine		Normal	Normal	Short duration Annual Herb	oil for preparation of Food	Source of energy i, calcium, copper, potassium	vegetable Oil extracted from seeds used in cooking	Between Kharif & Rabi season	Farmers / Department/ Private Suppliers	Farmers
Sugarcane	<i>Saccharum officinarum</i>	Ganna	COJ-64, COJ-81	Sub Tropical		Abundant	Abundant	Long duration crop for Nine months	Food	Source of energy in the shape of Gur/Sugar	Sugar cane Juice used as preferred drink for instant source of energy during summer besides beating heat	Spring season	Farmers / Department/ Private Suppliers	Farmers
Chilli	<i>Capsicum spp</i>	Mirchi	Pusa Jawala, CH-1	Tropical/sub tropical vegetable, grows well in warm humid conditions		Normal	Abundant	Pungency and flavor	Used as spice, medicinal value	-	Contains good amount of vitamin A & C	winter season	Farmers / Department/ Private Suppliers	Farmers
Tomato	<i>Solanum lycopersicum</i>	Tamater	Pusa rubi, Pusa early dwarf, Manisha Plus/local	Warm season crop		Abundant	Abundant	Stems are woody and weak, and tend to vine over other types of plants.	Used as vegetable, salad, soup, Sauce	rich source of Ascorbic acid	Tomatoes are also packed with vitamins A and C, calcium, potassium.	Rabi	Farmers / Department/ Private Suppliers	Farmers
Okra	<i>Abelmoschus esculentus</i>	Bindi	Varsha uphar, Arka Anamika	Tropical/sub tropical vegetable, Hot and humid climate		Abundant	Abundant	Tender green fruit used as vegetable	Mainly vegetable	Source of Fiber	Contains dietary fibers, protein and carbohydrates	Summer/ Kharif	Farmers / Department/ Private Suppliers	Farmers

Cucumber	<i>Cucumis sativus</i>	Kheera	Kheera local, JL	Grows in all climatic conditions, Tropical, Sub tropical & temperate		Abundant	Abundant	Limbing annual bearing elongated thick cylindrical fruit	Mainly used as salad	-	It also used as antipyretic and causing cooling effect	Summer/ Kharif	Farmers / Department/ Private Suppliers	Farmers
Bottle gourd	<i>Lagenaria siceraria</i>	Lokki	PSPL/Punjab Long	Summer & rainy season crop		Abundant	Abundant	Vines vigorous, profusely branched	Subzis, curries and gravies.	-	It also contains essential vitamins and minerals	Summer/ kharif	Farmers / Department/ Private Suppliers	Farmers
Bitter gourd	<i>Momordica charantia</i>	karela	Pusa Domausmi/Kundan	Warm and Humid climate		Abundant	Abundant	Herbaceous climbing annual with ridged stems	Vegetable and medicinal value	-	Used for maintaining low sugar level	Summer/ kharif	Farmers / Department/ Private Suppliers	Farmers
Beans	<i>Phaseolus Spp.</i>	Phaliya	Contender	Cool weather crop/Sandy/loamy soil		Abundant	Abundant	Tender green pods are used as vegetable	Mainly vegetable	Source of energy in the shape of Gur/Sugar	High value protein, Vitamins B1, B2, B6 and Magnesium	Summer season	Farmers / Department/ Private Suppliers	Farmers
Cauliflower	<i>Brassica oleraceae var. botrytis</i>	Fol gobi	Pusa snow ball, Pusa Katki, local Girja	Both sub tropical & intermediate		Abundant	Abundant	White and tender head, curd formed from shortened flower part	Curd Mainly used as vegetable	-	Also good source of protein, carbohydrate, phosphorus & iron	Rabi	Farmers / Department/ Private Suppliers	Farmers
Cabbage	<i>Brassica oleraceae var. capitata</i>	Band gobi	Golden Acre, Pride of India, Green Flesh	Both sub tropical & intermediate		Abundant	Abundant	Round head with light to dark green colour	Head Mainly used as vegetable, salad	-	Also good source of protein, carbohydrate, phosphorus & iron	Rabi	Farmers / Department/ Private Suppliers	Farmers
Knol khol	<i>Brassica oleraceae var. gongyloides</i>	Kadam	White vienna, Purple vienna	cool & moist climate/sub tropical		Abundant	Abundant	Swollen stem, green/purple with long and broad leaves	Swollen stem and leaves are consumed as vegetable	-	-	Rabi	Farmers / Department/ Private Suppliers	Farmers
Spinach	<i>Beta vulgaris</i>	Palak	All Green, Delta	Cool season Crop, thrives well on well drained loam soils		Abundant	Abundant	Tender green leaves & root used as Vegetable	Tender green leaves used as leafy Vegetable	-	Vitamins A and C, fiber, folic acid, and other nutrients	Rabi	Farmers / Department/ Private Suppliers	Farmers
Radish	<i>Raphanus sativus</i>	Mulli	Japanese White Koren Etc	Cool season Crop, thrives well on well drained Sandy loam soils		Abundant	Abundant	Tender green leaves & roots used as Vegetable	Modified Roots are used as Vegetable & Salad	-	Full of vitamin A, C, E, B6, potassium, and other minerals,	Rabi	Farmers / Department/ Private Suppliers	Farmers

Carrot	<i>Daucus carota</i>	Gajer	Pusa Kesar,local	Cool &moist climate/ sub tropical& intermedite		Normal	Normal	Modified Root is eatable	Root is used as Vegetable, Salad, Juice, Sweet Dish, Preserve etc.	-	Good source of carotene, , lutein, and zeaxanthin. Vit A,C,B6,Folic acid	Rabi	Farmers / Department/ Privaate Suppliers	Farmers
Turnip	<i>Brassica rapa</i>	Gunglu /Shalgam	PTWG/Local	Cool &moist climate/sub tropical&intermedite		Abundant	Abundant	Modified Root is eatable	Root is used as Vegetable ,Salad,.	-	Good source of Vit.C,Diatry Fiber &Potasium	Rabi	Farmers / Department/ Privaate Suppliers	Farmers
Exocitic Vegetables (Brocoli/ Chinese cabbage/ Capsicum etc)	<i>Brassica oleracea var. italica/ Brassica oleracea var. capitata/ Capsicum</i>		Prevelent Hybrid varieties	Cool &moist climate/sub tropical&intermedite		Rare	Abundant	All Plants Carts and Fruits are eadable Ric Source of antioxidants	Salad and Vegetable		Ric Source of Multivitimins, Minierals and Antioxidents	Rabi	Farmers / Department/ Privaate Suppliers	Farmers

Format-2 : Fruit Plants

1	2	3	4	5	6		7	8	9	10	11	12
Plant	Scientific Name	Local Name	Variety	Landscape /Habitat	Local Status		Source of Seeds / Plants	Season of fruiting	Associated TK	Uses	Other Details market / own use	Community /Knowledge Holder
					Past	Present						
Mango	<i>Mangifera indica</i>	Aam	Desi, Dusheri, Malta	Northern Plains/ Sub-Tropical	Plenty	Plenty	Nurseries	Jun-Aug	Fruit, Pickle, Preserves		Marketing, Own Use	
Citrus Fruit	<i>Citrus spp.</i>	Khatti, Galgal, Nimbu, Santra, Kinnoo etc.	Local Selection, Kagzi Lime etc.	Northern Plains/ Sub-Tropical	Normal	Normal	Nurseries	Through Out Year	Fruit, Pickle, Squashes etc		Marketing, Own Use	
Litchi	<i>Litchi chinensis</i>	Litchi	Culcatta, Dehradun	Northern Plains/ Sub-Tropical	Normal	Normal	Nurseries	Jul - Aug	Fruit		Marketing	
Guava	<i>Psidium guajava</i>	Amrood	Local, L49 etc.	Northern Plains/ Sub-Tropical	Normal	Normal	Nurseries	Jul - Aug	Fruit		Marketing, Own Use	
Aonla	<i>Phyllanthus emblica</i>	Ambla	Local Selection, NA-7	Northern Plains/ Sub-Tropical	Normal	Normal	Nurseries, Local Collections	Nov.- Dec	Pickling Preserve etc		Marketing, Own Use	
Ber	<i>Ziziphus mauritiana</i>	Ber	Gola, Varanasi	Northern Plains/ Sub-Tropical	Rare	Rare	Local	Jul - Aug	Fruit		Marketing, Own Use	
Jamun	<i>Syzygium cumini</i>	Jamun	Local Selection	Northern Plains/ Sub-Tropical	Plenty	Plenty	Nurseries, Local Raised	Jul - Aug	Fruit		Marketing, Own Use	
Pomegranate	<i>Punica granatum</i>	Anaar, Druni	Ganesh, Kandhari, Local	Northern Plains/ Sub-Tropical	Rare	Rare	Nurseries, Local Raised, Wild	May - Aug	Fruit, Anardana		Own Use	
Pear	<i>Pyrus spp.</i>	Nakh	Pathar Nakh, China Pear	Northern Plains/ Sub-Tropical	Normal	Normal	Nurseries	Aug - Sep	Fruit		Maarketing, Own Use	
Peach	<i>Prunus persica</i>	Aaroo	July Elberta, Quetta	Northern Plains/ Sub-Tropical	Normal	Normal	Nurseries	Jun - Jul	Fruit		Marketing, Own Use	
Papaya	<i>Carica papaya</i>	Papita	Local	Northern Plains/ Sub-Tropical	Plains	Rare	Nurseries, Localy Raised	Aug - Oct	Fruit		Own Use	

Format 3:-Fodder Crops / Species

1	2	3	4	5	6	7	8		9	10	11	12	13
S. No.	Plant	Scientific Name	Local Name	Habit	Area (Approx.)Rabi/ Kharif	Landscape/ Habitat	Local Status		Part Used	Associated TK	Other details(mode of use)	Sources of Seeds and Plants	Community Kn. Holders
							Past	Present					
1	Barseem	<i>Trifolium alexandrium</i>	Chhatala	Annual	8030	Sub Humid & moderately cool	Abundant	Abundant	Entire Plant	Nutritious & palatable fodder, Source of energy for animals	Fodder	Farmers / Department/ Private Suppliers	Farmers
2	Oats	<i>Avena spp.</i>	Javi	Annual		Cool & moist climate	Abundant	Abundant	Above ground part of plant	Nutritious & palatable fodder,	Fodder		Farmers
3	Sorghum	<i>Sorghum spp.</i>	cherri	Annual	6840	Warm & humid	Abundant	Abundant	Above ground part of plant	Source of energy	Fodder	Farmers / Department/ Private Suppliers	Farmers
4	Maize	<i>Zea mays</i>	Makki	Annual		Warm & humid	Abundant	Abundant	Above ground part of plant	Source of energy	Food & fodder		Farmers

Format-4 : Weeds

1	2	3	4	5	6	7	8		9	10	11	12	13
S. No.	Plant	Scientific Name	Local Name	Affected Crop	Habit	Landscape/ Habitat	Local Status		Uses if any	Management options	Associated TK	Other details	Community Kn. Holders
							Past	Present					
1	Lamb's quarters	<i>Chenopodium album</i>	Bathua/ Kanh/Wild Spinach	Wheat, Pea, Potato	Annual herb	Agri. Land	Normal	Normal	Eaten as boiled green veg	Physical, Mechanical, Chemical	Rich Source of protein,Vit. A, Calcium , Phosphorous & potash	Annual feed & fermentation of Beverages	Farmers
2	Nut Grass	<i>Cyperus rotundus</i>	Dilla/Motha	Paddy,maize,sugarcane,vegetable	Perennial	Agri. & Non Agri. Land	Abundant	Abundant	Fodder & Animals	Physical, Mechanical, Chemical	Nil	Tradionally used as medicine	Farmers
3	Barnyard Grass	<i>Echinochloa crusgalli</i>	Swank	Paddy	Annual	Agri. Land	Abundant	Abundant	Fodder & Animals	Physical, Mechanical, Chemical	Nil	Nil	Farmers
4	Carrot grass	<i>Parthenium hysterophorus</i>	Congress Grass	Gardens & sugarcane ratoon crops & other crops	Annual	Agri. Land	Abundant	Abundant	Nil	Physical, Mechanical, Chemical	Abnoxious weed difficult to manage		Farmers
5	Bur Clover	<i>Medicago denticulata</i>	Maina	Wheat Grass Peas	Perennial herbaceous legume	Agri. Land	Normal	Normal	Fodder,vegetable & green manure	Mechanical, Chemical	Nil	Improves Soil fertility	Farmers
6	Canary Grass	<i>Phalaris minor</i>	Sitti/gilli danda	Wheat Grass Peas, mustard	annual	Agri. Land	Abundant	Abundant	Fodder & forage	Mechanical, Chemical	Source for High quality protein	Agri. Land	Farmers
7	Meadow Pea	<i>Lathyrus aphaca</i>	Matri	Wheat Grass Peas, mustard	annual	Agri. Land	Normal	Normal	Fodder	Mechanical, Chemical	Nil	Agri. Land	Farmers
8	Canada Thistle	<i>Cirsium arvense</i>	Leh	Wheat gram, Barley	Perennial	Agri. & wasteLand	Normal	Normal		Mechanical, Chemical	Nil	Agri. Land	Farmers

9	Bang	<i>Cannabis sativa</i>	Bang	Kharif Crops	Perennial	Agri. & wasteLand	Normal	Normal		Mechanical, Chemical	Nil	Agri. Land	Farmers
10	Nilibuti	<i>Ageratum conyzoides</i>	Nilibuti	Rabi Crops	Perennial	Agri. & wasteLand	Normal	Normal		Mechanical, Chemical	Nil	Agri. & wasteLand	Farmers
11	Dub Grass	<i>Cynodon dactylon</i>	Dub Grass	Rabi/ Kharif	Perennial	Agri. & wasteLand	Abudant	Abudant	Fooder	Mechanical, Chemical	Nil	Agri. & wasteLand	Farmers
12	Wild oats	<i>Avena fatua</i>	Jangli Javi	Oats	Annual herb	Sub Tropical	Rare	Rare	Fodder	Above ground parts	-	Nutrative Fodder for Animals	Farmers
13	Wild Rice	<i>Echinochloa colonum</i>	Swanki	Paddy	Annual herb	Sub Tropical	Rare	Rare	Fodder	Above ground parts	-	Nutrative Fodder for Animals	Farmers

Format 6: Markets for Domesticated animals								
1	2	3	4	5	6	7	8	9
Name of the market & location	Weekly (D)/ Fortnightly (D) / Monthly (D) / Biannual (M) / Annual (M) [1]	Types of animals bought and sold [2]	Types and Average Number of animals transacted in a day	Places from which animals are brought	Places to which the animals are sold / transported	Name and location of fish market	Types of fishes sold	Source of fish
THERE IS NO ORGANISED MARKET IN THE MUNICIPALITY FOR ANY OF THE SPECIES OF ANIMALS LISTED IN FORMAT 15								

Note: [1] (D) – day; (M) – month;

[2] Types of animals may include: Poultry / Sheep / Goats / Cattle / Ducks / Pigs / Donkeys / Mules / Horses / Camels / Others (Specify)

Format 7: Peoplescape										
1	2	3	4	5	6	7	8	9	10	11
Community & Population	Families & Major occupation	Sub-occupation	Depending Landscape	Major resources accessed and seasons of access	Landscape management practices	Resource management practices	Cast / Tribe	Social condition	Nature of inhabitants	No. of HHs
4473	Farming, Agriculture, Horticulture	Nil	Agricultural	Wheat (Winters), Rice (Summer)	Mulching, Watering, Staking, Fertilization, Weed Control	Stripped Cropping, Grassed Waterways	GENERAL, SC, ST, OBC	Middle Class	Permanent Settlers	713

Major occupation may be farming. Sub-occupations could be fishing, collection of NTFP animal husbandry, artisans, services Examples of depending landscapes are agriculture landscape, rivers, forest etc.

Major resources accessed could be agriculture resources of different nature, fish, birds, water, mud, and etc

How the community manages the landscapes they use for satisfying different needs, their strategies and perception

How the community manages the resources they access for satisfying different needs, their strategies and perception, conflicts etc

Format 8: Landscape

1			2	3	4	5	6	7	8	9	10	11	12
Major Landscapes			Sub - Landscapes	Features and approx. area	Ownership	General flora	General fauna	User groups	Management practices	General uses	Associated TK	Other details	Community accessed
Agricultural land	Pond	Fallow land											
Cultivated			Cultivated	Fertile Land	Private	Trees, Plants, Herbs, Shrubs	Rodents, Insects	Villagers/Locals	Crop Rotation, Terracing	Cultivation	Used for Farming	Nil	Low Income Communities
Non- Cultivated Land			Non-Irrigated Land	Less Fertile	Govt./ Private	Marshy/ Swampy Plants	Insects and Amphibians	Villagers/Locals	Crop Rotation, Terracing	Cultivation	Available for Farming	Nil	Low Income Communities
Irrigated Land			Irrigated Land	Fertile Land	Private Land	Rice, Vegetables, Flowers etc.	Amphibians, Insects	Zamindars	Canals, Channel, Khuls, Distributories etc.	Crop cultivation	Available for Farming	Nil	Every Community
Grazing Land			Non-Cultivated	Lush Grteen	Govt. Land	Plants/Herbs	Rodents, Insects	Villagers/Locals	Nil	Animal Grazing	NA	Nil	Every Community

Provide a brief description of landscapes such as forests, plantations, cultivated land, estuary, pond, lake or other elements

Format-10: Soil Type

1	2	3	4	5	6	7	8
Soil Type	Color & Texture	Features	Soil Management	Plants / crop suitable	Flora and Fauna	Associated TK	Other information
Sandy loam	Moderately coarse Sand-65%, Silt-20%, Clay-15%	N-low, P-medium, K-medium	NA	Wheat, Maize, Pulses, Vegetables and Fruits such, Potatoes, Cucumber, Beans, Spinach, Tomatoes, Carrots, Watermelons, Radishes	Both	NA	Organic carbon 0.35-0.44 (low) Gritty--leaves smear on hand, does not ribbon--breaks into small pieces
Loamy Sand	Coarse to very coarse Sand-82%, Silt-10%, Clay-8%	N-low, P-medium, K-high	NA	Wheat, Maize, Millets, Pulses, Vegetables and Fruits such as Potatoes, Cucumber, Beans, Spinach, Tomatoes, Carrots, Watermelon, Radishes	Both	NA	Organic carbon 0.45-0.55 (low) Gritty--does not ribbon or leave a stained smear on hand
Clay Loam	Moderately fine Sand-34%, Clay-33%, Silt-33%	N-low, P-medium, K-medium	NA	Paddy, Wheat, Maize, Pulses, Oil seeds, Sugarcane Cruciferous vegetables such as broccoli and cabbage and other vegetables and Fruits such as tomatoes, green beans, cucumbers, Onions, Cauliflower, Potatoes, Peas, Beans, Carrots, Pumpkins, Radishes,	Both	NA	Organic carbon 0.40-0.50 (low) Forms ribbon; clays form longer ribbons than clay loams. Clay loam feels gritty

Silty clay loam	Moderately fine Silt-52%, Clay-35%, Sand-13%	N-low, P-medium, K-medium	NA	Paddy, Wheat, Maize, Pulses, Oil seeds, Sugarcane Cruciferous vegetables such as broccoli and cabbage and other vegetables and Fruits such as tomatoes, green beans, cucumbers, Onions, Cauliflower, Potatoes, Peas, Beans, Carrots, Pumpkins, Radishes	Both	NA	Organic carbon 0.42-0.50 (low) Forms ribbon; clays form longer ribbons than clay loams

Format 11: Fruit Trees

1	2	3	4	6	7		8	9	10	11	12	13
Plant	Local Name	Scientific Name	Variety	Landscape /Habitat	Local Status		Source of Seeds / Plants	Season of fruiting	Associated TK	Uses	Other Details market / own use	Community /Knowledge Holder
					Past	Present						
Mango	<i>Aam</i>	<i>Mangifera indica</i>	Desi, Dushari , Malta	Northern Plains/ Sub-Tropical	Plenty	Plenty	Nurseries	June- August		Fruit,Picking, Preserves	Marketing, Own Use	
Citrus Fruits	<i>Khatti, Mosambi, santra, Nimbu,</i>	<i>Citrus spp</i>	Local,Kagzi lime, Italian limeHill lemon etc	Northern Plains/ Sub-Tropical	Normal	Normal	Nurseries	throughout year		Fruit, picking Squashes etc.	Marketing, Own Use	
Litchi	<i>Litchi</i>	<i>Litchi chinensis</i>	Calcutta Dehradun	Northern Plains/ Sub-Tropical	Normal	Normal	Nurseries	June- August		fruit	Marketing	
Guava	<i>Amrood</i>	<i>Psidium guajava</i>	Local, Allahabadi, Safaida	Northern Plains/ Sub-Tropical	Normal	Normal	Nurseries	June- August		fruit	Marketing, Own Use	
Amla	<i>Ambla</i>	<i>Phyllanthus emblica</i>	local selection NA-7	Northern Plains/ Sub-Tropical	Normal	Normal	Nurseries local collection	Nov- Dec.		picking, fruit juices	Marketing, Own Use	
Ber	<i>ber</i>	<i>Zizyphus mauritiana</i>	Gola Banarasi	Northern Plains/ Sub-Tropical	Rare	Rare	local raised	July- August		fruit	Marketing, Own Use	
Jamun	<i>Jamun</i>	<i>Syzygium cumini</i>	local selection	Northern Plains/ Sub-Tropical	Plenty	Plenty	Nurseries, locally raised	July- August		fruit	Marketing, Own Use	
Pomegranate	<i>Anar, Druni</i>	<i>Punic a granatum</i>	Ganesh, Kandhari local	Northern Plains/ Sub-Tropical	Rare	Rare	Nurseries, local raised, wild	May- August		fruit, anardana	Own Use	
pear	<i>Nakh</i>	<i>Pyrus app</i>	Patharmakh, china pear	Northern Plains/ Sub-Tropical	Normal	Normal	Nurseries	August-Sept		fruit	Marketing, Own Use	
Peach	<i>Aaroo</i>	<i>Prunus persica</i>	July Elberta, quetta	Northern Plains/ Sub-Tropical	Normal	Normal	Nurseries	June-July		fruit	Marketing, Own Use	
Papaya	<i>Papita</i>	<i>Carica papaya</i>	local	Northern Plains/ Sub-Tropical	Plains	Rare	Nurseries, locally raised	August-October		fruit	Own Use	

Format 12: Medicinal Plants (Herbs, Shrubs, Trees etc.)

1	2	3	4	5		6		7	8	9	10	11	12
Plant Type	Local Name	Scientific Name	Variety	Landscape/ Habitat		Local Status		Source of plant/seeds	Season of Fruiting	Uses (usage)	Associated TK	Other details market/own use	Community/ Know. holder
						Past	Present						
Herbs	Tarad	<i>Dioscorea belophylla</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community
Herbs	Jungli putna	<i>Mentha arvensis</i>		Lower shiwalik/Temp erate area	Lower shiwalik/Temp erate area	Abundant	Abundant	Root			N.A	N.A	Generally, held by community
Shrubs	brankad	<i>Adhatoda vesica</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community
Shrubs	Drainkdu	<i>Murraya koenigii</i>		Sub-Tropical area	Sub-Tropical area	Rare	Abundant	Seed			N.A	N.A	Generally, held by community
Shrubs	Thor/Shuu	<i>Euphorbia royleana</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community
Shrubs	Bareyan	<i>Acorus calamus</i>		Lower shiwalik	Lower shiwalik	Rare	Rare	Seed			N.A	N.A	Generally, held by community
Shrubs	Bhang	<i>Canabis sativa</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community
Tree	Amla	<i>Phyllanthus emblica</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community
Tree	Bair	<i>Ziziphus xylocarpa</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community
Tree	Bill-Patre	<i>Aegle marmelos</i>		Sub-Tropical area	Sub-Tropical area	Rare	Rare	Seed			N.A	N.A	Generally, held by community

Tree	Drankh	<i>Melia azedarach</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community
Tree	Harad	<i>Terminalia chebula</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community
Tree	Jaman	<i>Syzygium cumini</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community
Tree	Karal	<i>Bauhinia variegata</i>		Lower shiwalik	Lower shiwalik	Rare	Rare	Seed			N.A	N.A	Generally, held by community
Tree	Khair	<i>Acacia catechu</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community
Tree	Mangoo	<i>Mangifera indica</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community
Tree	Retha	<i>Sapindus mukorossi</i>		Lower shiwalik	Lower shiwalik	Rare	Rare	Seed			N.A	N.A	Generally, held by community
Tree	Sree	<i>Albizzia lebbeck</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community
Tree	Talli	<i>Dalbergia sissoo</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community
Tree	Trimbal	<i>Ficus auriculata</i>		Lower shiwalik	Lower shiwalik	Normal	Normal	Seed			N.A	N.A	Generally, held by community
Tree	Tuni	<i>Toona ciliata</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community
Tree	Arjun	<i>Terminalia arjuna</i>		Lower shiwalik	Lower shiwalik	Rare	Rare	Seed			N.A	N.A	Generally, held by community
Tree	Amla	<i>Phyllanthus emblica</i>		Lower shiwalik	Lower shiwalik	Abundant	Abundant	Seed			N.A	N.A	Generally, held by community

Format 15: Domesticated Animals

1	2	3	4	5	6	7		8	9	10	11	12
Animal Type	Local Name	Scientific Name	Breed (local/ hybrid)	Features	Method of keeping	Local Status		Uses	Associated TK	Commercial rearing	Other details including products and Services	Community Know.Holders
						Past	Present					
Cattle	Gau	<i>Bos indicus</i>	ND	Low yield	stall feeding	Abundant	Decrease	Dairy	Nil	No	Milk	All
	Jersy Gau	<i>Bos taurus</i>	CB Jersy	Dished face	stall feeding / semi intensive	Very few	Increase	Dairy	Nil	yes	Milk	All
	Amrecan Gau	<i>Bos taurus</i>	CB HF	Black and white spot	stall feeding / semi intensive	Very few	Increased	Dairy	Nil	Yes	Milk	All
Buffalo	Manj	<i>Bubalus bubalis</i>	Local	Low yield	stall feeding	Abundant	Decreased	Dairy	Nil	No	Milk	All
	Punjabi Mais	<i>Bubalus bubalis</i>	Murrah /Graded	Black color body	stall feeding / semi intensive	Very few	Increased	Dairy	Nil	Yes	Milk	All
Horse	ghoda	<i>Equus caballus</i>	Local	Red color body	Backyard	Abundant	Decrease	Pack/ Cart	Nil	No	Pack/ Cart	All
Birds	Chakore	<i>Alectoris chukar</i>	Local	black and white stripes ,beak is short, strong, and orange in color	Backyard	few	Decrease	Egg,meat	Nil	Yes	Egg, Meat	All
	Parrot	<i>Psittaciformes</i>	Local	parrot green in colour with red beak	Backyard	few	Decrease	decorative	Nil	No	Nil	All
	Pigeon	<i>Columbidae</i>	Local	white color , fast growing	Backyard	few	Decrease	decorative	Nil	No	nil	All
Dog	Kutta	<i>Canis familiaris</i>	Local	Nil	Pet ,Stray	Abundant	Abundant	Nil	Nil	No	Nil	All / stray

Cat	Billi	<i>Felis catus</i>	Local	Grey /white color	Pet ,Stray	Abundant	Abundant	pet	Nil	No	Nil	All / stray
Rabbit	Khargosh	<i>Oryctolagus cuniculus</i>	White gaint	white	Pet ,wild	few	few	Pet	Nil	No	Nil	All / wild
Pig	Suar	<i>Sus scrofa domestica</i>	Yorkshir e cross	white	Domesticated	few	Increased	Meat	Nil	Yes	Nil	Sikh /Chrisitians/SCcommunity

Format 16: Culture Fisheries												
1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local Name	<i>Scientific Name</i>	Variety	Features	Waterscape (Pond/Bheri/Talao)	Local status		Uses	Associated TK	Commercial Rearing	Other details	Community Know. Holders
						Past	Present					
There is no culture Fisheries taken up in this panchayat												

Note: Other details include mode of catching fish, time of availability, breeding time, feeds and etc

Format 18: Trees, Shrubs, Herbs, Tubers, Grasses, Climbers etc.

1	2	3	4	5	6		7	8	9	10	11
Plant Type	Local Name	Scientific Name	Habit	Habitat	Local status		Commercial / own use	Part collected	Associated TK	Other details	Community Knowledge Holder
					Past	Present					
Tree	Amla	<i>Phyllanthus emblica</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Fruit	Food processing	-	-
Tree	Siris	<i>Albizia lebbeck</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/Firewood	-	-	-
Tree	Simbal	<i>Bombax cebia</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/Firewood	-	-	-
Tree	Kamila	<i>Mallotus philippensis</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/Firewood	-	-	-
Tree	Ber	<i>Ziziphus jujuba</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Fruit	-	-	-
Tree	Arjun	<i>Terminalia arjuna</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/Firewood	-	-	-
Tree	Jamun	<i>Syzygium cumini</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/Firewood	-	-	-
Tree	Amb	<i>Mangifera indica</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Fruit	-	-	-
Tree	Kiker	<i>Vachellia nilotica</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/Firewood	-	-	-
Tree	Sagwan	<i>Tectona grandis</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/Firewood	-	-	-
Tree	Safeda	<i>Eucalyptus</i>	Tree	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Timber/Firewood	-	-	-

Grass	Bamboo	<i>Dendrocalamus strictus</i>	Grass	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Sticks	-	-	-
Herbs	Bhang	<i>Cannabis sativa</i>	herbs	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Leaves	-	-	-
Shrub	Jojra	<i>Pupalia lappacea</i>	Shrubs	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	-	-	-	-
Shrub	Garna	<i>Carissa spinarum</i>	Shrubs	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Fruit	-	-	-
Herbs	congress Grass	<i>Parthenium hysterophrous</i>	herbs	Northern/Sub-Tropical	Good	Moderate	-	-	-	-	-
Tree	Badh	<i>Ficus religiosa</i>	Tree	Northern/Sub-Tropical	Good	Moderate	-	-	-	-	-
Climber	Tarad	<i>Dioscorea belophylla</i>	Climber	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Roots			
Climber	Jungli bitter melon	<i>Momordica charantia</i>	Climber	Northern/Sub-Tropical	Good	Moderate	Commercial/own use	Fruit			
Climber	Purple yam	<i>Dioscorea alata</i>	Climber	Northern/Sub-Tropical	Good	Moderate	-				
Climber	Striped cucumber	<i>Diplocyclos palmatus</i>	Climber	Northern/Sub-Tropical	Good	Moderate	-				

Format 19: Wild Plant Species of Importance

1	2	3	4	5	6
S.No.	Local Name	Scientific Name	Variety	Importance (economic,social,cultural etc.)	Status
1	Kanner/Lal Gandila	<i>Nerium indicum</i>	Shrub		Good
2	Brenker	<i>Adhatoda vasica</i>	Shrub	-	Good
3	Bhang	<i>Cannabis sativa</i>	Shrub	Medicinal	Good
4	Aakh	<i>Ipomea carnea</i>	Shrub	Soil binder	Good
5	pansar	<i>Wendlandia heynei</i>	Shrub	Firewood	Good

Format 20: Aquatic Biodiversity

1	2	3	4	5	6		7	8	9	10
Local name	Scientific name	Variety	Features	Habitat	Local Status		Uses	Associated TK	Other details	Community knowledge holder
					Past	Present				
Snail	<i>Gastropoda</i>		Land snails have a strong muscular foot, they use mucus to enable them to crawl over rough surfaces and to keep their soft bodies from drying out.		Good	Good	-	-	-	
Water Spinach	<i>Ipomoea aquatica</i>		It contains abundant quantities of water, iron, vitamin C, Vitamin A and other nutrients		Good	Good	-	-	-	
Watercress	<i>Nasturtium officinale</i>		It contains a plethora of antioxidants, which may lower your risk of heart disease and several types of cancer it's also a good source of minerals that protect your bones		Good	Good	-	-	-	

Format 21: Wild Aquatic Plant Species of Importance

1	2	3	4	5	6
S.No.	Local Name	<i>Scientific Name</i>	Variety	Importance (economic,social,cultural etc.)	Trends
1	Water Spinach	<i>Ipomoea aquatica</i>	-	It contains abundant quantities of water, iron, vitaminC, Vitamin A and other nutrients	-
2	Watercress	<i>Nasturtium officinale</i>	-	It contains a plethora of antioxidants, which may lower your risk of heart disease and several types of cancer it's also a good source of minerals that protect your bones	-

Format 24: Ornamental Plants

1	2	3	4	5	6	7	8
Local Name	Scientific Name	Variety	Habitat	Commercial/non-commercial uses	Associated Tk	Any other detail	Community knowledge holder
Gandila	<i>Nerium indicum</i>	Shrub	Northern/ Sub-Tropical	-	-	-	-

Format 26: Timber Plants

1	2	3	4		5	6	7	8
Local Name	Scientific Name	Habitat	Local Status		Other uses, if any	Associated Tk	Any other detail	Community knowledge holder
			Past	Present				
Shisham	<i>Dalbergia sisoo</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Ber	<i>Ziziphus jujuba</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Sagwan	<i>Tectona grandis</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Safeda	<i>Eucalyptus</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Simbal	<i>Bombax ceiba</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Tunu	<i>Cedrela toona</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-
Jamun	<i>Syzygium cumini</i>	Northern/Sub-Tropical	Good	Moderate	Commercial/ own use	Timber/ Firewood	-	-

Format 28: Wild Animals (Mammals, Birds, Reptiles, Amphibia, Insects, others)

1	2	3	4	5	6	7		8	9	10	11
Animal Type	Local Name	Scientific Name	Habitat	Description	Season when seen	Local status		uses if any	Ass. TK	Other details	Community/ Knowledge Holder
						Past	Present				
Wild Animal	Squirrels	<i>Sciuridae</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	
Wild Bird	Red jungle fowl	<i>Gallus gallus</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	
Wild bird	Rose ringed parakeet	<i>Psittaculidae</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	
Wild Animal	Fox	<i>Vulpes</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	
wild insects	Grasshopper	<i>Caelifera</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	
wild insects	butterfly	<i>Rhopalocera</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	
wild insects	bees	<i>Apis mellifera</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	
wild insects	ants	<i>Brachymyrmex patagonicus</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	
wild insects	Bumble bee	<i>Bombus</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	
Amphibia	Frog	<i>Euphlyctis cyanophlyctis</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	
Reptiles	Snake	<i>Serpentes</i>	Northern/ Sub-Tropical	-	-	Good	Good	-	-	-	

URBAN BIODIVERSITY

Format 29: Flora

1	2	3	4	5	6	7
Sr. No.	Local Name	Scientific Name	Type of Plants	Habitat	Flowering Season	Remarks (Rare / Common etc.)

Note: Separate format should be used for road side plantation / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

Format 30: Fauna

1	2	3	4	5	6
Sr. No.	Local Name	Scientific Name	Type of Animals (Mammals / Birds / Fish / Insect etc.)	Habitat	Remarks (Rare / Common etc.)

Format 31: Any other information of local importance		
1	2	3
Sr. No.	Information of local importance	Remarks

End of Part II