| People Biodiversity Register (PBR): General Details |
|---|
| Name of the Panchayat Samiti: Jassore |
| Taluk: RS Pura |
| District: Jammu |
| State: J & K |
| Geographical Area of the Panchayat Samiti: 169.6 |
| Population under the Panchayat Samiti: Total: 2364 |
| Male: 1270 Female: 1094 |
| Habitat and Topography: Plain Area |
| Climate (Rainfall, Temperature and weather patterns)Tenperature from 3 degree celcius in winter and 48 degree celcius in summer, Average rainfall annually 4810mm |
| Land Use (Nine fold classification available with village records) |
| Date, Month and Year of PBR Preparation: 17.01.2022 |
| Management Regime: Reserve Forest (RF/Joint Forest Management(JGM)/Protected Areas(PA)/ Community Owned and Managed Forest(COM) |

Annexure 1

Details of Biodiversity Management Committee (BMC) of the Panchayat (One elected Chairperson and six persons nominated by the local body; not less than one third to be women and not less than 18% belonging to SC/ST)

| and not less than 18% belonging to SC/ST) |
|---|
| 1)Name of the Chairperson: Sushil Kumar |
| Age: 49 |
| Gender: Male |
| Address: Jassore |
| Area of specialization: Agriculture |
| 2) Name: Deepo Devi |
| Age: 30 |
| Gender: Female |
| Address: Jassore |
| Area of specialization: |
| 3)Name: Ashok Kumar |
| Age: 47 |
| Gender: Male |
| Address: Jassore |
| Area of specialization: |
| 4)Name: Asha Rani |
| Age: 47 |
| Gender: Female |
| Address: Jassore |
| Area of specialization: |
| 5)Name: Rahul Sudan |
| Age: 30 |
| Gender: Female |
| Address: Jassore |
| Area of specialization: |
| 6)Name: Kundan Lal |
| Age: 40 |
| Gender: Male |
| Address: Jassore |
| Area of specialization: |
| 7)Name: Bachan Lal |
| Age: 58 |
| Gender: Male |
| Address: Kheper |
| Area of specialization: |

| Annexure-2 |
|---|
| List of Vaids, hakims and traditional health care (Human and livestock) practitioners residing and or using biological resources occurring within the jurisdiction of the village |
| 1) Name: Rano Devi |
| Age: 62 |
| Gender: Female |
| Address: Kheper |
| Area of specialization: Health Practioner |
| Location from which the person accesses biological material: |
| Perception of the practitioner on the resource status: |
| Medicinal Use: |
| 2) Name: Yodh Kumar |
| Age: 45 |
| Gender: Male |
| Address: Kheper |
| Area of specialization: Health Practioner |
| Location from which the person accesses biological material: |
| Perception of the practitioner on the resource status: |
| Medicinal Use: |
| 3) Name: Kasturi Lal |
| Age: 55 |
| Gender: Male |
| Address: Kheper |
| Area of specialization: Livestock Practioner |
| Location from which the person accesses biological material: |
| Perception of the practitioner on the resource status: |
| Medicinal Use: |

Annexure 3 List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in agriculture, fisheries, and foresty 1) Name of the Chairperson: Bachan Singh S/o Punjabu Ram **Age:** 58 Gender: Male Address: Kheper Area of specialization: Agriculture 2) Name of the Chairperson: Vidya Sagar S/o Lekh Raj **Age:** 62 Gender: Male Address: Jassore Area of specialization: Agriculture 3) Name of the Chairperson: Ved Prakash S/o Jagat Ram (8899285261) **Age:** 58 Gender: Male Address: Jassore Area of specialization: Agriculture 4) Name of the Chairperson: Rajinder Kumar S/o Amolak Ram (9697908808) Age:

Gender: Male

Address: Jassore

Area of specialization: Agriculture

| A | nnexure 4 | | | | | | | | | | |
|----|--|--|--|--|--|--|--|--|--|--|--|
| | Details of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals involved in the preparation of the PBR | | | | | | | | | | |
| 1) | Contact Person: Surject kumar S/o Nand Lal (Agriculture) | | | | | | | | | | |
| | Name and Address: Jassore (9622141091) | | | | | | | | | | |
| 2) | Contact Person: Jagdish Kumar S/o Gian Singh (Agriculture) | | | | | | | | | | |
| | Name and Address: Jassore (9906313128) | | | | | | | | | | |
| 3) | Contact Person: Hakikat Ram S/o Kartar Chand (Retd Head Master) | | | | | | | | | | |
| | Name and Address: Jassore (9906146712) | | | | | | | | | | |
| 4) | Contact Person: Pushap Raj (Agriculture) | | | | | | | | | | |
| | Name and Address: Jassore | | | | | | | | | | |
| Y | ou may add names of more institutions/NGO/Individuals etc, if necessary | | | | | | | | | | |

| Annexur | e 5 | | | | |
|---------|--|--|---|-------------------------------------|--|
| | access to biological resources of their sharing | and traditional knowledge | granted, details of the col | lection fee imposed and | l details of the benefit derived and |
| S.no | Name and address of the Person/Institute/company others | Local and Scientific Name of the biological material Accessed and quantity | Date and resolution of the BMC and endorsement by the Panchayat | Detail of collection fee imposed | Anticipated mode of sharing benefits or quantum of benefits shared |
| | | | | | |
| | | | | | |
| | | | | | |
| | Nil | | | | |
| | 1411 | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Part II PBR – Formats AGROBIODIVERSITY

Format 1: Crop Plants

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | | 7 | | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|-------|-------|--------------|----------------|-----------------------------|---------------------------|--------------|---------|---|------------------|----------------------------------|---------------|-------------------------------|--------------------------------------|-----------------------|----|----|
| S.No | Crop | Scientfic | Local Name | Description of | Landscape / | Local status | | Special features | Uses | Associated | Other details | Cropping | Source of | Community / Known. | | |
| 5.110 | Crop | Name | | the variety | Habitat | Past | Present | Special leatures | Uses | TK | Other details | Season | Seeds / Plants | Holder | | |
| | | | | B-370(Fine & Long duration) | Planes / Low laying Areas | Normal | Normal | Basmati 370 is world wise known for its aroma | Food & Fodder | Provides | | 171 :0 | Farmers / | | | |
| 1 | Rice | Oryza sativa | Dhan/ Munji | | | Normal | Normal | Medium tall Coarse Grains | | energy fragrance and taste | - | Kharif (May to October) | Department/ Privaate Suppliers | Farmers | | |
| | | | | Sharvati rice | | | | | | | | | | | | |
| | | | | Sunstar rice | | | | | | | | | | | | |
| | | | | Dekalb double | | Rare | Plenty | Tall, high yielding with yellow in colour) | | | | | | | | |
| | | | | K-517 | | Plenty | Rare | | | | | | | | | |
| 2 | Maize | Zea mays | Maka | Ujala | Sub tropical / | Normal | Plenty | Average tall with yellow in colour | Food & | Provides | - | Kharif (May to | Farmers / Department/ | Farmers | | |
| | | | | K-612 | Upland | Plenty | Normal | — Jenew in colour F | Fodder | energy | | October) | Private Suppliers | | | |
| | | | | Pro Agro-4794 | | Plenty | Normal | Tall, high yielding with yellow in colour) | th yellow in | <u> </u> | | | | | | |

| | | | | PDM-54 | | Normal | Rare | Medium | | | | | | |
|---|------------------|----------------------|--------|---|---|----------|----------|-----------------------------|------------------|---------------------------------|--|---------------------|---|---------|
| 3 | Moong | Vigna radiata | Moong | SML-668 | Hot / Humid of Sub tropical | Normal | Plenty | High yielding Variety | Food | Source of Vegetable | Also suitable for green Manuring | Summer/ Kharif | Farmers / Department/ Privaate | Farmers |
| | | radiata | | IPM-0203 | region | Normal | Rare | Excessive vegetative growth | | Protein | green manaring | Tillum | Suppliers | |
| 4 | Mash Vigna mungo | | Mhaa | PU-19 | Warm / Humid of Sub | Normal | Normal | High yielding | Food | Source of Vegetable | | Summer/ | Farmers / Department/ | Farmers |
| 4 | Iviasii | v igna mungo | Miliaa | Utra | tropical region | Normal | Normal | Variety | rood | Protein | - | Kharif | Private Suppliers | ranners |
| | Daine | Pennisetum | Bajra | Local Variety | Warm / Humid climate | Normal | Normal | Tall & low | Food & | Source of | | Kharif | Farmers / Department/ | F |
| 5 | Bajra | americanum | Dajia | MHB-110 | under Sandy loam Soil | Normal | Normal | Yielding variety | Fodder | Energy | - | (May to October) | Private Suppliers | Farmers |
| 6 | Wheat | Triticum aestivum | Kanak | HD2967,PBW6 44 | Cool Climate during early part of its growth | Plenty | Plenty | High yielding Variety | Food & Fodder | Source of Energy | Suitable for Chappati/Bread making | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |
| | Chick- pea | Cicer arietinum | Chana | GNG-469/C 235 | Cool & dry | Normal | Normal | High yielding Variety | Food | Source of Protein/Ener gy | Improve soil fertility | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |
| 7 | Onion | Allium cepa | Gamd | nasik Red. Red Coral, Monsanto And Local Spp. | local Planee areas | Abundant | Abundant | Bulbs Cash Crop | Vegetab gles | Vegetable | Staple Vegetable food | Rabi | Farmers / Department/ Privaate Suppliers | |

| 8 | Mustard | Brassica juncea/ Brassica comprestris | Sarson | Pusa Bold/ KOS -1 | Cool & dry | Normal | | Matures in 145-150 days with 40-42 % oil content | oil for Food | Source of energy i | vegetable Oil extracted from seeds used in cooking | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |
|----|-----------------|--|----------------|--|--|----------|----------|--|--|---|---|---------------------------------------|---|---------|
| 9 | Gobhi Sarson | Brassica napus | Gobhi Saria | GSL-1,DGS-1 ,Local | Cool & dry | Normal | Abundant | Annual Herb,yellow flowers bearing Pods | oil for Food,leaves used as vegetable | Source of energy i,calciam,co pper,potassi um | vegetable Oil extracted from seeds used in cooking | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |
| | Linseed | Linum usitatissimum | Alsi | LC 54 | Cool & dry | Normal | Normal | Medium duration | Food & fiber | Source of energy in the shape of Oil | Medicinal,indust rial & domestic use | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |
| 10 | Potato | Solamum tuberosum | Aalo | Kufri Sindhuri,Kufri Badsha, local | Potato is an herbaceous annual,requirs cool weather,mostl y rainfed conditions | Abundant | Abundant | Tubers are round to ovoid, creamish white to light red in colour with shallow eyes | Under ground tubers are used as vegetable,chi ps etc | - | High carbohydrate,pr ovide high n energy value | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |
| | Toria | Brassica jrape cv.Toria | Toria | RSPT-1,RSPT- 2,Local var. | Cool & dry with bright sunshine | Normal | Normal | Short durationAnnual Herb | oil for prepration of Food | Source of energy i,calciam,co pper,potassi um | vegetable Oil extracted from seeds used in cooking | Between Kharif & Rabi season | Farmers / Department/ Privaate Suppliers | Farmers |

| 11 | Sugarca ne | Saccharum officinarum | Ganna | COJ-64,COJ-81 | Sub Tropical | Rare | Rare | Long duration crop for Nine months | Food | Source of energy in the shape of Gur/Sugar | Sugar cane Juice used as prefered drink for instant source of energy during summer besides beating heat | Spring season | Farmers / Department/ Privaate Suppliers | Farmers |
|----|---------------|---------------------------|---------|---|--|----------|----------|---|--|---|---|-------------------|---|---------|
| 12 | Chilli | Capsicum spp | Mirchi | Pusa Jawala, CH-1 | Tropica/sub tropicall vegetable,gro ws well warm humid conditions | Abundant | Abundant | Pungency and flavor | Used as spice ,medicianal value | - | Contains good ammount of vitamin A&C | winter season | Farmers / Department/ Privaate Suppliers | Farmers |
| 13 | Tomato | Solanum lycopersicum | Tamater | Pusa rubi,Pusa early dwarf, Manisha Plus/local | Warm season crop | Abundant | Abundant | Stems are woody and weak, and tend to vine over other types of plants. | Used as vegetable ,sal ad, soup,Souce | rich source of Ascorbic acid | Tomatoes are also packed with vitamins A and C, calcium, potassium. | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |
| | Okra | Abelmoschus esculentus | Bindi | Varsha uphar, Arka Anamika | Tropica/sub tropicall vegetablHot and humid climate | Abundant | Abundant | Tender green fruit used as vegetable | Mainly vegetable | Source of Fiber | Contains dieta fibers,protein and carbohydratesry | Summer/ Kharif | Farmers / Department/ Privaate Suppliers | Farmers |
| 14 | Cucumb er | Cucumis sativus | Kheera | Kheera local,JL | Grows in all climatoic conditions, Tro pical, Sub tropical &temprate | Abundant | Abundant | Limbing annual bearing elongated thick cylendrical fruit | Mainly used as salad | - | It also used asantipyretic and causing cooling effect | Summer/ Kharif | Farmers / Department/ Privaate Suppliers | Farmers |

| 15 | Bottle gourd | Lagenaria siceraria | Lokki | PSPL/Punjab Long | Summer &rainy season crop | Abundant | Abundant | Vines vigrous, profusly branched | Subzis, curries and gravies. | - | It also contains essential vitamins and minerals | Summer/ kharif | Farmers / Department/ Privaate Suppliers | Farmers |
|----|-----------------|---|-----------|---|---|----------|----------|---|--|---|---|-------------------|---|---------|
| 13 | Bitter gourd | Momordica charantia | karela | Pusa Domausmi/Kun dan | Warm and Humid climate | Abundant | Abundant | Herbaceous climbing annual with ridged stems | Vegetable and medicinal value | 1 | Used for maitaining low suger level | Summer/ kharif | Farmers / Department/ Privaate Suppliers | Farmers |
| 16 | Beans | Phaseolus Spp. | Phaliya | Contender | Cool weather crop/Sandy/lo amy soil | Abundant | Abundant | Tender green pods are used as vegetable | Mainly vegetable | Source of energy in the shape of Gur/Sugar | High vale protein,Vitamin eB1,B2 <b6 and<br="">Maganese</b6> | | Farmers / Department/ Privaate Suppliers | Farmers |
| 17 | Cauliflo wer | Brassica oleracae var.botrytis | Fol gobi | Pusa snow ball,Pusa Katki,local Girja | Both sub tropical &intermediate | Abundant | Abundant | White and tender head ,curdformed from shortened flower part | Curd Mainly used as vegetable | - | Also good sourse of protein,carbohy drate,phasphoru s& iron | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |
| 17 | Cabbage | Brassica oleracae var.capitata | Band gobi | Golden Acre,Pride of India,Green Flesh | Both sub tropical &intermediate | Abundant | Abundant | Round head withlight to dark green colour | Head Mainly used as vegetable,sala d | - | Also good sourse of protein,carbohy drate,phasphoru s& iron | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |
| 18 | Knol khol | Brassica oleracae var.gongyloi des | Kadam | White vienna,Purple vienna | cool &moist climate/sub tropical | Abundant | Abundant | Swollen stem ,grren/purple with long and broad leaves | Swollen stem and leaves are consumed as vegetable | - | - | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |

| 19 | Spanich | Beta vulgaris | Palak | All Green,Delta | Cool season Crop, thrives well on well drained loam soils | Abundant | Abundant | Tender green leaves & root used as Vegetable | Tender green leaves used as leafy Vegetable | - | Vitamins A and C, fiber, folic acid, and other nutrients | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |
|----|----------------------------|---|--------------------|--------------------------------|---|----------|----------|--|--|---|--|------|---|---------|
| | Radish | Raphanus sativus | Mulli | Japanes White ,Koren Etc | Cool season Crop, thrives well on well drained Sandy loam soils | Abundant | Abundant | Tender green leaves &roots used as Vegetable | Modified Roots are used as Vegetabke & Salad | - | Full of vitamin A, C, E, B6, potassium, and other minerals, | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |
| 20 | Carrot | Daucus carota | Gajer | Pusa Kesar,local | Cool &moist climate/ sub tropical& intermedite | Abundant | Abundant | Modified Root is eatable | Root is used as Vegetable, Salad, Juice, Sweet Dish, Preserve etc. | - | Good source of carotene, , lutein, and zeaxanthin. Vit A,C,B6,Folic acid | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |
| 21 | Turnip | Brassica rapa | Gunglu /Shalgam | PTWG/Local | Cool &moist climate/sub tropical&inter medite | Abundant | Abundant | Modified Root is eatable | Root is used as Vegetable ,Sa lad,. | - | Good source of Vit.C,Diatry Fiber &Potasium | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |
| 21 | Exocitic Vegetabl es | Brocolli// Chines Cabbage / Capsccum etc. | | Prevelent Hybrid varieties | Cool &moist climate/sub tropical&inter medite | Rare | Abundant | All Plants Carts and Fruits are eadable Ric Source of antioxidents | Salad and Vegetable | | Ric Source of Multivitimins, Minierals and Antioxidents | Rabi | Farmers / Department/ Privaate Suppliers | Farmers |
| 22 | Potato | salonum tuberosum | Aalo | Local | Cool Climate | Abundant | Abundant | | Vegetable | | High Carbohydrate | Rabi | | Farmers |

Format 2: Fruit Plants

| 1 | 2 | 3 | 4 | 5 | | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|--------------|---------------------|---|-------------------------------------|------------------------|--------|---------|----------------------------------|---------------------|------------|--------------------------------|---------------------------|--------------------------|
| Plant | Scientific Name | Local Name | Variety | Landscape / | Local | Status | Source of | Season of | Associated | Uses | Other details market / | Community / Knowledge |
| Tiant | Scientific Ivame | Local Name | varicty | Habitat | Past | Present | Seeds/Plants | Fruiting | TK | Uses | own use | holder |
| Mango | Mangifera indica | Aam | Desi, Dusheri, Malta | Plains | Plenty | Plenty | Nurseries | Jun-Aug | | Fruit, Pickle, Preserves | Marketing, Own Use | |
| Citrus Fruit | Citrus spp. | Khatti, Galgal, Nimbu, Santra, Kinnoo etc. | Local Selection, Kagzi Lime etc. | Plains, mid hills | Plenty | Plenty | Nurseries | Through Out Year | | Fruit, Pickle, Squashes etc | Marketing, Own Use | |
| Litchi | Litchi chinensis | Litchi | Culcatta, Dehradun | Plains | Plenty | Plenty | Nurseries | Jul - Aug | | Fruit | Marketing | |
| Guava | Psidium guajava | Amrood | Local, L49 etc. | Plains, Lower Hills | Plenty | Plenty | Nurseries | Jul - Aug | | Fruit | Marketing, Own Use | |
| Grapes | Vitis vinifera | Anjoor | Local Dakh, Perlette | Plains, Mid Hills | Rare | Plenty | Nurseries | Jul - Aug | | Fruit | | |
| Aonla | Phyllanthus emblica | Ambla | Local Selection, NA-7 | Plains | Plenty | Plenty | Nurseries, Local Collections | Nov Dec | | Pickling Preserve etc | Marketing, Own Use | |
| Jamun | Syzygium cumini | Jamun | Local Selection | Plains | Rare | Rare | Nurseries, Local Raised | Jul - Aug | | Fruit | Own Use | |
| Pomegranate | Punica granatum | Anaar, Druni | Ganesh, Kandhari, Local | Plains, Mid hills | Rare | Rare | Nurseries, Local Raised, Wild | May - Aug | | Fruit, Anardana | Own Use | |
| Strawberry | Fragaria × ananassa | Strawberry | Chandlar | Plains, mid hills | Rare | Rare | Nurseries | Mar - Apr | | Fruit | Marketing | |
| Papaya | Carica papaya | Papita | Local | Plains | Rare | Plenty | Nurseries, Localy Raised | Aug - Oct | | Fruit | Own Use | |

Format 3: Fodder Crops / Species

| 1 | 2 | 3 | 4 | 5 | | 6 | 7 | 8 | 9 | 10 |
|---------|--------------------------|----------|-------------|----------|----------|--|---|----------------------------|---------------|------------------|
| Plant | Scientific | Local | Landscape / | Loca | l Status | Source of Plants / | Associated | Part | Other details | Community / |
| riant | Name | Name | Habitat | Past | Present | Seeds | TK | Used | Other details | Knowledge holder |
| Barseem | Trifolium alexandrium | Chhatala | Annual | Abundant | Abundant | Farmers / Department/ Privaate Suppliers | Nutritious & palatable fodder, Source of energy for animals | Entire Plant | Fodder | Farmers |
| Oats | Avena spp. | Javi | Annual | Abundant | Abundant | Suppliers | Nutritious & palatable fodder, | Above ground part of plant | Fodder | Farmers |
| Sorghum | Sorghum spp. | cherri | Annual | Abundant | Abundant | Farmers / Department/ Privaate | Source of energy | Above ground part of plant | Fodder | Farmers |
| Maize | Zea mays | Makki | Annual | Abundant | Abundant | Suppliers | Source of energy | Above ground part of plant | Food & fodder | Farmers |
| Bajra | Pennisetium americanum | Bajra | Annual | Abundant | Normal | Farmers / Department/ Privaate | Source of energy | Above ground part of plant | Food & fodder | Farmers |
| Cowpea | Vigna unguiculata | Pongi | Annual | Abundant | Normal | Suppliers | Kharif Legume with high protein | Above ground part of plant | Fodder | Farmers |

Other details include fodder for which animal, special features, medicinal uses if any, seasons of availability, propagation methods, collecting from wild or cultivated etc.

| - | | 4 | *** |
|-----|------|----|-------|
| H'O | rmat | 4: | Weeds |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 7 | 8 | 9 | 10 | 11 | 12 |
|--------------------|----------------------------|-------------------------------|--|-----------------------------------|---------------------------|----------|----------|--|--------------------------------------|--|---|--------------------------|
| Plant | Scientific Name | Local Name | Affected crop | Impact | Landscape / | Local | Status | Uses if any | Management | Associated TK | Other details | Community / Knowledge |
| Tiant | Scientific (Vallic | Local Name | Affected crop | Impact | Habitat | Past | Present | Oses if any | options | Associated TX | like exotic | holder |
| Pig Weed | Amaranthus virdis | Jangli Choulai | Rice, Maize & sugarcane | Annual herb | Agri. Land | Normal | Normal | Eaten as boiled green veg | Physical, Mechanical, Chemical | Rich Source of protein & amino acid | Also Used as medicinal herb | Farmers |
| Lamb's quarters | Chenopodium album | Bathua/Kanah/ Wild Spinach | Wheat, Pea, Potato | Annual herb | Agri. Land | Normal | Normal | Eaten as boiled green veg | Physical, Mechanical, Chemical | Rich Source of protein,Vit. A, Calcium, Phosporous & potash | Annual feed & fermentation of Beverages | Farmers |
| Nut Grass | Cyprus rotundus | Dilla/Motha | Paddy,maize,sugarc ane,vegetable | Perennial | Agri. & Non Agri. Land | Abundant | Abundant | Fodder & Animals | Physical, Mechanical, Chemical | Nil | Tradionally used as medicine | Farmers |
| Barnyard Grass | Echinochloa crusgalli | Swank | Paddy | Annual | Agri. Land | Abundant | Abundant | Fodder & Animals | Physical, Mechanical, Chemical | Nil | Nil | Farmers |
| Carrot grass | Parthenum hysterophorus | Congress Grass | Gardens & sugarcane ratoon crops & other crops | Annual | Agri. Land | Abundant | Abundant | Nil | Physical, Mechanical, Chemical | Abnoxious weed difficult to manage | | Farmers |
| Bur Clover | Medicago denticulata | Maina | Wheat Grass Peas | Perennial herbaceous legume | Agri. Land | Normal | Normal | Fodder,vegetab le & green manure | Mechanical, Chemical | Nil | Improves Soil fertility | Farmers |
| Meadow Pea | Lathyrus Aphaca | Matri | Wheat Grass Peas, mustard | annual | Agri. Land | Normal | Normal | Fodder | Mechanical, Chemical | Nil | Agri. Land | Farmers |
| Bang | Cannabis indica | Bang | Kharif Crops | Perennial | Agri. & wasteLand | Normal | Normal | | Mechanical, Chemical | Nil | Agri. Land | Farmers |

| Dub Grass | Cynodon dactylon | Dub Grass | Rabi/ Kharif | Perennial | Agri. & wasteLand | Abudant | Abudant | Fooder | Mechanical, Chemical | Nil | Agri. & wasteLand | Farmers |
|------------------|------------------------|--------------|--------------|-------------|---------------------------|---------|---------|-------------------|-------------------------|-----|------------------------------------|---------|
| Wild oats | Avne fatua | Jangli Javi | Oats | Annual herb | Sub Tropical | Rare | Rare | Fodder | Above ground parts | - | Nutrative Fodder for Animals | Farmers |
| Wild Rice | Echinochloa colonum | Swanki | Paddy | Annual herb | Sub Tropical | Rare | Rare | Fodder | Above ground parts | - | Nutrative Fodder for Animals | Farmers |
| Jhonson Grass | Sorghum helepense | Beru grass | Sorghum | Perinneal | Sub Tropical | Rare | Rare | Fodder | Above ground parts | - | Nutrative Fodder for Animals | Farmers |
| wild onion | Allium humaie | Jangli payas | Onion | Annual herb | Temprate/ sub tropical | Rare | Rare | Food and medicine | All parts used | - | - | Farmers |

Other details may include how long the weeds have been suppressing/adversely affecting the crops in this locality, when it came under notice, intensity of natural multiplication etc

Format 5: Pests of Crops

| | | | | | | - F | | | |
|-----------------------|--|------------------------|-------------------|---|-------------------------|---|------------------|--|-------------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| Host | Insect / Animal | Scientific name | Local name | Habitat | Time / season of attack | Management mechanism | Associated TK | Other details | Community knowledge holder |
| Mustard aphid | Lipaphis erysimi | aphid | Sucking pest | Attacks mustard & other cucurbit crops | Dec-March | Timely sowing of crop & Chemical, Biological & Mechanical | - | Major threat to oil seed crops of Rabi | Farmers |
| Termite | Microtermis obesi/ Odontoremes obesus | Telle | Chewing & bitting | Wheat & other crops | Nov-May | Cultural & Chemical measures | - | Major threat to unirrigated crops | Farmers |
| Blister beetle | Mylabris spp. | Ghori | Chewing & bitting | Attacks Maize, Bhindi & Pulses | June-Oct | Mechanical& Chemical measures | - | Insectivorous feed on grasshopper | Farmers |
| Cereal leaf Beetle | Oulema melanopus | | Chewing & bitting | Attacks Maize | Aug-Sep | Chemical measures | - | Most recent occurrence | Farmers |
| Cucurbits fruit fly | Bactrocera cucurbitae | Melon fly | Chewing & bitting | Attacks Pumpkin, cucumber & gourds | Throughout the year | Mechanical & Chemical, Pheronon trap | - | Danger to all cucumber crops | Farmers |
| Maize stem Borer | Chilo partellus | Sundi /Tana- shedak | Chewing & bitting | Attacks Maize, sorghum , Bajra & sugarcane | July to sept | Mechanical& Chemical measures | 1 | Causes dead hearts in young plants | Farmers |
| Grasshopper | Hygro blasses Negro / Hieroglyphus nigropletus | Tidi | Maize and Paddy | Maize, Paddy, Jojr Bajra | July to sept | Mechanical& Chemical measures | - | Eats leaves | Farmers |

| Army worm | Spodoptera Frugiperda | Caterpiller | All Crops | Defoliaties Major crops | Through the year | Mechanical& Chemical measures | - | Defoliates all crops | Farmers |
|------------|--------------------------|--------------------------------|---|-----------------------------------|---------------------|-------------------------------|---|---|---------|
| Stem Borer | Tryporza incrtules | Tana shedat/ Catter pillers | Bores into stem results into dead heart | Crops Plants | June to Oct. | Mechanical& Chemical measures | - | Major threats | Farmers |
| Cut worm | Agrotis ipsilon | Ludi | Cuts stem and leaves | Wheat sorguham maize and other | Throughout the year | Mechanical& Chemical measures | - | Major threats | Farmers |
| White Fly | Aleyrodidae | | Suks the shap of plants | Sobin Bhindi and all pulses crops | April to Oct. | Chemical measures | - | Major threats | Farmers |
| Field rats | Ratus meltada | Chouha | Nocturnal in habit | Attacks all crops | Throughout the year | Mechanical& Chemical measures | - | Lives in burrows opening hidden in bushes | Farmers |

Other details may include possible reasons for insects/animal attack

| | Format 6: Markets for Domesticated animals | | | | | | | | | | | | |
|----------------------------------|--|--|---|---------------------------------------|--|--|----------------------|----------------|--|--|--|--|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | | | |
| Name of the market & location | Weekly (D)/ Fortnightly (D) / Monthly (D) / Biannual (M) / Annual (M) [1] | Types of animals bought and sold [2] | Types and Average Number of animals transacted in a day | Places from which animals are brought | Places to which the animals are sold / transported | Name and location of fish market | Types of fishes sold | Source of fish | | | | | |
| | | | Ni | 1 | • | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Note: [1] (D) – day; (M) – month; [2] Types of animals may include: Poultry / Sheep / Goats / Cattle / Ducks / Pigs / Donkeys / Mules / Horses / Camels / Others (Specify)

| | Format 7: Peoplescape | | | | | | | | | | | | | |
|------------------------|------------------------------------|----------------|------------------------|--|--------------------------------------|-------------------------------------|-----------------|--------------------|-----------------------|------------|--|--|--|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | | |
| Community & Population | - | | Depending Landscape | Major resources accessed and seasons of access | Landscape management practices | Resource management practices | Cast / tribe | Social condition | Nature of inhabitants | No. of HHs | | | | |
| Gen-1397 | Agriculture ,Govt. &Private Job | Labour | Agriculture | Land work for agriculture | Traditional and modern approach | Traditional | Gen | Mixed, good & weak | Some good & some bad | 175 | | | | |
| SC -946 | Agriculture ,Govt. &Private Job | Labour & dairy | Agriculture | Land work for agriculture | Traditional and modern approach | Traditional | SC | Mostly waek | Mixed, good & weak | 150 | | | | |
| ST-21 | Agricultura Cout | | Agriculture | Land work for agriculture | Traditional and modern approach | Traditional | ST | Mostly waek | Mixed, good & weak | 25 | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

Major occupation may be farming. Sub-occupations could be fishing, collection of NTFP animal husbandry, artisans, services Examples of depending landscapes are agriculture landscape, rivers, forest

Major resources accessed could be agriculture resources of different nature, fish, birds, water, mud, and etc
How the community manages the landscapes they use for satisfying different needs, their strategies and perception
How the community manages the resources they access for satisfying different needs, their strategies and perception, conflicts etc

| Format 8: La | andscape | | | | | |
|--------------|----------|---|---|---|----|----|
| 5 | 6 | 7 | 8 | 9 | 10 | 11 |

| 1 | 1 | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|------------------------------------|----------|------------|------------------------------|---|-----------------------------|--|--|--|--------------|--|------------|----------|-----------|
| Major La | ındscap | oes | Sub - | Feature s and | Ownorship | General flora | General | Lison groups | Management | General uses | Associated | Other | Community |
| Agricultural land Pond Fallow land | | Landscapes | approx. area | Ownership | General nora | fauna | User groups | practices | General uses | TK | details | accessed | |
| Plains & Kandi areas | | eas | plains | flat sweepng landmass with small change in elevation | Private and State lands. | Broad leaved mainly Tali, Phagari, Beri, Plah, Jamun, Aamb, Amla, Kikar, Bohr, Neem, Bana, Drenk, Jojera, Panjphulai, Khar grass, Dhub grass, | Domestic animals, wildlife such as wild pig, Snakes, jackal, etc. | Public,as well as pvt and Govt also | | Aesthetic and scenic beauty in urban areas | | | |
| Lower Shiwalik areas | | reas | sub-mountains or Hillocks | plain terrain with gentle slope | | | | | | | | | |
| Shiwali | ik areas | | Hills | Hills with gentle slopes | | | | | | | | | |

Provide a brief description of landscapes such as forests, plantations, cultivated land, estuary, pond, lake or other elements

Format 9: Waterscape

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|-------------------------|-----------|--------------------------|--------------------------------|---|---|---|-------------|-------------------------|-----------------|---------------|------------------|--------------------|
| Waterscape element type | Sub- type | Features and approx area | Ownership | General flora | General fauna | Major uses | User groups | Management practices | General uses | Associated TK | Other details | Community accessed |
| Ponds | | | State land | Tali, Kamal, Brankad, Bori Peepal and Khu jari etc | Frogs , fishes, snakes, snail, | Cattles, washing cloths, irrigation, Drinking etc | public | | | | | |
| Streams | | | State land and Private land | Bana, Aak, Khar grass, Panjphuli jari etc | Frogs , fishes, snakes, snail, | Cattles, washing cloths, irrigation, Drinking etc | public | | | | | |
| Tube well | | | Private land | | | Cattles, washing cloths, irrigation, Drinking etc | public | | | | | |
| Hand pumps | | | State & Private | Panjphuli jari, Bana, Aak, Khar grass etc | Frogs , fishes, Torotoise, snakes, snail, | Cattles, washing cloths, Drinking etc | public | | | | | |
| Bowlis | | | Private | Bana, Aak, Khar grass, Panjphuli jari etc | Frogs , fishes, Torotoise, snakes, snail, | Cattles, washing cloths, irrigation, Drinking etc | public | | | | | |

Examples: Ponds, Streams, Rivers, Lake, Canal, Tubewell, Dug well etc.,

Format 10: Soil type 1 2 3 4 5 6 7 8 Soil Type Color & Texture Soil management Plants / crop suitable Flora and fauna Associated TK Other information **Features** Add compost, humus, Green Beans, Tomato, Potato, Genrally not suitable for Large particle size, Water drains Rapedily Manuring, Decomposed Cucumber, onion, Succulants like cacti, plants which need lot of Sandy Loam Soft Dark manure etc improves soil eggplants, carrot, Lambs ear, etc. water quality for better plant growth Spinach etc. Small particles size,Texture dense and Ornamental Plants/ Provide good drainage, add organic manure in the form of Soil is good for wild grasses, plants with Light yellow to raddish varieties of crops, however drainage is a problem Clay Loam Plants/Crop Suitable compact, retains water evergreen leaves, colourful colour compost or humus and nutrition Berries

DOMESTICATED BIODIVERSITY

Format 11: FRUIT TREES

| 1 | 2 | 3 | 4 | 6 | 7 | | 8 | 9 | 10 | 11 | 12 | 13 |
|--------------|------------------|--|-------------------------------------|------------|--------|---------|----------------------------------|---------------------|--------------------------------|------------|-----------------------|--------------|
| Di a T | | | | Landscape/ | Local | Status | Source of | Season of | | Associated | Other details | Community/ |
| Plant Type | Local Name | Scientific Name | Variety | Habitat | Past | Present | plant/seeds | Fruiting | Uses (usage) | TK | market/own use | Know. holder |
| Mango | Mangifera indica | Aam | Desi, Dusheri, Malta | Plenty | Plenty | Plenty | Nurseries | Jun-Aug | Fruit, Pickle, Preserves | | Marketing, Own Use | |
| Citrus Fruit | Citrus spp. | Khatti, Galgal, Nimbu, Santra, Kinnoo etc. | Local Selection, Kagzi Lime etc. | Plenty | Plenty | Plenty | Nurseries | Through Out Year | Fruit, Pickle, Squashes etc | | Marketing, Own Use | |
| Litchi | Litchi chinesis | Litchi | Culcatta, Dehradun | Plenty | Plenty | Plenty | Nurseries | Jul - Aug | Fruit | | Marketing | |
| Guava | Psidium guajava | Amrood | Local, L49 etc. | Plenty | Plenty | Plenty | Nurseries | Jul - Aug | Fruit | | Marketing, Own Use | |
| Grapes | Vitis vinifera | Anjoor | Local Dakh, Perlette | Plenty | Plenty | Plenty | Nurseries | Jul - Aug | Fruit | | | |
| Pomegranate | Punica granatum | Anaar, Druni | Ganesh, Kandhari, Local | Rare | Rare | Rare | Nurseries, Local Raised, Wild | May - Aug | Fruit, Anardana | | Own Use | |
| Pear | Pyrus spp. | Nakh | Pathar Nakh, China Pear | Rare | Rare | Rare | Nurseries | Aug - Sep | Fruit | | Own Use | |
| Peach | Prunus persica | Aaroo | July Elberta, Quetta | Plenty | Plenty | Plenty | Nurseries | Jun - Jul | Fruit | | Marketing, Own Use | |

| Strawberry | Fragaria × ananassa | Strawberry | Chandlar | Plenty | Plenty | Plenty | Nurseries | Mar - Apr | Fruit | Marketing | |
|------------|------------------------|------------|----------|--------|--------|--------|-----------------------------|---------------------|-------|-----------------------|--|
| Karonda | Carissa carandas | Garnay | Local | Rare | Rare | Rare | Wild, Local | Jun - Aug | Fruit | Marketing, Own Use | |
| Papaya | Carica papaya | Patita | Local | Plenty | Plenty | Plenty | Nurseries, Localy Raised | Aug - Oct | Fruit | Own Use | |
| Kimb | Citrus medica | Kimb | Local | Good | Good | Good | Locally raised | March- September | Fruit | Own Use | |

Format 12: Medicinal Plants (Herbs, Shrubs, Trees etc.)

| 1 | 2 | 3 | 5 | 6 | | 7 | 8 | 9 | 10 | 11 | 12 |
|------------|--------------|------------------|-------------------------------------|-------------|----------|----------|----------------------|----------------|------------|-----------------------------|------------------------------|
| Plant Type | Local Name | Scientific Name | Landscape/ Habitat | Source of | Local | status | Ugag (ugaga) | Part used | Associated | Other details market/own | Community/ Know. Holders |
| Plant Type | Local Name | Scientific Name | Euroscupe, Trusteut | plant/seeds | Past | Present | Uses (usage) | rart useu | TK | use | |
| Herbs | Jungli putna | Mentha arvensis | Lower shiwalik/Temperate area | Stem/Seed | Abundant | Abundant | medicinal | Leaves | N.A | N.A | Generally, held by community |
| Shrubs | Brankad | Adhatoda vasica | Lower shiwalik | Seed | Abundant | Abundant | medicinal | Roots & Flower | N.A | N.A | Generally, held by community |
| Shrubs | Drainkad | Murraya koenigii | Sub-Tropical area | Seed | Rare | Rare | medicinal & spice | Fruit | N.A | N.A | Generally, held by community |
| Herbs | Bhang | Canabis sativa | Lower shiwalik | Seed | Abundant | Rare | medicinal | Leaves | N.A | N.A | Generally, held by community |
| Tree | Draink | Melia azadirach | Lower shiwalik | Seed | Abundant | Abundant | medicinal | Leaves | N.A | N.A | Generally, held by community |
| Tree | Jamun | Syzygium cumini | Lower shiwalik | Seed | Abundant | Abundant | medicinal | Leaves/Fruit | N.A | N.A | Generally, held by community |
| Tree | Kringal | Casia fistula | Lower shiwalik | Seed | Rare | Rare | Flowers as vegetable | Fruit | N.A | N.A | Generally, held by community |

| Tree | Mango | Mangifera indica | Lower shiwalik | Seed | Abundant | Abundant | Fruits | Stem/Fruit | N.A | N.A | Generally, held by community |
|------|-------|---------------------|----------------|------|----------|----------|-----------------|-------------|-----|-----|------------------------------|
| Tree | Tali | Dalbergia sissoo | Lower shiwalik | Seed | Abundant | Abundant | Timber & fodder | Stem | N.A | N.A | Generally, held by community |
| Tree | Amla | Emblica officinalis | Lower shiwalik | Seed | Rare | Rare | medicinal | Leaves/Bark | N.A | N.A | Generally, held by community |

Note: Uses: Food/ Veterinary Medicine,/ Human Medicine (Sub-divisions like for children, women etc),/ Agricultural Purpose (Bio-pesticide) Other details: Propagation methods, / Harvesting period,/ Cultivated or collected from wild or both,/ Perennial/annual/seasonal

Format 13: Ornamental Plants/ Trees/Climbers etc. 10 2 3 5 6 7 8 1 4 9 Source of Commercial/ Plant Type Community/ Know. holder **Local Name** Scientific Name Variety Uses Associated TK Other details plant/seeds non-commercial Casia fistula Non-Commercial Generally, held by community Krangal Tree Seed N.A N.A N.A Generally, held by community Shrub Gandela Nerium oleander Cuttings Non-Commercial N.A N.A N.A Generally, held by community Tree Satpati Alstonia scholaris Seed Non-Commercial N.A N.A N.A Generally, held by community Tree Bottle brush Callistemom citrinus Seed Non-Commercial N.A N.A N.A Generally, held by community Booganbel Bougainvillea glabra Cuttings Non-Commercial Climber N.A N.A N.A Ornamnetal Tree Nerium Nerium oleander Nurseries Non-Commercial Tree Hibiscus Hibiscus rosa-sinesis Nurseries Non-Commercial Ornamnetal

| | Format 14: Timber Plants / Trees | | | | | | | | | | | | |
|----------------------|----------------------------------|-------------------|------------|-------|---------|-------------|---------------|-------------------|---------------|--------------|--|--|--|
| 1 2 3 4 5 6 7 8 9 10 | | | | | | | | | | | | | |
| Di A.T. | | Colored P. Norman | н. | Local | status | Wild/ home- | Other | A A. A. TEV | Other details | Community/ | | | |
| Plant Type | Local Name | Scientific Name | Habitat | Past | Present | garden | uses (multi) | Associated TK | Other details | Know. holder | | | |
| Tree | Safeda | Eucalyptus spp. | Farm lands | Good | Good | | Comercial Use | Timber / Firewood | | | | | |
| Tree | Shisham | Dalbergia sissoo | Farm lands | Good | Good | | Comercial Use | Timber | | | | | |

Format 15: Domesticated Animals 1 2 3 4 5 6 7 8 9 10 11 12 Local Other details Community status Method of Commercial **Breed (local/** Associated including Animal **Local Name** Scientific Name Features Uses Know. Type hybrid) keeping TKproducts and rearing Holders **Past** Present services Low yield Abundant Gau Bos indicus ND stall feeding Decrease Dairy Nil No Milk All stall feeding / semi intensive Cattle Jersy Gau Bos taurus CB Jersy Dished face Very few Increase Dairy Nil Milk All yes Black and white stall feeding / semi Amrecan Gau Bos taurus CB HF Very few Increased Dairy Nil Yes Milk All intensive spot Manj Bubalus bubalis Local Low yield stall feeding Abundant Decreased Dairy Nil No Milk All Buffalo Black color stall feeding / semi Murrah /Graded Very few Punjabi Mais Bubalus bubalis Nil Yes Milk All Increased Dairy intensive body Decrease Equus caballus Local Red color body Backyard Abundant Pack/ Cart Nil No Pack/ Cart All Horse ghoda E.assinus xE Mule khacchar Black Backyard Decrease Pack/ Cart Nil Pack/ Cart All Local Abundant No caballus Enriched meat Backyard Poultry Kukkar Galus domesticus Local Abundant Decrease Egg ,meat Nil No Egg ,meat All flavor

| Poultry | Farmi Kukkar | Galus domesticus | Chabro | good egger | Backyard | few | Increased | Egg,meat | Nil | No | Egg ,meat | All |
|---------|--------------|------------------|--------|--|-------------|----------|-----------|------------|-----|-----|-----------|-------------|
| Poultry | Broiler | Galus domesticus | Hybrid | white color , fast growing | deep litter | few | Increased | meat | Nil | Yes | Meat | All |
| Poultry | Parrot | Psittaciformes | Local | parrot green in colour with red beak | Backyard | few | Decrease | decorative | Nil | No | Nil | All |
| Poultry | Pigeon | Columbidae | Local | white color , fast growing | Backyard | few | Decrease | decorative | Nil | No | nil | All |
| Dog | Kutta | canis familaries | Local | Nil | Pet ,Stray | Abundant | Abundant | Nil | Nil | No | Nil | All / stray |
| Cat | Billi | felis catus | Local | Grey /white color | Pet ,Stray | Abundant | Abundant | pet | Nil | No | Nil | All / stray |

Uses include milk, meat, skin, fur and etc

| | Format 16: Culture Fisheries | | | | | | | | | | | | |
|-----------|------------------------------|-----------------|-----------|----------|--------------------|--------------|---------|------|-------------------|------------|---------------|-----------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | | 7 | 8 | 9 | 10 | 11 | 12 | |
| Fish Type | Local Nama | Scientific Name | Variety | Features | Waterscape | Local status | | Uses | ses Associated TK | Commercial | Other details | Community Know. | |
| rish Type | Local Name | Scientific Name | v ar icty | reacures | (pond/bheri/talao) | Past | Present | Oses | Associated IX | rearing | Other details | Holders | |

There is no culture Fisheries taken up in this panchayat

Note: Other details include mode of catching fish, time of availability, breeding time, feeds and etc

| | Format 17: Markets / Fairs for Domesticated Animals, Medicinal Plants and other products | | | | | | | | | | | | |
|-------------------------------------|--|--|----------|--|---------------------------------|---|---|---|--|--|--|--|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | | | |
| Name of the Weekly Market / Fair | Location | Weekly / Fortnightly & Others Bi-annual / Annual | Day held | Month incase of bi- annual or annual market fair | Types of animal bought and sold | Number of animals (average) transacted in a day | Places from where the animals are arrived | Places to where the animals are transported | | | | | |

WILD BIODIVERSITY Format 18: Trees, Shrubs, Herbs, Tubers, Grasses, Climbers etc.

| 1 | 2 | 3 | 4 | 5 | | 6 | 7 | 8 | 9 | 10 | 11 |
|------------|------------|-----------------------|-------|----------------------------|------|-----------|----------------------|------------------|-----------------|---------|------------------|
| Plant Type | Local Name | Scientific Name | Habit | Habitat | Loc | al status | Commercial / own use | Part collected | Associated TK | Other | Community |
| Fiant Type | Local Name | Scientific Name | Парц | парцас | Past | Present | Commercial / own use | rart conected | Associated 1 K | details | Knowledge Holder |
| Tree | Tali | Dalbergia sisoo | Tree | Farmlands & Urban areas | Good | Moderate | Commercial/ own use | Stem, Timber | - | 1 | - |
| Tree | Khair | Acacia catechu | Tree | Farmlands & Urban areas | Good | Moderate | Commercial/ own use | Timber/ Firewood | Katha | - | - |
| Tree | Amla | Emblica officinalis | Tree | Farmlands & Urban areas | Good | Moderate | Commercial/ own use | Fruit | Food processing | - | - |
| Tree | Siris | Albizziz lebbeck | Tree | Farmlands & Urban areas | Good | Moderate | Commercial own use | Timber/ Firewood | - | ı | - |
| Tree | Simbal | Bombax cebia | Tree | Farmlands & Urban areas | Good | Moderate | Commercial/ own use | Timber/ Firewood | - | ı | - |
| Tree | Kamila | Mallotus philippensis | Tree | Farmlands & Urban areas | Good | Moderate | Commercial /own use | Timber/ Firewood | - | ı | - |
| Tree | Krangal | Cassia fistula | Tree | Farmlands & Urban areas | Good | Moderate | Commercial/ own use | Timber/ Firewood | - | ı | - |
| Tree | Ber | Ziziphus jujuba | Tree | Farmlands & Urban areas | Good | Moderate | Commercial /own use | Fruit | - | - | - |
| Tree | Plaah | Butea monosperma | Tree | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | ı | - |
| Tree | Arjun | Terminalia arjuna | Tree | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | ı | - |
| Tree | Jamun | Syzygium cumini | Tree | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | ı | - |
| Tree | Amb | Mangifera indica | Tree | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Fruit | - | ı | - |
| Tree | Kiker | Acacia nilotica | Tree | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | - | - |
| Tree | Safeda | Eucalyptus | Tree | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | - | - |

| Tree | Neem | Azadirachta indica | Tree | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | - | - |
|---------|----------------|-----------------------------|---------|----------------------------|------|----------|--------------------|------------------|---|---|---|
| Climber | Amar bel | Cuscuta reflexa | Climber | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | - | - |
| Grass | Doob grass | Cynadon dactylon | Grass | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | ı | - |
| Shurb | Dhatura | Datura stramonium | Shurb | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | | - |
| Shurb | Arnid | Ricinus communis | Shurb | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | ı | - |
| Climber | Giloe | Tinospora cordifolia | Climber | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | ı | - |
| Shurb | Bana | Vitex negundo | Shurb | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | ı | - |
| Tree | Bel | Aegle marmelos | Tree | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | ı | - |
| Grass | Khar | Saccharum munjo | Grass | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | ı | - |
| Shurb | Drenkeri | Murraya koengii | Shurb | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | ı | - |
| Herb | Congress grass | Parthenium hysterophorus | Herb | Farmlands & Urban areas | Good | Moderate | Commercial/own use | Timber/ Firewood | - | | - |
| Herb | Chaleri saag | Amaranthus viridis | Herb | Farmlands & Urban areas | Good | Good | Commercial/own use | Timber/ Firewood | - | ı | - |

| Format 19: Wild Plant Species of Importance | | | | | | | | | | | |
|---|-------------|---------------------|---------|--|--------|--|--|--|--|--|--|
| 1 | 2 | 3 | 4 | 5 | 6 | | | | | | |
| Sl. No. | Local Name | Scientific Name | Variety | Importance (as economic, social, cultural etc.) | Status | | | | | | |
| 1 | Lal Gandila | Nerium indicum | Shrub | Aesthetic | Good | | | | | | |
| 2 | Daduni | Punica grantum | Shrub | Live Hedge fencing | Good | | | | | | |
| 3 | Brenkar | Adhatoda vasica | Shrub | Medicinal | Good | | | | | | |
| 4 | Aak | Calotropis gigantea | Shrub | Medicinal | Good | | | | | | |
| 5 | Arnid | Ricinus cuminus | Shrub | Medicinal | Good | | | | | | |
| 6 | Bana | Vitex negundo | Shrub | Medicinal | Good | | | | | | |
| 7 | Bhang | Cannabis sativa | Shrub | Medicinal | Good | | | | | | |
| 8 | Thor | Euphorbia royleana | Shrub | Live Hedge fencing | Good | | | | | | |

| | Format 20: Aquatic Biodiversity | | | | | | | | | | |
|------------|---------------------------------|---------|---------------------------------------|------------|-----------|-----------|-------------------------|-----------------------------------|---------------|------------------|--|
| 1 | 2 | 3 | 4 | 5 | | 6 | 7 | 8 | 9 | 10 | |
| Local Name | Scientific Name | Variety | Features | Habitat | Local | Status | Uses | Associated TK | Other details | Community/ | |
| Local Name | Scientific Ivame | variety | reatures | Habitat | Past | Present | Uses | Associated TK | Other details | Knowledge Holder | |
| Sol | Channa marulius | Local | Snakehead fish, Air Breathing Fish | Tawi River | Available | Available | Own & Commercial use | Used as food as source of protein | - | 70% | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

| | Format 21: Wild Aquatic Plant Species of Importance | | | | | | | | | |
|---------|---|-----------------|----------|--|--------------------|--|--|--|--|--|
| 1 | 2 | 3 | 4 | 5 | 6 | | | | | |
| Sl. No. | Local Name | Scientific Name | Variety | Importance | Trends | | | | | |
| 1 | Water Hyacinth, Floating Weed | Eichornia | Invasive | Can be used to make compost, Mulching & to Clean Sewage | Free Floating Weed | | | | | |
| 2 | Arra,Bagu | Chara | Local | - | Marginal | | | | | |

Format 22: Wild Plants of Medicinal Importance

| 1 | 2 | 3 | 4 | 5 | | 6 | 7 | 8 | 9 | 10 | 11 |
|--------------|------------|-------------------------|---------|---------------------------|-------|---------|---------------|--------------|----------------|--------------------|---------------------|
| Plant (Herb, | Lacal Name | Caian 4ic a Nama | V | Landara / Wakitat | Local | Status | Associated TV | Hans (mass) | Dout word | Other details | Community/ |
| Shrub, Tree) | Local Name | Scientific Name | Variety | Landscape / Habitat | Past | Present | Associated TK | Uses (usage) | Part used | market/ own use | Knowledge Holder |
| Tree | Amla | Emblica officinalis | | Alluvial plain/Farm lands | Good | Good | - | Medicinal | Fruit | - | 1 |
| Tree | Krangal | Cassia fistula | | Alluvial plain/Farm lands | Good | Good | - | Medicinal | Pod | - | - |
| Tree | Jamun | Syzygium cumini | | Alluvial plain/Farm lands | Good | Good | - | Medicinal | Fruit | - | - |
| Tree | Ber | Ziziphus jujuba | | Alluvial plain/Farm lands | Good | Good | - | Medicinal | Fruit | - | - |
| Tree | Kikar | Acacia nilotica | | Alluvial plain/Farm lands | Good | Good | - | Medicinal | Bark & Pods | - | - |
| Tree | Dhrenk | Melia azadirach | | Alluvial plain/Farm lands | Good | Good | - | Medicinal | Seeds & Leaves | - | - |
| Tree | Neem | Azadirachta indica | | Alluvial plain/Farm lands | Good | Good | - | Medicinal | Leaves | - | - |
| Grass | Doob grass | Cynadon dactylon | | Alluvial plain/Farm lands | Good | Good | - | Medicinal | Leaves | - | - |
| Shurb | Dhatura | Datura stramonium | | Alluvial plain/Farm lands | Good | Good | - | Medicinal | Fruit | - | - |
| Shurb | Arnid | Ricinus communis | | Alluvial plain/Farm lands | Good | Good | - | Medicinal | Oil | - | - |
| Climber | Giloe | Tinospora cordifolia | | Alluvial plain/Farm lands | Good | Good | - | Medicinal | Stem | - | - |
| Shurb | Bana | Vitex negundo | | Alluvial plain/Farm lands | Good | Good | - | Medicinal | Leaves | - | - |

Note: Uses: Food/Veterinary Medicine/Human Medicine (Sub-divisions like for children, women etc)/Agricultural Purpose (Bio-pesticide) Other details: Harvesting period /Perennial/annual/seasonal

| | Format 23: Wild relatives of Crops | | | | | | | | | | |
|-------|------------------------------------|-----------------|-------------|---------|---------|---------|------|------------|---------------|------------------|--|
| 1 | 2 | 3 | 4 | | 5 | 6 | 7 | 8 | 9 | 10 | |
| Local | Scientific | Associated crop | Landscape / | Local S | | Uses | Part | Associated | Other details | Community / Know | |
| Name | Name | Associated crop | Habitat | Past | Present | (usage) | Used | TK | Other details | holder | |

nil

Note: Other details may include 'function as a substitute plant' in the absence of a particular plant

| | Format 24: Ornamental Plants | | | | | | | | | |
|---------------|------------------------------|---------|-----------|-------------------------------------|------------------|---------------------|-----------------------------------|--|--|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | | |
| Local Name | Scientific Name | Variety | Habitat | Commercial / Non-commercial Uses | Associated TK | Any other Detail | Community/ Knowledge Holder | | | |
| Lal Gandila | Nerium oleander | Shrub | Farm land | - | - | - | - | | | |
| Kaneer | Thevetia peruviana | Tree | Farm land | - | - | - | - | | | |
| Bougainvillea | Bougainvillea glabra | Shrub | Farm land | - | - | - | - | | | |
| Gulmohar | Delonix regia | Tree | Farm land | - | - | - | - | | | |
| Krangal | Cassia fistula | Tree | Farm land | - | - | - | - | | | |
| Karal | Bahunia purpurea | Tree | Farm land | - | - | - | - | | | |

Format 25: Fumigate / Chewing Plants

| 1 | 2 | 3 | 4 | 5 | | 6 | 7 | 8 | 9 | 10 | 11 |
|--------------|------------|---------------------|---------|------------|------|-----------|-----------|-----------|------------|---------------|------------------|
| Plant (Herb, | Local | Scientific | Variety | Habitat | Loca | al Status | Uses | Part used | Associated | Other details | Community |
| Shrub, Tree) | Name | Name | variety | Habitat | Past | Present | (usage) | Tart used | TK | (mode of use) | knowledge holder |
| Herb | Pudina | Mentha arvensis | | Farm lands | good | Abundant | Spice | leaves | | | |
| Herb | Buch | Acrous calmus | | Farm lands | good | good | medicinal | roots | | | |
| Herb | Haldi | Corcuma domestica | | Farm lands | good | Abundant | Spice | roots | | | |
| Herb | Ginger | Zingiber officinale | | Farm lands | good | Abundant | Spice | roots | | | |
| Herb | Methi | Trigonella foenum | | Farm lands | good | Abundant | Spice | Seeds | | | |
| Grass | Citronella | Cymbopogon nardus | | Farm lands | good | good | Spice | leaves | | | |
| Herb | Horioh | Brassica campestris | | Farm lands | good | Abundant | Spice | Seeds | | | |

| | Format 26: Timber Plants | | | | | | | | | |
|------------|--------------------------|-----------|-------|----------|---------------------|------------------|---------------|------------------|--|--|
| 1 | 2 | 3 | | 4 | 5 | 6 | 7 | 8 | | |
| Local Name | Scientific Name | Habitat | Local | Status | Other Hees if any | Associated TK | Other Details | Community/ | | |
| Local Name | Scientific Name | навиас | Past | Present | Other Uses, if any | Associated 1 K | Other Details | Knowledge Holder | | |
| Shisham | Dalbergia sisoo | Farmlands | Good | Good | Commercial/ own use | Timber/ Firewood | - | - | | |
| Ber | Ziziphus jujuba | Farmlands | Good | Moderate | Commercial/ own use | Timber/ Firewood | - | - | | |
| Safeda | Eucalyptus tereticornis | Farmlands | Good | Moderate | Commercial/ own use | Timber/ Firewood | - | - | | |
| Aam | Mangiferia indica | Farmlands | Good | Good | Commercial/ own use | Timber/ Firewood | - | - | | |
| Kikar | Acacia nilotica | Farmlands | Good | Good | Commercial/ own use | Timber/ Firewood | - | - | | |
| Dherenk | Melia azedarach | Farmlands | Good | Moderate | Commercial/ own use | Timber/ Firewood | - | - | | |
| Tut | Morus alba | Farmlands | Good | Moderate | Commercial/ own use | Timber/ Firewood | - | - | | |
| Jamun | Syzygium cumni | Farmlands | Good | Moderate | Commercial/ own use | Timber/ Firewood | - | - | | |
| Simbal | Bombax ceiba | Farmlands | Good | Good | Commercial/ own use | Timber/ Firewood | - | - | | |

| | Format 27 A: Coastal and Marine Flora | | | | | | | | | | |
|------------|---------------------------------------|-----------------|---------|------|-----------|-----------------|-----------------|------------|----------------|------------------|--|
| 1 | 2 | 3 | 4 | | 5 | 6 | 7 | 8 | 9 | 10 | |
| Plant Type | Local Name | Scientific Name | Habitat | Loc | al Status | Parts Collected | Commercial Uses | Other Uses | Associated TK | Community/ | |
| riant Type | Local Name | Scientific Name | Habitat | Past | Present | (if any) | (if any) | Other Uses | Associated 1 K | Knowledge Holder | |
| | nil | | | | | | | | | | |

| | Format 27 B: Coastal and Marine Fauna | | | | | | | | | | |
|-------------|---------------------------------------|-----------------|---------|-------|---------|--------------------|-----------------|------------|----------------|------------------|--|
| 1 | 2 | 3 | 4 | 5 | 5 | 6 | 7 | 8 | 9 | 10 | |
| Animal Type | Local Name | Scientific Name | Habitat | Local | Status | Parts | Commercial Uses | Other Uses | Associated TK | Community/ | |
| Ammai Type | Local Name | Scientific Name | Habitat | Past | Present | Collected (if any) | (if any) | Other Uses | Associated 1 K | Knowledge Holder | |

Format 28: Wild Animals (Mammals, Birds, Reptiles, Amphibia, Insects, others)

| 1 | 2 | 3 | 4 | 5 | 6 | | 7 | 8 | 9 | 10 | 11 | 12 |
|---------------|----------------------|--------------------|----------|-------------|-------------|------|----------|----------|---------------|---------------------|---------|-------------------------|
| Animal Type | Local Name | Scientific Name | Habitat | Description | Season when | Loca | l Status | Uses (if | Associated TK | Mode of Hunting, | Other | Community/ Knowledge |
| Allillai Type | Local Name | Scientific (Value | Habitat | Description | seen | Past | Present | any) | Associated TK | collecting (if any) | details | Holder |
| Wild Animal | Squirrels | Sciuridae | Farmland | - | - | Good | Good | - | - | - | - | |
| Wild Animal | Pig | Suidae | Farmland | | - | Good | Good | - | - | - | - | |
| Wild Animal | Jackal | Canis aureus | Farmland | - | | Good | Good | - | - | - | - | |
| Wild Animal | Rose ringed parakeet | Psittaculidae | Farmland | - | - | Good | Good | - | - | - | - | |
| Wild Animal | Mongoose | Herpestes spp. | Farmland | - | - | Good | Good | - | - | - | - | |
| Wild Animal | Sparow | Passer domesticus | Farmland | - | - | Good | Good | - | - | - | - | |
| Wild Animal | Crow | Corvus splendens | Farmland | - | 1 | Good | Good | - | - | - | 1 | |
| Wild Animal | Pigeon | Columba livia | Farmland | - | 1 | Good | Good | - | - | - | 1 | |
| Wild Animal | Bee | Apis cerana indica | Farmland | - | ı | Good | Good | - | - | - | 1 | |
| Wild Animal | Butterfly | Rhopalocera spp. | Farmland | - | - | Good | Good | - | - | - | - | |
| Wild Animal | Frog | Anura spp. | Farmland | - | | Good | Good | - | - | - | - | |

URBAN BIODIVERSITY Format 29: FLORA 1 2 3 5 6 7 4 **Type of Plants** Remarks (Rare / Common etc.) Sr. No. **Local Name** Scientific Name Habitat **Flowering Season** Broad leaved Sub-tropical 1 Kikar Acacia nilotica Summer Common 2 Mangifera indica Broad leaved Sub-tropical Mango Summer Common 3 Safeda Eucalyptus spp. Broad leaved Sub-tropical Common Summer Sub-tropical Sree Albizzia lebbeck Broad leaved Common 4 Summer 5 Talli Dalbergia sissoo Broad leaved Sub-tropical Summer Common 8 Syzygium cumini Broad leaved Sub-tropical Jammun Summer Common

Note: Separate format should be used for road side plantation / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

| | Format 30: Fauna | | | | | | | | | |
|---------|------------------|--------------------|---|-------------|------------------------------|--|--|--|--|--|
| 1 | 2 | 3 | 4 | 5 | 6 | | | | | |
| Sr. No. | Local Name | Scientific Name | Type of Animals (Mammals / Birds / Fish / Insect etc.) | Habitat | Remarks (Rare / Common etc.) | | | | | |
| 1 | Cow | Bos taurus | Mammels | Terrestrial | Common | | | | | |
| 2 | Buffalow | Babalus bubalis | Mammels | Terrestrial | Common | | | | | |
| 3 | Sheep | Ovis aries | Mammels | Terrestrial | Common | | | | | |
| 4 | Goat | Capra aegagrus | Mammels | Terrestrial | Common | | | | | |
| 5 | Sparow | Passer domesticus | Birds | Terrestrial | Common | | | | | |
| 6 | Crow | Corvus splendens | Birds | Terrestrial | Common | | | | | |
| 7 | Pigon | Columba livia | Birds | Terrestrial | Common | | | | | |
| 8 | Peacock | Pavo cristatus | Birds | Terrestrial | Common | | | | | |
| 9 | Ant | Tapioma sessile | insects | Terrestrial | Common | | | | | |
| 10 | Bee | Apis cerana indica | insects | Terrestrial | Common | | | | | |
| 11 | Butterfly | Rhopalocera spp. | insects | Terrestrial | Common | | | | | |
| 12 | Mosquito | Culicade | insects | Terrestrial | Common | | | | | |
| 13 | Cater pillar | Danaus plexippus | Aquatic Animals | Terrestrial | Common | | | | | |
| 14 | Frog | Anura spp. | Aquatic Animals | Aquatic | Common | | | | | |

Note: Separate format should be used for road side plantation - habitat / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

| | Format 31: Any other information of local importance | | | | | | | | |
|---------|--|---------|--|--|--|--|--|--|--|
| 1 | 2 | 3 | | | | | | | |
| Sr. No. | Information of local importance | Remarks | | | | | | | |
| | nil | | | | | | | | |