| People Biodiversity Register (PBR): General Details |
|---|
| Name of the Panchayat Samiti : Pretha |
| Taluk: Basohli |
| District: Kathua |
| State: Jammu and kashmir |
| Geographical Area of the Panchayat Samiti: |
| Population under the Panchayat Samiti: Total 3540 |
| Male: 1830 Female 1710 |
| Habitat and Topography: Hilly |
| Climate (Rainfall, Temperature and weather patterns) Moderate |
| Land Use (Nine fold classification available with village records) |
| Date, Month and Year of PBR Preparation: 15/06/2020 |
| Management Regime: Reserve Forest (RF/Joint Forest Management(JGM)/Protected Areas(PA)/ Community Owned and Managed Forest(COM) |

Annexure 1

Details of Biodiversity Management Committee (BMC) of the Panchayat (One elected Chairperson and six persons nominated by the local body; not less than one third to be women and not less than 18% belonging to SC/ST)

|)Name of the Chairperson: Maya Devi |
|-------------------------------------|
| Age: 45 |
| Gender: Female |
| Address: Pretha |
| Area of specialization: Pyt. |
| 2) Name: Nisha Jamwal |
| Age: 40 |
| Gender: Female |
| Address: Pretha |
| Area of specialization: Pyt. |
| 3)Name: Soni Devi |
| Age: 45 |
| Gender: Female |
| Address: Pretha |
| Area of specialization: Pyt. |
| Name: Sardari Lal |
| Age: 50 |
| Gender: Male |
| Address: Pretha |
| Area of specialization: Pyt. |
| S)Name: Nidhan Singh |
| Age: 42 |
| Gender: Male |
| Address: Pretha |
| Area of specialization: Pyt. |
| Name: Nandish Wal Sharma |
| Age: 50 |
| Gender: Male |
| Address: Pretha |
| Area of specialization: Pyt. |
| /)Name: |
| Age: |
| Gender: |
| Address: |
| Area of specialization: |
| |

| Annexure-2 |
|---|
| List of Vaids, hakims and traditional health care (Human and livestock) practitioners residing and or using biological resources occurring within the jurisdiction of the village |
| 1) Name: Angrez Kumar |
| Age: 65 Years |
| Gender: Male |
| Address: Pretha |
| Area of specialization: Ayurvedic Medicine |
| Location from which the person accesses biological material: |
| Perception of the practitioner on the resource status: |
| Medicinal Use: |
| 2) Name: |
| Age: |
| Gender: |
| Address: |
| Area of specialization: |
| Location from which the person accesses biological material: |
| Perception of the practitioner on the resource status: |
| Medicinal Use: |
| 3) Name: |
| Age: |
| Gender: |
| Address: |
| Area of specialization: |
| Location from which the person accesses biological material: |
| Perception of the practitioner on the resource status: |
| Medicinal Use: |

Г

| Annexure 3 |
|---|
| List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in agriculture, fisheries, and foresty |
| 1) Name of the Chairperson: |
| Age: |
| Gender: |
| Address: |
| Area of specialization: |
| 2) Name of the Chairperson: |
| Age: |
| Gender: |
| Address: |
| Area of specialization: |
| 3) Name of the Chairperson: |
| Age: |
| Gender: |
| Address: |
| Area of specialization: |
| 4) Name of the Chairperson: |
| Age: |
| Gender: |
| Address: |
| Area of specialization: |
| |

| Annexure 4 |
|--|
| Details of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals involved in the preparation of the PBR |
| Contact Person: |
| Name and Address: Aject Singh, Pretha |
| Contact Person: |
| Name and Address: Mohammad Shafi r/o Pretha |
| Contact Person: |
| Name and Address: Maya Devi , Pretha |
| Contact Person: |
| Name and Address: Nadeem Chand, Pretha |
| ou may add names of more institutions/NGO/Individuals etc, if necessary |

| Annexur | re 5 | | | | |
|---------|--|--|---|-------------------------------------|--|
| | access to biological resources e of their sharing | and traditional knowledge gra | ented, details of the collection | on fee imposed and do | etails of the benefit derived and |
| S.no | Name and address of the Person/Institute/company others | Local and Scientific Name of the biological material Accessed and quantity | Date and resolution of the BMC and endorsement by the Panchayat | Detail of collection fee imposed | Anticipated mode of sharing benefits or quantum of benefits shared |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | · |

Part II PBR – Formats AGROBIODIVERSITY

Format 1: Crop Plants

| 1 | 2 | 3 | 4 | 5 | 6 | | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|------|-------------------|----------------|---------|--|------------|----------|----------|---|------------|-----------------------------------|----------------------------|--|--------------|----------------------------------|
| Crop | Scientific Name | Local | Variety | Landscape | Approx. | Local | Status | Special features | Cropping | Uses | Associated | Other details | Source of | Community/ Knowledge |
| Стор | Scientific (valie | Name | variety | / Habitat | area shown | Past | Present | Special leatures | season | USES | TK | Other details | Seeds/Plants | Holder |
| | Oryza sativa | Dhaan | Veliyan | Lowland valleys | | Plenty | Rare | Tall variety High yield Resistant to drought, flood, pest & diseases | | Food Fodder Roofing Fuel | Provides more energy | Suitable for "Valicha" cultivation | | Kurichiya Kuruma W. Chetty |
| Rice | Oryza sativa | Dhan, Munji | PR-113 | Suitable for Sub Tropical areas . Matures in 135 -140 day approx. | | Abundant | Abundant | Dwarf High Yielding variety | June - Oct | Food Fodder | | Suitable for Cultivation in Low land, Mid HillsAreas, Hot & Humid Climate | Agri. Deptt. | |
| | Oryza sativa | Dhan, Munji | IR-8 | Plant Height 140-145 cm | | Abundant | Abundant | Dwarf High Yielding variety | June - Oct | Food Fodder | | | Agri. Deptt. | |
| | Oryza sativa | Dhan, Munji | Jaya | Plant Height 140-145 cm | | Abundant | Abundant | Dwarf High Yielding variety | June - Oct | Food Fodder | | | Agri. Deptt. | |
| | Oryza sativa | Dhan, Munji | Begumi | 160-165 cm | | Abundant | Rare | Tall in height, sweet in taste, High starch Content | June - Oct | Food Fodder | More Nutritive Value | Suitable of Plain & Mid Hills | Local | Pahari community |

| | Triticum aestivum | Kanak | HD-2967 | 150-155 cm | Abundant | Abundant | Dwarf High Yielding variety | Nov- Apr. | Food Fodder | | Suitable of Plain & Mid Hills | Agri. Deptt. | |
|------------------|-------------------|---|-------------------|---|----------|----------|--------------------------------|-----------|----------------|------------------------------|-------------------------------------|--------------|--|
| Wheat | Triticum aestivum | Kanak | Raj -3077 | 135-140 cm | Abundant | Abundant | Dwarf High Yielding variety | Nov- Apr. | Food Fodder | | Suitable of Plain & Mid Hills | Agri. Deptt. | |
| wneat | Triticum aestivum | Kanak | Raj-3765 | 125-130 cm | Abundant | Abundant | Dwarf High Yielding variety | Nov- Apr. | Food Fodder | | Suitable of Plain & Mid Hills | Agri. Deptt. | |
| | Triticum aestivum | Kanak | Sonalika | 150-155 cm | Abundant | Rare | Dwarf High Yielding variety | Nov- Apr. | Food Fodder | | Suitable of Plain & Mid Hills | Agri. Deptt. | |
| Maize | Zea mays | Makk, kukri, challi, Buhtta, jobawr | Ganga Safed -2 | White grain Hyb. Suitable for Sub- tropical. Mauturees in 95-100 days | Abundant | Abundant | Hight yeilding Varity | June- Oct | Food Fodder | | Suitable of Plain & Mid Hills | Agri. Deptt. | |
| Maize | Zea mays | Makk, kukri, challi, Buhtta, jabawr | Vijay | Composite Maize Yellow grain variety High Yielding Vaiety suitable for Mid Hills | Abundant | Abundant | High yeilding Varity | June- Oct | Food Fodder | | Suitable of Plain & Mid Hills | Agri. Deptt. | |
| Til | Seasamum indicum | til | Punjab til -1 | White seed Variety . Matures in 80- 85 days . Plant hight 1.3-1.6 mtr. | Abundant | Abundant | High yeilding Varity | June- Oct | Oil, | | Suitable of Plain & Mid Hills | Agri. Deptt. | |
| Pulses (Mash) | Vigna mungo | Maa/ Mash | T-9 | Matures in 85- 90 days. Suitable for plain & Mid hills | Abundant | Abundant | High yeilding Varity | June- Aug | Food | hight Protein contents | Suitable of Plain & Mid Hills | Agri. Deptt. | |

| Okra | Abelmoschus esculentus Moench | Bhindi | Pusa A-4 | Dark green andfruit size 12-15 cm long | Abundant | | High yield Variety , tolerant to YVM and aphids, First picking starts in 45 days | Feb- March June- July (rainy season | Food | | Suitable of Plain & Mid Hills | Agri. Deptt. | |
|--------------|----------------------------------|----------|-------------------|--|----------|----------|--|---|-----------------------------|--------------------|--|--------------|--|
| Tomato | Solanum lycopersicum | Tamatar, | Kashi (DVRT-2) | Plant are Green, Fruit are red, spherical medium to large sized | Abundant | | First harvest at 70- 75 days after transplanting . Resistant to TLCV. | Transplant ing Jan to Mid Feb | Food | Resistant to TLCV. | Suitable of Plain & Mid Hills | Agri. Deptt. | |
| Knol khol | Brassica oleracea | Kadam | Purple Vienna | Cool & moist climate | Abundant | Abundant | Matures in 70-75 days.Knobs are purplish & fleshy greenish white. | mainly as a winter crop. | As vegetable pickles. | Rich in fibre. | For early crop sandy or sandy loam soils & for late crop clay loam &silty soils are preffered. | Agri. Deptt. | |

The format 1 could be used for documenting information about Millets, Cereals, Oil seeds, Commercial crops, Tuber crops, Vegetables, Legumes, Aromatic crops etc. The column No. 9 'other details' vary with the nature of crops. For measuring local status, there need to identify a particular year – significant changes in ecology occurred – and compare the status as past and present (past = before the particular incident). We have to list out all possible features of a crop/plant and give short forms of the same. If relevant, cultivation

practices, propagation techniques, usage etc can be included in the column 8, in associated TK.

| | Format 2: Fruit Plants | | | | | | | | | | | | | |
|---------------|-------------------------|------------|---------------|-------------------|-----------|-----------|--------------------------|---------------|-----------------------|----------|---------------------|--------------------------|--|--|
| 1 | 2 | 3 | 4 | 5 | 5 6 | | 7 | 8 | 9 | 10 | 11 | 12 | | |
| Dlant | Scientific Name | Local Name | Wanta 4 | Landscape / | Local | Status | Source of Seeds/Plant | Season of | Associated TK | Uses | Other details | Community / Knowledge | | |
| Plant | Scientific Name | Local Name | Variety | Habitat | Past | Present | seeds/Plant | Fruiting | Associated 1 K | | market / own use | holder | | |
| Papaya | Carica papaya | Papita | Desi unbudded | Agricultural Land | Available | Available | _ | Seeds/ Plants | All season | Own uses | _ | - | | |
| Mandarin | Citrus reticulata | Sangtra | Desi unbudded | Agricultural Land | Rare | Rare | _ | Seeds/ Plants | April-September | Own uses | _ | - | | |
| Grapes | Vitis vinifera | Angoor | Desi unbudded | Agricultural Land | Rare | Rare | _ | Seeds/ Plants | June-september | Own uses | _ | - | | |
| Anola | Phyllanthus emblica | Amla | Desi unbudded | Agricultural Land | Rare | Rare | _ | Plants | October-December | Own uses | _ | - | | |
| Custrad Apple | Annona reticulata | Sita Phal | Desi unbudded | Agricultural Land | Rare | Rare | _ | Plants | August - November | Own uses | _ | - | | |
| Pear | Pyris communis | Nakh | Desi unbudded | Agricultural Land | Rare | Rare | _ | Plants | August - November | Own uses | Not Cultivated | - | | |
| Sweet Lime | Citrus limettoides | Metha | Desi unbudded | Agricultural Land | Rare | Rare | _ | Seeds/ Plants | April-May | Own uses | _ | - | | |
| Pomergranate | Punica granatum | Anaar | Desi unbudded | Agricultural Land | Rare | Rare | _ | Seeds/ Plants | April-May | Own uses | _ | - | | |
| Jack Fruit | Autocorpus hetrophyllus | kathal | Desi unbudded | Agricultural Land | Rare | Rare | _ | Seeds/ Plants | March-August | Own uses | _ | - | | |
| Mousambi | Citrus aurantifolia | Mosambi | Desi unbudded | Agricultural Land | Rare | Rare | _ | Seeds/ Plants | April-September | Own uses | _ | _ | | |
| Guava | Psidium guajava | Amrud | Desi unbudded | Agricultural Land | Available | Available | _ | Seeds/ Plants | August - November | Own uses | _ | _ | | |
| Lemon | Citrus aurantifolia | Nimbu | Desi unbudded | Agricultural Land | Available | Available | _ | Seeds/ Plants | November- December | Own uses | _ | _ | | |
| Trimbli | | Trimbli | Desi unbudded | Agricultural Land | Rare | NA | - | Plants | May-June | Own uses | - | - | | |

| Banana | Musa paradisica | Kela | Desi unbudded | Agricultural Land | Rare | Rare | - | Plants | July-August | Own uses | _ | - |
|--------------|---------------------|--------------|-----------------------------|-------------------|------|-----------|---|---------------|------------------|----------|-------------------|---|
| Jamun | Syzygium cumini | Jamun | Desi unbudded | Agricultural Land | Rare | Available | - | Seeds/ Plants | March-July | Own uses | _ | - |
| Rubus | Rubus ellipticus | Akhra | Wild unbudded | Agricultural Land | Rare | Rare | - | Plants | May-June | Own uses | _ | - |
| Bael | Aegle marmelos | Bael | Wild unbudded | Agricultural Land | Rare | Rare | _ | Seeds/ Plants | March-June | Own uses | _ | - |
| Wild Khajoor | Phoenix sylvestris | Wild Khajoor | Wild unbudded | Agricultural Land | Rare | Rare | - | Seeds/ Plants | October-December | Own uses | Not Cultivated | - |
| Kamlu | | Kamlu | Wild unbudded | Agricultural Land | Rare | Rare | - | Plants | May-June | Own uses | _ | _ |
| Almond | Prunus dulcis | Badam | Californi | Agricultural Land | Rare | Rare | - | Plants | Feb-April | Own uses | _ | _ |
| Phagwari | Fragarria nubicola | Phagwaara | Wild unbudded | Agricultural Land | Rare | Rare | - | Seeds/ Plants | April-June | Own uses | _ | _ |
| Toot | Morus indica | Shahtoot | Wild unbudded | Agricultural Land | Rare | Rare | - | Plants | July-August | Own uses | _ | _ |
| Peach | Prunis persica | Aado | Selection | Agricultural Land | Rare | Rare | - | Seeds/ Plants | March-June | Own uses | _ | _ |
| Karonda | Carissa carandas | Garna | Wild unbudded | Agricultural Land | Rare | Rare | - | Seeds/ Plants | March-August | Own uses | _ | - |
| Ber | Zizyphus mauritiana | Ber | Wild unbudded | Agricultural Land | Rare | Available | _ | Seeds/ Plants | Feb-April | Own uses | - | - |
| Walnut | Juglans regia | Akhroot | Kagzi, Wild unbudded | Agricultural Land | Rare | Rare | - | Seeds/ Plants | March-April | Own uses | Not Cultivated | _ |
| Plum | Prunus dulcis | Aloo bakhara | Satluj/ sanat/ Rosa | Agricultural Land | Rare | Rare | - | Seeds/ Plants | March-July | Own uses | _ | _ |
| Applwe | Malus domestica | Seb | Royal, golden, delicious | Agricultural Land | Rare | Rare | | Plants | March-July | Own uses | Not Cultivated | _ |

Format 3: Fodder Crops / Species

| 1 | 2 | 3 | 4 | 5 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------|---------------------------|----------|---------------------|--------------|---------|----------------------------|---------------------------------|---|---|------------------|
| Plant | Scientific | Local | Landssons / Habitat | Local Status | | Source of Plants / | Associated | Part | Other details | Community / |
| Fiant | Name | Name | Landscape / Habitat | Past | Present | Seeds | TK | Used | Other details | Knowledge holder |
| Sorghum | Sorghum bicolor | Jowar | Warm climate crop | Plenty | Plenty | Agri. Deptt. | Rich in protein and minerals | Part used whole plant | Soil with clay loam texture having good water retention capcity are best suitable for its cultivation | |
| Berssem | Trifolium alexandrinum | Beerseen | winter forage. | Plenty | Plenty | Agri. Deptt. | Rich in protein and minerals | Part used whole plant. Repeated cuts can be taken . | Improves phyical condion of soil . It can be grown in all types of soil expect very light sandy soil | |
| Rice | Oryza sativa | Munji | Warm climate | Plenty | Rare | Local/ Agricultural deptt. | Nutrients | Stem | | |
| Wheat | Triticum aestivum | Kenak | Warm climate | Plenty | Plenty | Agri. Deptt. | Nutrients | Stem | | |

Other details include fodder for which animal, special features, medicinal uses if any, seasons of availability, propagation methods, collecting from wild or cultivated etc.

Format 4: Weeds

| 1 | 2 | 3 | 4 | 5 | 6 | | 7 | 8 | 9 | 10 | 11 | 12 |
|--------|------------------|--|----------|--|--|--------|---------|-------------|---|------------|--|---------------------|
| DI 4 | C | | Affected | | Landscape / | Local | Status | T | | Associated | Other details | Community / |
| Plant | Scientific Name | Local Name | crop | Impact | Habitat | Past | Present | Uses if any | Management options | TK | like exotic | Knowledge holder |
| shol | | Shol | Paddy | Broad leaf and consumed the nutrients of the plants and reduces the production | floating on the water | Plenty | Plenty | Nil | Drying of paddy field as a result leafs dry | - | Hady and wider adoptability, multiply very fast | Pahari Community |
| Shama | | Shama | Paddy | compete with nutritions, light and space with Paddy crop and reduces the production | Tall growing just like paddy | Plenty | Plenty | Nil | Use of weedicide | - | - | - |
| Bathua | Chenopodium sp | Baathu | Wheat | Broad leaf and consumed the nutrients of the plants and reduces the production | Germination in the field after 20 days | Plenty | Plenty | Nil | 1.Use of weedicide | | Hady and wider adoptability, multiply very fast | |
| Sitti | Phalaris minor | Sitti, Gehoon ka mama, Gulli Danda | Wheat | Compete with nutritions, light and space with wheat crop and reduces the productionNarrow Leav Weed | Grows with Wheat crop | Plenty | Plenty | Nil | 1. Use of Weedicides metribuzinie @200Gms/ha dissolved in 500-600 1 of water | | Hady and wider adoptability, multiply very fast | |
| Dhoob | Cynodon dactylon | Dhoob | Maize | Weed emerg with the germination with Maize seed and grow along with plants till the early growth period and cause sever crop weed compitation. | Grows with Maize crop | Plenty | Plenty | | 1). 2-3 Weeding follwed by earthingup. 2). pre emergence appliation Atrazine @ 1-1.25 Kg / per ha of 50% WP | | Losses caused by Weeds are more during early stage than in later stages. | |

Format 5: Pests of Crops

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-------|-----------------|--------------------------------|----------------------------|--|-------------------------|--|---|---|----------------------------------|
| Host | Insect / Animal | Scientific name | Local name | Habitat | Time / season of attack | Management mechanism | Associated TK | Other details | Community knowledge holder |
| Paddy | Grasshopper | Hieroglyphus niogrorepletum | Tidda , Raja da Gorha , | Polyphagus | June to Novemeber | 1.Destroy eggs by cleaning bunds 2. Spray the bunds with Malathion 5 % D @ 25 Kg / Ha | Both nymphs and Adults feed on the leaves, they devour the young shoots and newly farm ear heads. | Adults are like locust but smaller in size | |
| Paddy | Rice Hisppa | Dicladispa armigera | Neela tittu | Appeagrs in all varieties of rice | July -Sep | Clip the affected tips of leaves before transplanting | Quinalphos 25EC 1 litre per ha in 750 ltr of water | The grubs this pest mine into the leaves and adults are external fedders. | |
| Wheat | Field Rats | Bandicota sp. Tatera sp. | Chua, Kees, | Burrow in soil .Rats are found in nearly all areas of Earth which are inhabited by human beings. | through out the year | 1. Poison baiting 2. bund trimming to minimize harborage 3. use indigenous traps | Thjey cause have loss to standing wheat crop and harvested crop in stores. | Domestic rats differ from wild rats in many ways. They are calmer and less likely to bite; they can tolerate greater crowding; they breed earlier and produce more offspring; and their brains, livers, kidneys, adrenal glands, and hearts are smaller | |

| Wheat | Termites | Microtermes obesi | seenak, seonk, white ant, | Generally appears at wet places, lives in nests made under ground | through out the year | 1. Destroy termitaria in an around field 2. Never use raw FYM 3. For termites control in standing crop, dilute 41 of chlorpyriphos 20EC in 51 of water and mix in 50 kg of sand thoroughjly. Boradcast this treated soil in the infested areas. | These are Social insect that lives under gound in colonies. | The demage plant dry up completely and are easily pulled out | |
|------------|-------------------|-------------------|------------------------------|---|---|---|---|--|--|
| | Stem borer | Chilo partellus | Lurhi, kidda, | Occurs through out the country | July onward . 15- 20 days after Germination | 1. apply granular insecticide carbofuran 3G @20 Kg / Ha 2. Uproot the stubbles of previous years crop and burn | It attacks immediately after germination and causes dead hearts in young plants . | The adult is medium sized straw coloured moth. The caterpiller is dirty white in color with short bristly hair on its body | |
| Maize | Cut Worm | Agrotis ipsilon | Luhri | Occurs through out the country but especially Hilly areas | July onward . | 1. Install light traps @2/Ha 2. Install Pheromones traps @40/Ha to attract to kill the male moths 3. Chlorpyriphos 30EC@3ml/of water | Larva cut the seedling at the ground level . | They live in soil during the day and feed at night . The caterpiller are in grey in colour | |
| cole crops | Cabbage butterfly | Pieris brassicae | Titali | The large white butterfly's habitat consists of large, open spaces, as well as farms and vegetable gardens, because of the availability of its food source. | Oct onwards | Release of Trichogramma chilionis @50000 adults/ha per release (6 times)at weekly interval in Mid January | | | |

| Vegetable | Fruit fly | Bactrocera cucurbitae | Titali | Fruit flies are of concern both as nuisance pests and as serious contaminators of food. | After Summer Rains when Humidity is high. | 1. Install methyl eugenol traps @ 5-100/Ha 2. Spray Malathion @ 1ml +10 Grms gur/ ltr of water at evening hours when fruits flies are congregated on the leave surface. | Female fruit flies lay their eggs on the surface of rotting fruits and vegetables. Each female may lay as many as 500 eggs. These eggs hatch into larvae which molt twice before becoming fully grown. | Adults may be dull yellowish, brownish yellow, or brownish black in color and range from 1/10 to 1/5 inch long. Most species have red eyes. Larvae are very small (ranging from 1/10 to 1/5 inch long), dirty white, and maggot-shaped. They can be recognized by the stalked posterior spiracles on the last abdominal segment. | |
|---------------------------------|-----------|--------------------------------|-------------------|---|---|---|--|--|--|
| Pear, Plum, Peach | Insect | Myzus persicate | Green aphid | Soil | Winter season | Biological / chemical | | | |
| Apricot, Apple | Insect | Quadraspidiotus perniciosus | Sanjose sacle | | Full Year | Biological / chemical | | | |
| Walnut, Almond | Insect | Eriosoma lanigerum | Woolly aphid | Soil | Feb-April | Biological / chemical | | | |
| Citrus | Insect | Nasutitermes spp | Termites | Soil | All season | Biological / chemical | | | |
| Citrus | Insect | Aonidiella aurantii | Red scale | Soil | All season | Biological / chemical | | | |
| Mango | Insect | Sternochetus mangiferae | Seed weevil | Soil | All season | Biological / chemical | | | |
| Mango | Insect | Penicillaria jocosatrix | Shoot Caterpillar | Soil | All season | Biological / chemical | | | |
| Mango | Insect | Nasutitermes spp | Termites | Soil | All season | Biological / chemical | | | |
| Citrus, Mango, Litchi, Guava | Insect | Pseudococcus longispinus. | Mealy bug | Soil | All season | Biological / chemical | | | |
| Citrus, Mango, Litchi, Guava | Insect | Isoptera spp. | Termites | Soil | All season | Biological / chemical | | | |

| | Format 6: Markets for Domesticated animals | | | | | | | | | | | | |
|----------------------------------|--|--|---|---------------------------------------|--|-------------------------------------|----------------------|----------------|--|--|--|--|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | | | |
| Name of the market & location | Weekly (D)/ Fortnightly (D) / Monthly (D) / Biannual (M) / Annual (M) [1] | Types of animals bought and sold [2] | Types and Average Number of animals transacted in a day | Places from which animals are brought | Places to which the animals are sold / transported | Name and location of fish market | Types of fishes sold | Source of fish | | | | | |
| | No Markets available for domestic animals | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Format 7: Peoplescape

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
|------------------------|-----------------------------|-----------------|------------------------|--|--------------------------------------|-------------------------------------|-----------------|------------------|-----------------------|------------|
| Community & Population | Families & Major occupation | Sub- occupation | Depending Landscape | Major resources accessed and seasons of access | Landscape management practices | Resource management practices | Cast / tribe | Social condition | Nature of inhabitants | No. of HHs |
| 3540 | 280/Farming | Farming | Agriculture | Winter | - | - | 4 | Average | good | 280 |
| Pandit | 10% | Panditayi | Custom | Winter | - | - | - | Average | good | |
| Masha | 10% | Artists | Artistry | Winter | - | - | - | Poor | good | |
| Chimar | 10% | Farming | Agriculture | Winter | - | - | - | Poor | good | |
| Gujar | 5% | Rearing | Agriculture | Winter | - | - | - | Poor | good | |
| Bakerwal | 5% | Rearing | Agriculture | Winter | ı | - | - | Poor | good | |
| Burma | 3% | Wood work | Artistry | Winter | ı | - | - | Poor | good | |
| Meg | 5% | Farming | Agriculture | Winter | - | - | - | Poor | good | |
| Others | 2% | Farming | Agriculture | Winter | - | - | - | Poor | good | |

Major occupation may be farming. Sub-occupations could be fishing, collection of NTFP animal husbandry, artisans, services Examples of depending landscapes are agriculture landscape, rivers, forest etc.

Major resources accessed could be agriculture resources of different nature, fish, birds, water, mud, and etc How the community manages the landscapes they use for satisfying different needs, their strategies and perception How the community manages the resources they access for satisfying different needs, their strategies and perception, conflicts etc

| TUI mat o. Lanustape | Format | 8: | Landscape |
|----------------------|---------------|----|-----------|
|----------------------|---------------|----|-----------|

| | 1 | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|-------------------|-------------------|----------------|--------------------------|-----------|--------------------|--------------------------------------|------------------------|--------------|------------------------------------|-------------------------|---------------|-----------|--------------|
| Maj | jor Landsca | npes | Sub - | Feature s | | | General | | Management | | Associated | | Community |
| Agricultural land | Pond | Fallow land | Landscape s | | | fauna | User groups | practices | General uses | TK | Other details | accessed | |
| Cultivated | Not | Not | Cultivated | 60% | Private | Local Plants&somew | Insects | Local People | Modern Agricultral | Agricultral | Unknown | Unknown | Local People |
| Land | Applicable | Applicable | Land | 0070 | | ild Plants | | • | Practices | Agricultai | | C.mare wa | |
| Irrigated land | Not applicable | Not applicable | Irrigated Land | - | Govt. & Private | Acquatic Plants | Insects | Local People | Modern Agricultral Practices | Agricultural | Unknown | Unknown | Local People |
| Forest Land | Not applicable | Not applicable | Forest Land | 35% | Govt. | Local Plants& some wild Plants | Insect & Amphibians | Local People | - | Firewood And Grazing | Unknown | Unknown | Local People |
| Grazing Land | Not applicable | Not applicable | Non Irrigated Land | 5% | Govt. | some wild Plants | Insects | Local People | - | Grazing of Cattles | Unknown | Unknown | Local People |

No irrigated land is available and some Gujjars and Bakerwals are doing farming on Govt. Land

| | Format 9: Waterscape | | | | | | | | | | | | | |
|----------------------------|----------------------|--|------------------------|--------------------------------|-----------------|-------------------------------|--------------|-------------------------|----------------------|---------------|------------------|-----------------------|--|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | | |
| Waterscape element type | Sub- type | Features and approx area | Ownership | General flora | General fauna | Major uses | User groups | Management practices | General uses | Associated TK | Other details | Community accessed | | |
| Waterscape element type | Sub Type | Features and approx. area | Ownership | General Flora | General Fauna | Major uses | User Groups | Management Practices | General Uses | Associated TK | Other Details | Community Accessed | | |
| Stream | NA | Direct small underground streams | Govt. land,Revenue, | Mostly ferns,Bryophyt es | Amphibians | Daily household & Drinking | Local people | Small Check Dams | Drinking, Washing | Unknown | Unknown | Local People | | |
| Nalas | 7 No. | Tributary of Khads | Govt. land,Revenue, | Flowers, Fruits | Frog,Fish,Snake | Irrigation, Washing | Local people | Small Check Dams | Washing | Unknown | Unknown | Local People | | |

Here are two to four ponds but they don't have water. They depend upon on monsoon season. Alos Nalas are almost dry throughout the year excluding monsoon summer .

Irrigation,Fish production

Eradication of

weeds

Irrigation

Unknown

Unknown

Local People

Local people

Govt.

Private

land, Revenue, Flowers, Fruits Frog, Fish, Snake

Dependent on Rainwater

Ponds

4 No.

Format 10: Soil type

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|-----------------------------------|---|---|---|-----------------------------|-------------------------------|---------------|-------------------|
| Soil Type | Color & Texture | Features | Soil management | Plants / crop suitable | Flora and fauna | Associated TK | Other information |
| Sandy | Grey | Does not retain water | Recharged with Tank Bed | Maize, Beans | Fodder plants/Snakes ,insects | Unknown | Unknown |
| T | D | Retain Water | High in Maighton | Wheat, | Fodder | I I1 | Unknown |
| Loamy | Brown | Retain water | High in Moisture | paddy,vegetables etc | Plants/Rats,Insects | Unknown | Unknown |
| CI | Brownish | D. C. W. | 11.1. | Wheat, | Fodder | TT 1 | TT 1 |
| Clay | Mixture | Retains Water | High in moisture | paddy,vegetables etc | Plants/Rats,Insects | Unknown | Unknown |
| Brown Forest Soil | Silt Loam to clay Texture | Fine Granular, Dub-Angular Blocky Structure having pH 7.8-8.3, Water Holding capacity more than 40% | Use of Organic matter | Maize, Wheat, Safflower | Fodder, Snakes | - | - |
| Red and Yellow Podzolic Soils. | Coarse Texture | Water Holding Capacity is 40%, Loamy Soils | Use of Organic matter, use of cattle dung | Maize, Jowar, Oats | Fodder, rats | - | - |
| Lithosols | Gravelly loam to Gravelly silty Loam | pH 7.1-7.8, Occur on steep slopes in the forest hills of 400-600 mtrs. 33-38% Water Holding Capacity | Use of Organic matter | Maize & Fodder Crops | Squirrel | - | - |
| Alluvial Soils | Loamy Soils | ph 7.0-7.7, Organic Carbon 0.28-0.61% | Use of Organic matter | Wheat, Paddy, Vegetables | Fodder, rats | - | - |

| Format 11 | · FRIUTS TRE | ES DOMESTICATED | RIODIVERSITY |
|-------------|--------------|--|--------------|
| romalia. Fi | | /P/25 /// / V P/25 // A P/ / | |

| 1 | 2 | 3 | 4 | 6 | 7 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|--------------|-------------------------|---------------|--------------------------------|-------------------|-----------|-----------|---------------|-----------------------|---------|------------|-------------------|-----------------|
| Dis A.T. | I and North | Scientific | 37 7 *. 4 | Landscape/ | Local | Status | Source of | Season of | Uses | Associated | Other details | Community/ |
| Plant Type | Local Name | Name | Variety | Habitat | Past | Present | plant/seeds | Fruiting | (usage) | TK | market/own use | Know. holder |
| Mango | Mangifera indica | Aam | Dashrei Amrapali Malika | Agricultural Land | Available | Abundant | Seeds/ Plants | March-july | NA | _ | Own/ Market | Local People |
| Apple | Malus domesticta | Seb | Royal red/ Golden delicious | Agricultural Land | Rare | Rare | Plants | March-july | _ | - | Own/ Market | Local People |
| Guava | Psidium guajava | Amrud | L-49 Allahabad safeda | Agricultural Land | Rare | Available | Seeds/ Plants | August- december | _ | _ | Own/ Market | Local People |
| Lemon | Citrus aurantifolia | Nimbu | Kagzi, Kumkath | Agricultural Land | Available | Available | Seeds/ Plants | November- december | _ | _ | Own/ Market | Local People |
| Mousambi | Citrus aurantifolia | Mosambi | Grafted | Agricultural Land | Rare | Rare | Seeds/ Plants | April- September | - | _ | Own/ Market | Local People |
| Jack Fruit | Autocorpus hetrophyllus | Kathal | Unbudded | Agricultural Land | Rare | Rare | Seeds/ Plants | March-August | _ | _ | Own/ Market | Local People |
| Sweet Lime | Citrus limettoides | Metha | Grafted | Agricultural Land | Rare | Rare | Seeds/ Plants | April-May | _ | _ | Own/ Market | Local People |
| Pomergranate | Punica granatum | Anaar | Kandhari , Ganesh | Agricultural Land | Rare | Rare | Seeds/ Plants | April-May | _ | _ | Own/ Market | Local People |
| Papaya | Carica papaya | Papita | Red lady, washington | Agricultural Land | Rare | Rare | Seeds/ Plants | All seasons | - | _ | Own/ Market | Local People |
| Mandarin | Citrus reticulata | Sangtra | Grafted | Agricultural Land | Rare | Rare | Seeds/ Plants | April- September | - | _ | Own/ Market | Local People |
| Grapes | Vitis vinifera | Angoor, Daakh | Thomson seedless priette | Agricultural Land | Rare | Rare | Seeds/ Plants | June- september | _ | _ | Own/ Market | Local People |
| Amla | Phyllanthus emblica | Amla | NA-7 Banarsi | Agricultural Land | Rare | Rare | Plants | August- November | - | _ | Own/ Market | Local People |
| Walnut | Juglans regia | Akhrot | kagzi local hard sheild | Agricultural Land | Rare | Rare | Seeds/ Plants | March-july | NA | - | Own/ Market | Local People |

Walnut and Apple cultivation is not done here .

Format 12: Medicinal Plants (Herbs, Shrubs, Trees etc.)

| 1 | 2 | 3 | 4 | 5 | 6 | | 7 | 8 | 9 | 10 | 11 | 12 |
|-------|------------|----------------------|-----------------|--------------|-------------|-----------|-----------|--------------|--------------|------------------|---------------------------------------|------------------|
| Plant | Landa | Color d'C' No | \$7 - · • · · · | Landscape/ | Source of | Local | status | Hand (and) | Do do sud | A TIZ | Other details | Community/ |
| Type | Local Name | Scientific Name | Variety | Habitat | plant/seeds | Past | Present | Uses (usage) | Part used | Associated TK | market/own use | Know. Holders |
| Tree | Karal | Bauhinia variegate | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves,seeds | Used as medicine | Flower used as medicine and vegitable | Local People |
| Tree | Aaran | Prunus Persica | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |
| Tree | Amla | Phyllanthus emblica | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |
| Tree | Baadh | Ficus religiosa | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |
| Tree | Bair | Ziziphus xylocarpa | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |
| Tree | Bheda | Terminalia bellerica | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |
| Tree | Bill-Patre | Angle mermelos | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |
| Tree | Cambel | Lannea coromandelica | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |
| Tree | Charmood | Ehretia laevis | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |
| Tree | Chilla | Casearia tomentosa | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |
| Tree | Chir | Pinus rouxburghii | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |
| Tree | Dhaman | Grewia optiva | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |
| Tree | Drankh | Melia azedarach | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |
| Tree | Fakwara | Ficus palmata | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |
| Tree | Aaran | Prunus Persica | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |
| Tree | Amla | Phyllanthus emblica | Tree | Sub-Tropical | Seed | Available | Available | Own use | Leaves | Used as medicine | Used as medicine | Local People |

Format 13: Ornamental Plants/Trees/Climbers etc.

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-------------------|----------------|-----------------------|---------|--------------------------|-------------------------------|----------------------------|---|----------------------------|--|
| Plant type | Local Name | Scientific Name | Variety | Source of Plant/Seeds | Commercial/Non- commercial | Uses | Associated Tk | Other Details | Community/ Knowledge Holder |
| Ornamental Tree | Kachnar | Bauhinia variegata | | Nurseries/Forest | Non commercial | Ornamental/ Landscaping | Used for Dysentry, Diarrhoea | Pink flowers in Summer | Floriculturists/ Nurserymen/Gardeners |
| Bushes/ Shrubs | Nerium | Nerium oleander | | Nurseries | Non commercial | Ornamental/ Landscaping | Epiplepsy, cancer | Avenue plantation | Floriculturists/ Nurserymen/Gardeners |
| Bushes/ Shrubs | Saru | Thuja orientalis | | Nurseries | Non commercial | Ornamental/ Landscaping | Respiratory tract infections | Foliage Bush | Floriculturists/ Nurserymen/Gardeners |
| Bushes/ Shrubs | Kaner | Thevetia peruviana | | Nurseries | Non commercial | Ornamental/ Landscaping | Fevers | Flower most of the year | Floriculturists/ Nurserymen/Gardeners |
| Bushes/ Shrubs | Bottle Brush | Callistemmon spp. | | Nurseries | Non commercial | Ornamental/ Landscaping | Theraputic uses | Foilage and flowers | Floriculturists/ Nurserymen/Gardeners |
| Bushes/ | Bogan Bael | Boughanbhallia | | Nurseries | Non commercial | Ornamental/ Landscaping | Antidiabetic, antiinflammatory | Multicoloured flowers | Floriculturists/ Nurserymen/Gardeners |
| Bushes/ Shrubs | Golden Duranta | Duranta repens | | Nurseries | Non commercial | Ornamental/ Landscaping | Beneficial in itching, malaria, asthma etc. | Foliage, Edging | Floriculturists/ Nurserymen/Gardeners |
| Bushes/ Shrubs | Hibiscus | Hibiscus rosasinensis | | Nurseries | Non commercial | Ornamental/ Landscaping | Used in fever, constipation | Flower throughout the year | Floriculturists/ Nurserymen/Gardeners |
| Bushes/ Shrubs | Motia | Jasminum sambac | | Nurseries | Non commercial | Ornamental/ Landscaping | Used in Hepatitis, dysentry | Flower throughout the year | Floriculturists/ Nurserymen/Gardeners |
| Herbs Seasonals | Guldopahar | Portulaca Grandiflora | | Nurseries | Non commercial | Ornamental/ Landscaping | Antioxidant, antibacterial | Summer annual flower | Floriculturists/ Nurserymen/Gardeners |
| Pot Plants | Agave | Agave angustifolia | | Nurseries | Non commercial | Ornamental/ Landscaping | Traditional medicines | Succulent | Floriculturists/ Nurserymen/Gardeners |

Format 14: Timber Plants / Trees

| 1 | 2 | 3 | 4 | | 5 | 6 | 7 | 8 | 9 | 10 |
|------------|------------|----------------------|--------------|-----------|-----------|-------------|--------------|---|---------------|---------------------------------|
| DI T | | | ** ** | Loca | l status | Wild/ home- | Other | | | Community/ |
| Plant Type | Local Name | Scientific Name | Habitat | Past | Present | garden | uses (multi) | Associated TK | Other details | Know. holder |
| Tree | Shisham | Dalbergia sissoo | Sub Tropical | Available | Available | Wild/Garden | Furniture | Wood used for furniture | Unknown | Forest Deptt. / Local People |
| Tree | Kimu | Morus serrata | Sub Tropical | Available | Less | Wild/Garden | Furniture | Wood used for furniture | Unknown | Forest Deptt. / Local People |
| Tree | Tuni | Cedrela toona | Sub Tropical | Available | Available | Wild/Garden | Furniture | Wood used for furniture | Unknown | Forest Deptt. / Local People |
| Tree | Chir | Pinus roxburghii | Sub Tropical | Available | Available | Wild | Furniture | Wood used for making agriculture equipments | Unknown | Forest Deptt. / Local People |
| Tree | Beoul | Grewia oppositifolia | Sub Tropical | Available | Available | Wild/Garden | Furniture | Wood used for making agriculture equipments | Unknown | Forest Deptt. / Local People |
| Tree | Sagwan | Tectona grandis | Sub Tropical | Available | Available | Wild/Garden | Furniture | Wood used for making agriculture equipments | Unknown | Forest Deptt. / Local People |
| Tree | Dhaman | Grevia optiva | Sub Tropical | Available | Available | Wild | Agriculture | Wood used for making agriculture equipments | Unknown | Forest Deptt. / Local People |
| Tree | Safeda | Eucalyptus Spp. | Sub Tropical | Available | Available | Wild | Furniture | Wood used for furniture | Unknown | Forest Deptt. / Local People |
| Tree | Khair | Acacia catechu | Sub Tropical | Available | Available | Wild | Agriculture | Wood used for making agriculture equipments | Unknown | Forest Deptt. / Local People |

| | Format 15: Domesticated Animals | | | | | | | | | | | |
|------------------------|---------------------------------|---------------------------|--------------------|--|-----------------------------|-----------|-----------|----------------------------|---|--|--------------------------|------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | , | 7 | 8 | 9 | 10 | 11 | 12 |
| | | G | Breed (local/ | P (| Method of | Local | status | | 1 | Commercial | Other details including | Community |
| Animal Type | Local Name | Scientific Name | hybrid) | Features | keeping | Past | Present | Uses | Associated TK | rearing | products and services | Know. Holders |
| Cow | Gaay/goo | Bos indicus | Hyrid | High Fertility, High Milk Yield | Domesticated | Available | Available | Milk+ Cow Dung | Highly Nutritious & complete diet | Yes | Nil | Self Observed |
| | | | Local | Low Milk Yield, adoptable to local climatic condition | | | | | Highly Nutritious | No | INII | Sell Observed |
| Buffalo | Bhains/ Maain | Bubalus bubalis | Local/ Upgraded | Black in Colour/ Moderate to High Milk yield with High Fat %age | Domesticated | Available | Available | Milk & Dung | Considered more energetic due to High fat %age | Commercial in upgraded, Non commercial in local | Nil | Self Observed |
| Ox | Bael/Dand | Bos indicus | Local/ Hyrid | Ploughing & Carriage | Domesticated | Available | Available | Ploughing & Carriage | - | No | | Self Observed |
| Dog | Kutta | Cannis lupus familaris | Local/ Hyrid | Pet | Domesticated & Stray | Available | Rare | Guarding & Watching | - | No | Nil | Self Observed |
| Horse/Mules/ Donkey | Ghoda/ Khachar/Khota | Equus caballus | Local/ Hyrid | Load | Domesticated | Available | Available | Carriage & Cart Pulling | - | No | Nil | Self Observed |
| Buff Bull | Chotta | Bubalus bubalis | Local | Pet | Domesticated | Rare | Rare | Breeding and ploughing | - | No | Nil | Self Observed |
| Cat | Billi | Felis catus. | Local | Pet | Domesticated & Free Roaming | Available | Available | No | - | No | Nil | Self Observed |
| Poultry | Kukad/Kukdi | Gallus gallus | Local/ Hyrid | Eggs/ Meat | Domesticated | Available | Available | Meat & Egg Production | | Yes | Nil | Self Observed |

Meat, Fur and skinning of animals/ excluding sheeps is prohibited and in case of sheep their operation/ above listed is private and not in public

| | Format 16: Culture Fisheries | | | | | | | | | | | |
|-----------|------------------------------|-----------------|---------|----------|----------------------------------|------|----------|------|----------------|------------|---------------|--------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | | 7 | 8 | 9 | 10 | 11 | 12 |
| Eich Tymo | Local Name | Scientific Name | Variate | Footunes | Waterscape | Loca | l status | Uses | Associated TK | Commercial | Other details | Community Know. |
| Fish Type | Local Name | Scientific Name | Variety | Features | Waterscape (pond/bheri/talao) | Past | Present | Uses | Associated 1 K | rearing | Other details | Holders |
| Mahseer | | | | | | | | | | | | |
| Rohu | | | | | | | | | | | | |
| Silver | | | | | | | | | | | | |
| Chopped | | | | | | | | | | | | |

No fish cultivation is possible due to lack of continous water . Above mentioned fishes they brought from fish market Basohli.

Note: Other details include mode of catching fish, time of availability, breeding time, feeds and etc

| | Format 17: Markets / Fairs for Domesticated Animals, Medicinal Plants and other products | | | | | | | | | | | |
|-------------------------------------|--|--|-------------|--|---------------------------------|---|---|---|--|--|--|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | | |
| Name of the Weekly Market / Fair | Location | Weekly / Fortnightly & Others Bi-annual / Annual | Day held | Month incase of bi-annual or annual market fair | Types of animal bought and sold | Number of animals (average) transacted in a day | Places from where the animals are arrived | Places to where the animals are transported | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | Markets ava | ilable / such practices are not | done here | | | | | | | |

WILD BIODIVERSITY Format 18: Trees, Shrubs, Herbs, Tubers, Grasses, Climbers etc.

| 1 | 2 | 3 | 4 | 5 | | 6 | 7 | 8 | 9 | 10 | 11 |
|------------|------------|-----------------------|--------|----------------|-----------|-----------|--------------|-----------------|---------------------------|---------------|------------------|
| Dlant Tyme | Local Name | Scientific Name | Habit | Habitat | Local | status | Commercial / | Dout collected | Associated TK | Other details | Community |
| Plant Type | Local Name | Scientific Name | Habit | Habitat | Past | Present | own use | Part collected | Associated 1 K | Other details | Knowledge Holder |
| Tree | Amli | Phyllanthus emblica | Tree | Sub - Tropical | Available | Available | Own Use | Fruits | Used in Gastro Problem | Medicinal use | Self observed |
| Tree | Ber | Ziziphus jujuba | Tree | Sub - Tropical | Available | Available | Own Use | Fruits | Unknown | Medicinal use | Self observed |
| Tree | Bour | Ficus benghalensis | Tree | Sub - Tropical | Available | Available | Own Use | Fruits | Unknown | Medicinal use | Self observed |
| Tree | Chilla | Casearia tomentosa | Tree | Sub - Tropical | Available | Available | Own Use | Leaf and Wood | Unknown | Medicinal use | Self observed |
| Tree | Chir | Pinus roxburghii | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Kakoa | Flacourtia indica | Tree | Sub - Tropical | Available | Available | Own Use | Fruits | Unknown | Medicinal use | Self observed |
| Tree | Daronkal | Murraya koenigii | Tree | Sub - Tropical | Available | Available | Own Use | Leaves | Unknown | Medicinal use | Self observed |
| Tree | Dudaya | Wrightia arborea | Tree | Sub - Tropical | Available | Available | Own Use | Leaves | Unknown | Medicinal use | Self observed |
| Shrubs | Garna | Carissa spinarum | Shrubs | Sub - Tropical | Available | Available | Own Use | Fruits | Unknown | Medicinal use | Self observed |
| Tree | Jamun | Syzygium cumini | Tree | Sub - Tropical | Available | Available | Own Use | Fruits/Wood | Used for Diabetes | Medicinal use | Self observed |
| Tree | kaam | Mitragyna parvifolia | Tree | Sub - Tropical | Available | Available | Own Use | Leaves and Wood | Used for Diabetes | Medicinal use | Self observed |
| Tree | Kembal | Lannea coromandelica | Tree | Sub - Tropical | Available | Available | Own Use | Leaves and Wood | Used for Diabetes | Medicinal use | Self observed |
| Tree | Kamla | Mallotus philippensis | Tree | Sub - Tropical | Available | Available | Own Use | Leaves and Wood | Used for Diabetes | Medicinal use | Self observed |
| Tree | Khair | Acacia catechu | Tree | Sub - Tropical | Available | Available | Own Use | Leaves and Wood | Used for Diabetes | Medicinal use | Self observed |
| Tree | Kodh | Aloe barbadensis | Tree | Sub - Tropical | Available | Available | Own Use | Leaves and Wood | Used for Diabetes | Medicinal use | Self observed |

| Tree | Krongal | Cassia fistula | Tree | Sub - Tropical | Available | Available | Own Use | Leaves and Wood | Used for Diabetes | Medicinal use | Self observed |
|--------|-------------------|---------------------------|--------|----------------|-----------|-----------|---------|-----------------|-------------------|---------------|---------------|
| Tree | Lucenia | Leucaena spp. | Tree | Sub - Tropical | Available | Available | Own Use | Leaves and Wood | Used for Diabetes | Medicinal use | Self observed |
| Tree | Plah | Butea monosperma | Tree | Sub - Tropical | Available | Available | Own Use | Leaves and Wood | Used for Diabetes | Medicinal use | Self observed |
| Tree | Phulai | Acacia modesta | Tree | Sub - Tropical | Available | Available | Own Use | Leaves and Wood | Used for Diabetes | Medicinal use | Self observed |
| Tree | Pansara | Wendlandia spp. | Tree | Sub - Tropical | Available | Available | Own Use | Leaves and Wood | Used for Diabetes | Medicinal use | Self observed |
| Tree | Reetha | Sapindus mukorossi | Tree | Sub - Tropical | Available | Available | Own Use | Fruits and Wood | Used for Diabetes | Medicinal use | Self observed |
| Shrubs | Santa | Dodonaea viscosa | Shrubs | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Sarri | Albezzia spp. | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Simbal | Bombax ceiba | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Talli | Dalbergia sisso | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Thub / Dudhruk | Erythrina spp. | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Balugar | Bauhinia vahlii | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Chuindi | Xylosma longifolium | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Doss/sanan | Colebrookea oppositifolia | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Khini | Ficus semicordata | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Kral | Bauhinia variegata | Tree | Sub - Tropical | Available | Available | Own Use | Leaves/Flowers | Used for Diabetes | Medicinal use | Self observed |
| Tree | Lana | Ficus hispidia | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Dhaman | Grewia optiva | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Charmod | Ehretia spp. | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Badh | Ficus religiosa | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Behra | Terminalia bellirica | Tree | Sub - Tropical | Available | Available | Own Use | Fruits/Wood | Used for Diabetes | Medicinal use | Self observed |
| Tree | Bilan | Aegle marmelos | Tree | Sub - Tropical | Available | Available | Own Use | Fruits/Wood | Used for Diabetes | Medicinal use | Self observed |
| Tree | Gandila | Nerium oleander | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Gulmorh | Delonix regia | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Oanni | Lyonia ovalifolia | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Rumble | Ficus racemosa | Tree | Sub - Tropical | Available | Available | Own Use | Fruits/ Wood | Unknown | Medicinal use | Self observed |
| Tree | Draink | Melia azedarach | Tree | Sub - Tropical | Available | Available | Own Use | Leaves/Wood | Unknown | Medicinal use | Self observed |
| Tree | Harad | Terminalia chebula | Tree | Sub - Tropical | Available | Available | Own Use | Fruits/Wood | Unknown | Medicinal use | Self observed |
| Tree | Amb | Mangifera indica | Tree | Sub - Tropical | Available | Available | Own Use | Fruits/Wood | Unknown | Medicinal use | Self observed |

| Tree | Soyanjana | Moringa oleifera | Tree | Sub - Tropical | Available | Available | Own Use | Fruits/Wood | Unknown | Medicinal use | Self observed |
|--------|-------------|-------------------------|--------|----------------|-----------|-----------|---------|-------------|---------|---------------|---------------|
| Tree | Tunnu | Toona ciliata | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Neem | Azadirachta indica | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | Plakh | Ficus virens | Tree | Sub - Tropical | Available | Available | Own Use | Leaves/Wood | Unknown | Medicinal use | Self observed |
| Tree | Rehn | Quercus lucotricophora | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | chamar sama | Holoptelea integrifolia | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | lasura | Cordia myxa | Tree | Sub - Tropical | Available | Available | Own Use | Fruits/Wood | Unknown | Medicinal use | Self observed |
| Tree | kassod | Senna siamea | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Tree | tantary | Oroxylum indicum | Tree | Sub - Tropical | Available | Available | Own Use | Wood | Unknown | Medicinal use | Self observed |
| Shrubs | BRANKED | Justicia adhatoda | Shrubs | Sub - Tropical | Available | Available | Own Use | Leaves | Unknown | Medicinal use | Self observed |
| Tree | KHAR | Saccharum bengalense | Tree | Sub - Tropical | Available | Available | Own Use | Leaves | Unknown | Medicinal use | Self observed |
| Tree | Imli | Tamarandis indica | Tree | Sub - Tropical | Available | Available | Own Use | Fruits | Unknown | Medicinal use | Self observed |

Format 19: Wild Plant Species of Importance

| 1 | 2 | 3 | 4 | 5 | 6 |
|---------|---------------|--------------------------|---------|--|-----------|
| Sl. No. | Local Name | Scientific Name | Variety | Importance (as economic, social, cultural etc.) | Status |
| 1 | Rati | Abrus precatorius | Wild | Social and Economic | Available |
| 2 | Khair | Acacia catechu | Wild | Social and Economic | Available |
| 3 | Exotic acacia | Acacia farnesiana | Wild | Social and Economic | Available |
| 4 | Phulai or Fly | Acacia modesta | Wild | Social and Economic | Available |
| 5 | Kikar | Acacia nilotica | Wild | Social and Economic | Available |
| 6 | Parkanda | Achyranthes aspera | Wild | Social and Economic | Available |
| 7 | Bel | Aegle marmelos | Wild | Social and Economic | Available |
| 8 | Nuriya | Aerva sanguinolenta | Wild | Social and Economic | Available |
| 9 | Ramban | Agave americana | Wild | Social and Economic | Available |
| 10 | Kala Siris | Albizia lebbeck | Wild | Social and Economic | Available |
| 11 | Kramblu | Albizia odoratissima | Wild | Social and Economic | Available |
| 12 | Safed siris | Albizzia procera | Wild | Social and Economic | Available |
| 13 | Kuad Gandal | Aloe barbadensis | Wild | Social and Economic | Available |
| 14 | Chaleri Saag | Amaranthus viridis | Wild | Social and Economic | Available |
| 15 | Seski | Artemisia parviflora | Wild | Social and Economic | Available |
| 16 | Kathal | Artocarpus heterophyllus | Wild | Social and Economic | Available |
| 17 | Nad | Arundo donax | Wild | Social and Economic | Available |
| 18 | Neem | Azadirachta indica | Wild | Social and Economic | Available |
| 19 | Bamboo | Bambusa bambos | Wild | Social and Economic | Available |
| 20 | Bamboo | Bambusa nutans | Wild | Social and Economic | Available |
| 21 | Kachnar | Bauhinia purpurea | Wild | Social and Economic | Available |

| 22 | Baloonger | Bauhinia vahlii | Wild | Social and Economic | Available |
|----|-----------------|---------------------------|------|---------------------|-----------|
| 23 | Kachnar | Bauhinia variegata | Wild | Social and Economic | Available |
| 24 | Simbal | Bombax ceiba | Wild | Social and Economic | Available |
| 25 | Jungli toot | Broussonetia papyrifera | Wild | Social and Economic | Available |
| 26 | Plaah | Butea monosperma | Wild | Social and Economic | Available |
| 27 | Bhang | Cannabis sativa | Wild | Social and Economic | Available |
| 28 | Chilla | Casearia tomentosa | Wild | Social and Economic | Available |
| 29 | Krangal | Cassia fistula | Wild | Social and Economic | Available |
| 30 | Mainphal | Catunaregum spinosa | Wild | Social and Economic | Available |
| 31 | Aajan Grass | Cenchrus ciliaris | Wild | Social and Economic | Available |
| 32 | Brahmi buti | Centella asiatica | Wild | Social and Economic | Available |
| 33 | Karun | Chenopodium murale | Wild | Social and Economic | Available |
| 34 | Khas Khas | Chrysopogon zizanoides | Wild | Social and Economic | Available |
| 35 | Kapoor | Cinnamomum camphora | Wild | Social and Economic | Available |
| 36 | Bhus | Cirsium arvense | Wild | Social and Economic | Available |
| 37 | Sanali or Dussa | Colebrookea oppositifolia | Wild | Social and Economic | Available |
| 38 | Barna | Crateva religiosa | Wild | Social and Economic | Available |
| 39 | Amar Bel | Cuscuta reflexa | Wild | Social and Economic | Available |
| 40 | Shudri | Cynoglossum lanceolatum | Wild | Social and Economic | Available |
| 41 | Deela | Cyperus rotundus | Wild | Social and Economic | Available |
| 42 | Tali | Dalbergia sissoo | Wild | Social and Economic | Available |
| 43 | Dhatura | Datura stramonium | Wild | Social and Economic | Available |
| 44 | Baans | Dendrocalamus strictus | Wild | Social and Economic | Available |
| 45 | Palain | Dichanthium annulatum | Wild | Social and Economic | Available |
| 46 | Kalu grass | Dicliptera bupleuroides | Wild | Social and Economic | Available |
| 47 | Sadhun | Dioscorea melanophyma | Wild | Social and Economic | Available |
| 48 | Santha | Dodonaea viscosa | Wild | Social and Economic | Available |

| 49 | Duranta | Duranta erecta | Wild | Social and Economic | Available |
|----|---------------|--------------------------|------|---------------------|-----------|
| 50 | Chamror | Ehretia acuminata | Wild | Social and Economic | Available |
| 51 | Chamror | Ehretia laevis | Wild | Social and Economic | Available |
| 52 | Dhol Dhak | Erythrina suberosa | Wild | Social and Economic | Available |
| 53 | Pangara | Erythrina variegata | Wild | Social and Economic | Available |
| 54 | Safeda | Eucalyptus camaldulensis | Wild | Social and Economic | Available |
| 55 | Hybrid safeda | Eucalyptus tereticornis | Wild | Social and Economic | Available |
| 56 | Bubbeain | Eulaliopsis binata | Wild | Social and Economic | Available |
| 57 | Thor | Euphorbia royleana | Wild | Social and Economic | Available |
| 58 | Trimbal | Ficus auriculata | Wild | Social and Economic | Available |
| 59 | Bohr | Ficus benghalensis | Wild | Social and Economic | Available |
| 60 | Fagora | Ficus palmata | Wild | Social and Economic | Available |
| 61 | Rumble | Ficus racemosa | Wild | Social and Economic | Available |
| 62 | Badh or Pipal | Ficus religiosa | Wild | Social and Economic | Available |
| 63 | Kakoa | Flacourtia indica | Wild | Social and Economic | Available |
| 64 | Kanphuta | Flemingia chappar | Wild | Social and Economic | Available |
| 65 | Bhattani | Gomphrena celosioides | Wild | Social and Economic | Available |
| 66 | Dhaman | Grewia optiva | Wild | Social and Economic | Available |
| 67 | Lamb grass | Heteropogon contortus | Wild | Social and Economic | Available |
| 68 | Aakh | Ipomoea carnea | Wild | Social and Economic | Available |
| 69 | Kharpoway | Ipomoea purpurea | Wild | Social and Economic | Available |
| 70 | Chameli | Jasminum officinale | Wild | Social and Economic | Available |
| 71 | Ratanjot | Jatropha curcas | Wild | Social and Economic | Available |
| 72 | Brenker | Justicia adhatoda | Wild | Social and Economic | Available |
| 73 | Kembal | Lannea coromandelica | Wild | Social and Economic | Available |
| 74 | Panjphuli | Lantana camara | Wild | Social and Economic | Available |
| 75 | Mithu grass | Lathyrus sativus | Wild | Social and Economic | Available |

| 76 | Kamila | Mallotus philippensis | Wild | Social and Economic | Available |
|-----|------------------------|----------------------------|------|---------------------|-----------|
| 77 | Baryar | Malvastrum coromandelianum | Wild | Social and Economic | Available |
| 78 | Aam | Mangifera indica | Wild | Social and Economic | Available |
| 79 | Drehnk | Melia azedarach | Wild | Social and Economic | Available |
| 80 | Kaam | Mitragyna parvifolia | Wild | Social and Economic | Available |
| 81 | Toot | Morus alba | Wild | Social and Economic | Available |
| 82 | Drenkeri | Murraya koenigii | Wild | Social and Economic | Available |
| 83 | Gandila | Nerium oleander | Wild | Social and Economic | Available |
| 84 | Kua | Olea europaea subsp. | Wild | Social and Economic | Available |
| 85 | | cuspidata | Wild | Social and Economic | Available |
| 86 | Chhitter | Opuntia elatior | Wild | Social and Economic | Available |
| 87 | Tetar | Oroxylum indicum | Wild | Social and Economic | Available |
| 88 | Congress Grass or Jari | Parthenium hysterophorus | Wild | Social and Economic | Available |
| 89 | Deena nath grass | Pennisetum pedicellatum | Wild | Social and Economic | Available |
| 90 | Napier grass | Pennisetum purpureum | Wild | Social and Economic | Available |
| 91 | Khajoor | Phoenix sylvestris | Wild | Social and Economic | Available |
| 92 | Amla | Phyllanthus emblica | Wild | Social and Economic | Available |
| 93 | Chir | Pinus roxburghii | Wild | Social and Economic | Available |
| 94 | Daduni | Punica granatum | Wild | Social and Economic | Available |
| 95 | Jojra | Pupalia lappacea | Wild | Social and Economic | Available |
| 96 | Basant panchami | Reinwardtia indica | Wild | Social and Economic | Available |
| 97 | Arnid | Ricinus communis | Wild | Social and Economic | Available |
| 98 | Junglee Palak | Rumex hastatus | Wild | Social and Economic | Available |
| 99 | Khar | Saccharum bengalense | Wild | Social and Economic | Available |
| 100 | Kai | Saccharum spontaneum | Wild | Social and Economic | Available |
| 101 | Reetha | Sapindus mukorossi | Wild | Social and Economic | Available |
| 102 | Bari kasondi | Senna occidentalis | Wild | Social and Economic | Available |

| 103 | Kassod | Senna siamea | Wild | Social and Economic | Available |
|-----|-------------|-----------------------|------|---------------------|-----------|
| 104 | Cassia | Senna sulfurea | Wild | Social and Economic | Available |
| 105 | Panwar | Senna tora | Wild | Social and Economic | Available |
| 106 | Kezun grass | Setaria sphacelata | Wild | Social and Economic | Available |
| 107 | Kayan Kothi | Solanum americanum | Wild | Social and Economic | Available |
| 108 | Ban tamakoo | Solanum erianthum | Wild | Social and Economic | Available |
| 109 | Jamun | Syzygium cumini | Wild | Social and Economic | Available |
| 110 | Imli | Tamarindus indica | Wild | Social and Economic | Available |
| 111 | Phul dudi | Tarxacum campylodes | Wild | Social and Economic | Available |
| 112 | Arjun | Terminalia arjuna | Wild | Social and Economic | Available |
| 113 | Bahera | Terminalia bellirica | Wild | Social and Economic | Available |
| 114 | Harar | Terminalia chebula | Wild | Social and Economic | Available |
| 115 | Giloe | Tinospora sinensis | Wild | Social and Economic | Available |
| 116 | Tunu | Toona ciliata | Wild | Social and Economic | Available |
| 117 | Jiyo | Trema orientalis | Wild | Social and Economic | Available |
| 118 | Pakhra | Tribulus terrestris | Wild | Social and Economic | Available |
| 119 | Kayalu | Tulipa clusiana | Wild | Social and Economic | Available |
| 120 | Bachita | Urena lobata | Wild | Social and Economic | Available |
| 121 | Bana | Vitex negundo | Wild | Social and Economic | Available |
| 122 | Pansar | Wendlandia exserta | Wild | Social and Economic | Available |
| 123 | Dhain | Woodfordia floribunda | Wild | Social and Economic | Available |
| 124 | Dhain | Woodfordia fruticosa | Wild | Social and Economic | Available |
| 125 | Dudhi | Wrightia arborea | Wild | Social and Economic | Available |
| 126 | Jojera | Xanthium strumarium | Wild | Social and Economic | Available |
| 127 | Timbru | Zanthoxylum armatum | Wild | Social and Economic | Available |
| 128 | Ber | Ziziphus jujuba | Wild | Social and Economic | Available |

Format 20: Aquatic Biodiversity

| 1 | 2 | 3 | 4 | 5 | | 6 | | 8 | 9 | 10 |
|------------|--------------------|------------|----------|--------------------------|-----------|-----------|------------|-------------------------------|---------------|------------------|
| Local Name | Scientific Name | Variety | Features | Habitat | Local | Status | Uses | Associated TK | Other details | Community/ |
| Local Name | Scientific Ivallie | variety | reatures | Habitat | Past | Present | Uses | S Associated IX Other details | | Knowledge Holder |
| Akk | Ipomea carnea | Shurb | | Stream & ponds | Available | Available | NA | NA | NA | Self observed |
| Hygrilla | Hydrilla spp | Grass | | Stream & stable water | Available | Available | NA | NA | NA | Self observed |
| Fish | Tor | Animal | | Stream | Available | Available | NA | NA | NA | Self observed |
| Frog | Rana temporaria | Animal | | Stream | Available | Available | NA | NA | NA | Self observed |
| Dinnu | Ptyas mucosa | wild | | Stream | Available | Available | No use | Unknown | Unknown | Self observed |
| Sarkad | NA | Wild | | Stream | Available | Available | For eating | Unknown | Unknown | Self observed |
| Lotus | Nelumbo nucifera | soft plant | | Ponds | Available | Available | Worship | Unknown | Unknown | Self observed |

Fishing are done form nearly constructed dam. Otherwise there is no fish production possible due to lack of water. The local names of available fishes are Mahser, Rahu, Silver and Chopped. Fishing is done by the help of nets and fishing rods.

| | Format 21: Wild Aquatic Plant Species of Importance | | | | | | | | | | | | |
|---------|---|-----------------------|---------|-------------|---------|--|--|--|--|--|--|--|--|
| 1 | 2 | 3 | 4 | 5 | 6 | | | | | | | | |
| Sl. No. | Local Name | Scientific Name | Variety | Importance | Trends | | | | | | | | |
| 1 | Kamal | Nelumbo nucifera | local | Worshipping | unknown | | | | | | | | |
| 2 | Aak | Calotropis gogantea | local | None | unknown | | | | | | | | |
| 3 | Hydrilla | Hydrilla verticillata | local | None | unknown | | | | | | | | |
| 4 | Lotus | Nelumbo nucifera | Local | - | unknown | | | | | | | | |
| 5 | Naapa | N.A | Local | None | unknown | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Format 22: Wild Plants of Medicinal Importance

| 1 | 2 | 3 | 4 | 5 | | 6 | 7 | 8 | 9 | 10 | 11 |
|--------------|---------------|------------------------|---------|---------------------|-----------|-----------|----------------|--------------|----------------|------------------------------|-------------------------|
| Plant (Herb, | Local Name | Scientific Name | Variety | Landscape / Habitat | Local | Status | Associated TK | Usos (usago) | Part used | Other details market/ own | Community/ Knowledge |
| Shrub, Tree) | Local Name | Scientific Name | variety | Landscape / Habitat | Past | Present | Associated 1 K | Uses (usage) | rari useu | use | Holder |
| Tree | Khair | Acacia catechu | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | Local People |
| Tree | Phulai or Fly | Acacia modesta | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Kikar | Acacia nilotica | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Parkanda | Achyranthes aspera | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Bel | Aegle marmelos | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Kramblu | Albizia odoratissima | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Neem | Azadirachta indica | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Simbal | Bombax ceiba | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Shrubs | Bhang | Cannabis sativa | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Shrubs | Garna | Carissa spinarum | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Krangal | Cassia fistula | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Herbs | Brahmi buti | Centella asiatica | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Herbs | Khas Khas | Chrysopogon zizanoides | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |

| Tree | Kapoor | Cinnamomum camphora | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
|---------|----------|----------------------|------|---------------|-----------|-----------|-------------|-------------|----------------|----|--|
| Tree | Fagora | Ficus palmata | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Rumble | Ficus racemosa | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Toot | Morus alba | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Shrubs | Drenkeri | Murraya koenigii | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Khajoor | Phoenix sylvestris | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Amla | Phyllanthus emblica | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Reetha | Sapindus mukorossi | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Jamun | Syzygium cumini | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Imli | Tamarindus indica | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Arjun | Terminalia arjuna | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Bahera | Terminalia bellirica | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Tree | Harar | Terminalia chebula | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |
| Climber | Giloe | Tinospora sinensis | Wild | Sub-troplical | Available | Available | Medical Use | Medical Use | Leaves Flowers | NA | |

Format 23: Wild relatives of Crops

| 1 | 2 | 3 | 4 | | 5 | 6 | 7 | 8 | 9 | 10 |
|---------------|--------------------|------------|---------------------|-----------|-----------|----------------------|--------|------------|---------------|----------------|
| Local | Scientific | Associated | I and a second | | Status | Uses | Part | Associated | 041 - 144 75 | Community / |
| Name | Name | сгор | Landscape / Habitat | Past | Present | (usage) | Used | TK | Other details | Know holder |
| Panjfulli | Lantana camara | - | Sub-troplical | Available | Available | Medical | leaves | - | - | - |
| Congress Jadi | Parthenium | - | Sub-troplical | Available | Available | Medical | leaves | - | - | - |
| Chaleri Saag | Amaranthus viridis | Saag | Sub-troplical | Available | Available | Edible | Leaves | Unknown | unknown | Self addressed |
| Jangli Putna | Mentha arvensis | Putna | Sub-troplical | Available | Available | To cure stomach ache | Leaves | Unknown | unknown | self adressed |
| Jangli Palak | Rumex dentatus | Palak | Sub-troplical | Available | Available | Edible | Leaves | Unknown | unknown | Self addressed |

Note: Other details may include 'function as a substitute plant' in the absence of a particular plant

Format 24: Ornamental Plants

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------------|-------------------------|---------|--------------|-------------------------------------|------------------|---------------------|--------------------------------|
| Local Name | Scientific Name | Variety | Habitat | Commercial / Non-commercial Uses | Associated TK | Any other Detail | Community/ Knowledge Holder |
| kringal | Casia fistula | Tree | Sub Tropical | Non-Commercial | N.A | N.A | Self observed |
| Gandera | Nerium oleander | Tree | Sub Tropical | Non-Commercial | N.A | N.A | Self observed |
| Badah | Salix alba | Tree | Sub Tropical | Non-Commercial | N.A | N.A | Self observed |
| karal | Bauhinia variegata | Tree | Sub Tropical | Non-Commercial | N.A | N.A | Self observed |
| Tulsi | Ocimum tenuiflorum | Local | Sub tropical | Non-commercial | Garden | Unavailable | Self observed |
| Cactus | Cactaceae | Local | Sub tropical | Non-commercial | Garden | Unavailable | Self observed |
| Aloevera | Aloe barbadensis miller | Local | Sub tropical | Non-commercial | Garden | Unavailable | Self observed |
| Ashoka | Saraca asoca | Local | Sub tropical | Non-commercial | Garden | Unavailable | Self observed |
| Bottle brush | Callistemon Lanceolatus | Local | Sub tropical | Non-commercial | Garden | Unavailable | Self observed |

| | Format 25: Fumigate / Chewing Plants | | | | | | | | | | | | | | |
|--------------|--------------------------------------|--------------------|----------------|--------------|-----------|-----------|------------------|------------------|------------|-----------------------------|------------------|--|--|--|--|
| 1 | 2 | 3 | 4 | 5 | | 6 | 7 | 8 | 9 | 10 | 11 | | | | |
| Plant (Herb, | Local | Scientific | 3 7 • 4 | TT 1.00 | Local | Status | Uses | D () | Associated | Other details | Community | | | | |
| Shrub, Tree) | Name | Name | Variety | Habitat | Past | Present | (usage) | Part used | TK | (mode of use) | knowledge holder | | | | |
| Tree | Amrood | Psidium guajava | Local | Sub tropical | Available | Available | Oral health care | leaves, branches | unknown | fruit | self observed | | | | |
| Shrub | Bana | Vitex negundo | Local | Sub tropical | Available | Available | Oral health care | branches | unknown | leaves have medicinal value | self observed | | | | |
| Tree | Shisham | Dalbergia sissoo | Local | Sub tropical | Available | Available | Oral health care | branches | unknown | furniture wood | self observed | | | | |
| Tree | Neem | Azadirachta indica | Local | Sub tropical | Available | Available | Oral health care | branches | unknown | leaves have medicinal value | self observed | | | | |
| Shrub | Peach | Prunus persica | Local | Sub tropical | Available | Available | Oral health care | leaves, branches | unknown | fruit | self observed | | | | |
| Climber | Giloy | Tinospora sinensis | Local | Sub tropical | Available | Available | Oral health care | stem | unknown | unknown | self observed | | | | |
| Shrub | Drenkari | Murraya koenigii | Local | Sub tropical | Available | Available | Oral health care | branches | unknown | unknown | self observed | | | | |
| Tree | Khajoor | Phoenix sylvestris | Local | Sub tropical | Available | Available | Oral health care | branches | unknown | fruits | self observed | | | | |
| Shurb | Garna | Carissa spinarum | Tree | Sub Tropical | Available | Available | Medical | Leaves, Flowers | Medical | NA | | | | | |
| Shurb | Brahmi buti | Centella asiatica | Tree | Sub Tropical | Available | Available | Medical | Leaves, Flowers | Medical | NA | | | | | |

| 1 | 2 | 3 | 4 | ļ | 5 | 6 | 7 | 8 |
|---------------|----------------------|---------------|-----------|-----------|----------------------|--------------------|----------------|------------------|
| T I N | C. * / * 6" · N | TT-1-2-4 | Local | Status | Other House of the | Annual de l'TIZ | 041 - 104 - 11 | Community/ |
| Local Name | Scientific Name | Habitat | Past | Present | Other Uses, if any | Associated TK | Other Details | Knowledge Holder |
| Khair | Acacia catechu | Sub Tropical | Available | Available | Medical Use & Timber | Medical use Unknow | | self addressed |
| Phulai or Fly | Acacia modesta | Sub Tropical | Available | Available | Medical Use & Timber | Medical use | Unknown | self addressed |
| Kikar | Acacia nilotica | Sub Tropical | Available | Available | Medical Use & Timber | Medical use | Unknown | self addressed |
| Talli | Dalbergia sissoo | Sub-trophical | Available | Available | Timber wood | wild | nil | self addressed |
| Tuni | Toona ciliata | Sub-trophical | Available | Available | Timber wood | wild | nil | self addressed |
| Safeda | Corymbia citriodora | Sub-trophical | Available | Available | Timber wood | wild | nil | self addressed |
| Simbal | Bombax ceiba | Sub-trophical | Available | Available | Timber wood | wild | nil | self addressed |
| Jamun | Syzygium cumini | Sub-trophical | Available | Available | Timber wood | wild | nil | self addressed |
| Chir | Pinus roxburghii | Sub-trophical | Available | Available | Timber wood | wild | nil | self addressed |
| Safed siris | Albizzia procera | Sub Tropical | Available | Available | Medical Use & Timber | Medical use | Unknown | self addressed |
| Ber | Ziziphus jujuba | Sub Tropical | Available | Available | Medical Use & Timber | Medical use | Unknown | self addressed |
| Kimu | Morus serrata | Sub Tropical | Available | Available | Timber wood | wild | Nil | self addressed |
| Beoul | Grewia oppositifolia | Sub Tropical | Available | Available | Timber wood | wild | Nil | self addressed |
| Sagwan | Tectona grandis | Sub Tropical | Available | Available | Timber wood | wild | Nil | self addressed |
| Dhaman | Grewia optiva | Sub Tropical | Available | Available | Timber wood | wild | Nil | self addressed |

| | Format 27 A: Coastal and Marine Flora | | | | | | | | | | | | | | |
|------------|---------------------------------------|-------------------|---------|-------|---------|-----------------|-----------------|------------|---------------|--------------------------------|--|--|--|--|--|
| 1 | 2 | 3 | 4 | | 5 | 6 | 7 | 8 | 9 | 10 | | | | | |
| Plant Type | Local Name | Scientific Name | Habitat | Local | Status | Parts Collected | Commercial Uses | Other Uses | Associated TK | Community/ Knowledge Holder | | | | | |
| Tiant Type | Local Ivalie | Scientific Ivanic | Habitat | Past | Present | (if any) | (if any) | Other Oses | Associated TK | Knowledge Holder | | | | | |
| | | | | | 1 | Nil | Į. | ļ | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

| | Format 27 B: Coastal and Marine Fauna | | | | | | | | | | | | | | |
|-------------|---------------------------------------|-----------------|---------|-------|---------|--------------------|-----------------|------------|---------------|--------------------------------|--|--|--|--|--|
| 1 | 2 | 3 | 4 | : | 5 | 6 | 7 | 8 | 9 | 10 | | | | | |
| Animal Tana | LandNone | Caiantifa Nama | Habitat | Local | Status | Parts | Commercial Uses | Othor Uses | Associated TV | Community/ | | | | | |
| Animal Type | Local Name | Scientific Name | Habitat | Past | Present | Collected (if any) | (if any) | Other Uses | Associated TK | Community/ Knowledge Holder | | | | | |
| | | | | | • | Nil | | • | | , | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

Format 28: Wild Animals (Mammals, Birds, Reptiles, Amphibia, Insects, others)

| 1 | 2 | 3 | 4 | 5 | 6 | | 7 | 8 | 9 | 10 | 11 | 12 |
|----------------|--------------------------------|---------------------------|-----------|-------------|-------------|-----------|---------|---------------|------------|---------------------|---------------|---------------------|
| Audional Torra | Lacal Name | Sainudia Nama | II.akitat | Danasiation | Season when | Local | Status | Uses (if and | Associated | Mode of Hunting, | Other details | Community/ |
| Animal Type | Local Name | Scientific Name | Habitat | Description | seen | Past | Present | Uses (if any) | TK | collecting (if any) | Other details | Knowledge Holder |
| Mammals | Chitra | Panthera pardus | Jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
| Mammals | Jungali Billi | Felis chaus | Jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
| Mammals | Mangoose | Herpsters aurpunctatus | Jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
| Mammals | Indian Fox | Vulpes bengalensis | Jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
| Mammals | Five Stripped Palm Squirrel | Funambulus penanti | Jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
| Mammals | Field Mouse | Mus boodnga | Jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
| Mammals | Indian Porcupine (sahi) | Hustrix indica | Jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
| Mammals | Musk Deer (Kastura) | Moscus moschiferus | Jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
| Mammals | Leopard | Panthera pardus | Jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
| Reptiles | Snake | Serpentes | jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
| Mammals | Squirrel | Sciuridae | jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
| Mammals | Wild boar | Sus scrofa | jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
| Mammals | Porcupine | Erethizon deosatun | jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |

| Mammals | Fox | Vulpes vulpes | Jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
|-----------|----------------|------------------------------|--------|-------------|-----------|-----------|---------|---------|---------|------|---------------|--|
| Birds | Jungle fowl | Gallus | jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
| Amphibian | Frog | Anura | jungle | Monsoon | available | available | Unknown | Unknown | Unknown | Nill | self observed | |
| Birds | Grey francolin | Francolinus pondicerianus | jungle | All seasons | available | available | Unknown | Unknown | Unknown | Nill | self observed | |

| Format 29: Flora (Urban Biodiversity) | | | | | | | |
|---------------------------------------|------------|-----------------|----------------|---------|------------------|------------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| Sr. No. | Local Name | Scientific Name | Type of Plants | Habitat | Flowering Season | Remarks (Rare / Common etc.) | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Note: Separate format should be used for road side plantation / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

| Format 30: Fauna | | | | | | | |
|------------------|------------|-----------------|--|---------|------------------------------|--|--|
| 1 | 2 3 | | 4 | 5 | 6 | | |
| Sr. No. | Local Name | Scientific Name | Type of Animals (Mammals / Birds / Fish / Insect etc.) | Habitat | Remarks (Rare / Common etc.) | | |
| | | | | | | | |
| _ | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Note: Separate format should be used for road side plantation - habitat / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

Format 31: Any other information of local importance 1 2 3 Sr. No. Information of local importance Remarks 1 No scanvengers available for dead animals 2 NO Technique/ Knowledge available to produce/ cultivate fishes. 3 No irrigation faculity available 4 NGO is working for the production of (Haldi) Turmeric which will benefit local womens