

<b>People Biodiversity Register (PBR): General Details</b>	
<b>Name of the Panchayat Samiti :</b> Saman	
<b>Taluk:</b> Basohli	
<b>District:</b> Kathua	
<b>State:</b> Jammu and kashmir	
<b>Geographical Area of the Panchayat Samiti::</b>	
<b>Population under the Panchayat Samiti: Total</b> 2450	
<b>Male</b> 1347	<b>Female</b> 1103
<b>Habitat and Topography:</b> Sub tropical Kandi	
<b>Climate (Rainfall, Temperature and weather patterns)</b> Moderate	
<b>Land Use (Nine fold classification available with village records)</b>	
<b>Date, Month and Year of PBR Preparation :</b> 31/08/2020	
<b>Management Regime: Reserve Forest (RF)/Joint Forest Management(JGM)/Protected Areas(PA)/ Community Owned and Managed Forest(COM)</b>	

## Annexure 1

**Details of Biodiversity Management Committee (BMC) of the Panchayat (One elected Chairperson and six persons nominated by the local body ; not less than one third to be women and not less than 18% belonging to SC/ST)**

1)Name of the Chairperson: Devinder singh

Age: 42

Gender:Male

Address: Saman

Area of specialization: Pyt. Saman

2) Name: Anup Sharma

Age: 35

Gender: Male

Address: Basohli

Area of specialization: Pyt. Saman

3)Name: Mithu Kumar

Age: 35

Gender: Male

Address: Saman

Area of specialization: Pyt. Saman

4)Name: Rajinjder kumar

Age: 38

Gender: Male

Address: Saman

Area of specialization: Pyt. Saman

5)Name: Reena Devi

Age: 40

Gender: Female

Address: Saman

Area of specialization: Agriculture

6)Name: Sagro Devi

Age: 40

Gender: Female

Address: Saman

Area of specialization: Agriculture

7)Name: Mohd Yaqoob

Age: 60

Gender: Male

Address: Saman

Area of specialization: Animal Husbandry / Domesticating Animals

**Annexure-2****List of Vaid, hakims and traditional health care (Human and livestock) practitioners residing and or using biological resources occurring within the jurisdiction of the village**

1) Name :

Age:

Gender:

Address:

Area of specialization:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

2) Name:

Age:

Gender:

Address:

Area of specialization:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

3) Name:

Age:

Gender:

Address:

Area of specialization:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

### Annexure 3

#### List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in agriculture, fisheries, and forestry

1) Name of the Chairperson: Reena Devi

Age: 40

Gender: Female

Address: Saman

Area of specialization: Teaching

2) Name of the Chairperson:

Age:

Gender

Address

Area of specialization

3) Name of the Chairperson:

Age:

Gender:

Address:

Area of specialization:

4) Name of the Chairperson:

Age:

Gender:

Address:

Area of specialization:

**Annexure 4**

**Details of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals involved in the preparation of the PBR**

**1) Contact Person:**

**Name and Address:** Raginder Kumar r/o Saman

**2) Contact Person:**

**Name and Address:** Kamal Dev Singh r/o Saman

**3) Contact Person:**

**Name and Address:** Suraj Singh r/o Saman

**4) Contact Person:**

**Name and Address:**

**You may add names of more institutions/NGO/Individuals etc, if necessary**

**Annexure 5**

**Detail of access to biological resources and traditional knowledge granted, details of the collection fee imposed and details of the benefit derived and the mode of their sharing**

<b>S.no</b>	<b>Name and address of the Person/Institute/company others</b>	<b>Local and Scientific Name of the biological material Accessed and quantity</b>	<b>Date and resolution of the BMC and endorsement by the Panchayat</b>	<b>Detail of collection fee imposed</b>	<b>Anticipated mode of sharing benefits or quantum of benefits shared</b>

*End of Part I*

**Part II**  
**PBR – Formats**  
**AGROBIODIVERSITY**  
**Format 1: Crop Plants**

1	2	3	4	5	6	7		8	9	10	11	12	13	14
Crop	Scientific Name	Local Name	Variety	Landscape / Habitat	Approx. area shown	Local Status		Special features	Cropping season	Uses	Associated TK	Other details	Source of Seeds/Plants	Community/ Knowledge Holder
						Past	Present							
Rice	<i>Oryza sativa</i>	Dhaan	Veliyan	Lowland valleys		Plenty	Rare	Tall variety High yield Resistant to drought, flood, pest & diseases		Food Fodder Roofing Fuel	Provides more energy	Suitable for “Valicha” cultivation		Kurichiya Kuruma W. Chetty
	<i>Oryza sativa</i>	Dhan, Munji	PR-113	Suitable for Sub Tropical areas . Matures in 135 -140 day approx.		Abundant	Abundant	Dwarf High Yielding variety	June - Oct	Food Fodder		Suitable for Cultivation in Low land , Mid HillsAreas, Hot & Humid Climate	Agri. Deptt.	
	<i>Oryza sativa</i>	Dhan, Munji	IR-8	Plant Height 140-145 cm		Abundant	Abundant	Dwarf High Yielding variety	June - Oct	Food Fodder			Agri. Deptt.	
	<i>Oryza sativa</i>	Dhan, Munji	Jaya	Plant Height 140-145 cm		Abundant	Abundant	Dwarf High Yielding variety	June - Oct	Food Fodder			Agri. Deptt.	
	<i>Oryza sativa</i>	Dhan, Munji	Begumi	160-165 cm		Abundant	Rare	Tall in height , sweet in taste , High starch Content	June - Oct	Food Fodder	More Nutritive Value	Suitable of Plain & Mid Hills	Local	Pahari community

Wheat	<i>Triticum aestivum</i>	Kanak	HD-2967	150-155 cm		Abundant	Abundant	Dwarf High Yielding variety	Nov- Apr.	Food Fodder		Suitable of Plain & Mid Hills	Agri. Deptt.	
	<i>Triticum aestivum</i>	Kanak	Raj -3077	135-140 cm		Abundant	Abundant	Dwarf High Yielding variety	Nov- Apr.	Food Fodder		Suitable of Plain & Mid Hills	Agri. Deptt.	
	<i>Triticum aestivum</i>	Kanak	Raj-3765	125-130 cm		Abundant	Abundant	Dwarf High Yielding variety	Nov- Apr.	Food Fodder		Suitable of Plain & Mid Hills	Agri. Deptt.	
	<i>Triticum aestivum</i>	Kanak	Sonalika	150-155 cm		Abundant	Rare	Dwarf High Yielding variety	Nov- Apr.	Food Fodder		Suitable of Plain & Mid Hills	Agri. Deptt.	
Maize	<i>Zea mays</i>	Makk, kukri, challi, Buhтта, jobawr	Ganga Safed -2	White grain Hyb. Suitable for Sub-tropical. Matures in 95-100 days		Abundant	Abundant	High yielding Variety	June- Oct	Food Fodder		Suitable of Plain & Mid Hills	Agri. Deptt.	
	<i>Zea mays</i>	Makk, kukri, challi, Buhтта, jabawr	Vijay	Composite Maize Yellow grain variety High Yielding Variety suitable for Mid Hills		Abundant	Abundant	High yielding Variety	June- Oct	Food Fodder		Suitable of Plain & Mid Hills	Agri. Deptt.	
Til	<i>Seasamum indicum</i>	til	Punjab til -1	White seed Variety . Matures in 80-85 days . Plant height 1.3-1.6 mtr.		Abundant	Abundant	High yielding Variety	June- Oct	Oil,		Suitable of Plain & Mid Hills	Agri. Deptt.	
Pulses (Mash)	<i>Vigna mungo</i>	Maa/ Mash	T-9	Matures in 85-90 days. Suitable for plain & Mid hills		Abundant	Abundant	High yielding Variety	June- Aug	Food	high Protein contents	Suitable of Plain & Mid Hills	Agri. Deptt.	



Okra	<i>Abelmoschus esculentus Moench</i>	Bhindi	Pusa A-4	Dark green and fruit size 12-15 cm long		Abundant	Abundant	High yield Variety , tolerant to YVM and aphids, First picking starts in 45 days	Feb-March June- July (rainy season)	Food		Suitable of Plain & Mid Hills	Agri. Deptt.	
Tomato	<i>Solanum lycopersicum</i>	Tamatar,	Kashi (DVRT-2)	Plant are Green, Fruit are red , spherical medium to large sized		Abundant	Abundant	First harvest at 70-75 days after transplanting . Resistant to TLCV.	Transplanting Jan to Mid Feb	Food	Resistant to TLCV.	Suitable of Plain & Mid Hills	Agri. Deptt.	
Knol khol	<i>Brassica oleracea</i>	Kadam	Purple Vienna	Cool & moist climate		Abundant	Abundant	Matures in 70-75 days. Knobs are purplish & fleshy greenish white.	mainly as a winter crop.	As vegetable pickles.	Rich in fibre.	For early crop sandy or sandy loam soils & for late crop clay loam & silty soils are preferred.	Agri. Deptt.	

The format 1 could be used for documenting information about Millets, Cereals, Oil seeds, Commercial crops, Tuber crops, Vegetables, Legumes, Aromatic crops etc. The column No. 9 'other details' vary with the nature of crops. For measuring local status, there need to identify a particular year - significant changes in ecology occurred - and compare the status as past and present (past = before the particular incident). We have to list out all possible features of a crop/plant and give short forms of the same. If relevant, cultivation

practices, propagation techniques, usage etc can be included in the column 8, in associated TK.

**Format 2: Fruit Plants**

1	2	3	4	5	6		7	8	9	10	11	12
Plant	Scientific Name	Local Name	Variety	Landscape / Habitat	Local Status		Source of Seeds/Plants	Season of Fruiting	Associated TK	Uses	Other details market / own use	Community / Knowledge holder
					Past	Present						
Papaya	<i>Carica papaya</i>	Papita	Desi unbudded	Agricultural Land	Available	Rare	_	Seeds/ Plants	All season	Own uses	_	_
Mandarin	<i>Citrus reticulata</i>	Sangtra	Desi unbudded	Agricultural Land	Rare	Rare	_	Seeds/ Plants	April-September	Own uses	_	_
Grapes	<i>Vitis vinifera</i>	Angoor	Desi unbudded	Agricultural Land	Rare	NA	_	Seeds/ Plants	June-september	Own uses	_	_
Anola	<i>Phyllanthus emblica</i>	Amla	Desi unbudded	Agricultural Land	Rare	Rare	_	Plants	October-December	Own uses	_	_
Custrad Apple	<i>Annona reticulata</i>	Sita Phal	Desi unbudded	Agricultural Land	Rare	Rare	_	Plants	August - November	Own uses	_	_
Pear	<i>Pyrus communis</i>	Nakh	Desi unbudded	Agricultural Land	Rare	Rare	_	Plants	August - November	Own uses	_	_
Sweet Lime	<i>Citrus limetoides</i>	Metha	Desi unbudded	Agricultural Land	Rare	Rare	_	Seeds/ Plants	April-May	Own uses	_	_
Pomergranate	<i>Punica granatum</i>	Anaar	Desi unbudded	Agricultural Land	Rare	Rare	_	Seeds/ Plants	April-May	Own uses	_	_
Jack Fruit	<i>Artocarpus heterophyllus</i>	kathal	Desi unbudded	Agricultural Land	Rare	Rare	_	Seeds/ Plants	March-August	Own uses	_	_
Mousambi	<i>Citrus aurantifolia</i>	Mosambi	Desi unbudded	Agricultural Land	Rare	Rare	_	Seeds/ Plants	April-September	Own uses	_	_
Guava	<i>Psidium guajava</i>	Amrud	Desi unbudded	Agricultural Land	Available	Plenty	_	Seeds/ Plants	August - November	Own uses	_	_
Lemon	<i>Citrus aurantifolia</i>	Nimbu	Desi unbudded	Agricultural Land	Available	Rare	_	Seeds/ Plants	November-December	Own uses	_	_
Trimbli		Trimbli	Desi unbudded	Agricultural Land	Rare	Rare	_	Plants	May-June	Own uses	_	_

Banana	<i>Musa paradisiaca</i>	Kela	Desi unbudded	Agricultural Land	Rare	Rare	_	Plants	July-August	Own uses	_	_
Jamun	<i>Syzygium cumini</i>	Jamun	Desi unbudded	Agricultural Land	Rare	Rare	_	Seeds/ Plants	March-July	Own uses	_	_
Rubus	<i>Rubus ellipticus</i>	Akhra	Wild unbudded	Agricultural Land	Rare	Rare	_	Plants	May-June	Own uses	_	_
Bael	<i>Aegle marmelos</i>	Bael	Wild unbudded	Agricultural Land	Rare	Rare	_	Seeds/ Plants	March-June	Own uses	_	_
Wild Khajoor	<i>Phoenix sylvestris</i>	Wild Khajoor	Wild unbudded	Agricultural Land	Rare	Abundant	_	Seeds/ Plants	October-December	Own uses	No fruit	_
Kamlu		Kamlu	Wild unbudded	Agricultural Land	Rare	Rare	_	Plants	May-June	Own uses	_	_
Almond	<i>Prunus dulcis</i>	Badam	Californi	Agricultural Land	Rare	NA	_	Plants	Feb-April	Own uses	_	_
Phagwari	<i>Fragaria nubicola</i>	Phagwaara	Wild unbudded	Agricultural Land	Rare	Rare	_	Seeds/ Plants	April-June	Own uses	_	_
Toot	<i>Morus indica</i>	Shahtoot	Wild unbudded	Agricultural Land	Rare	Rare	_	Plants	July-August	Own uses	_	_
Peach	<i>Prunus persica</i>	Aado	Selection	Agricultural Land	Rare	NA	_	Seeds/ Plants	March-June	Own uses	_	_
Karonda	<i>Carissa carandas</i>	Garna	Wild unbudded	Agricultural Land	Rare	Rare	_	Seeds/ Plants	March-August	Own uses	_	_
Ber	<i>Zizyphus mauritiana</i>	Ber	Wild unbudded	Agricultural Land	Rare	Available	_	Seeds/ Plants	Feb-April	Own uses	_	_
Walnut	<i>Juglans regia</i>	Akhroot	Kagzi, Wild unbudded	Agricultural Land	Rare	NA	_	Seeds/ Plants	March-April	Own uses	_	_
Plum	<i>Prunus dulcis</i>	Aloo bakhara	Satluj/ sanat/ Rosa	Agricultural Land	Rare	NA	_	Seeds/ Plants	March-July	Own uses	_	_
Applwe	<i>Malus domestica</i>	Seb	Royal, golden, delicious	Agricultural Land	Rare	NA		Plants	March-July	Own uses	_	_

### Format 3: Fodder Crops / Species

1	2	3	4	5		6	7	8	9	10
Plant	Scientific Name	Local Name	Landscape / Habitat	Local Status		Source of Plants / Seeds	Associated TK	Part Used	Other details	Community / Knowledge holder
				Past	Present					
Sorghum	<i>Sorghum bicolor</i>	Jowar	Warm climate crop	Plenty	Plenty	Agri. Deptt.	Rich in protein and minerals	Part used whole plant	Soil with clay loam texture having good water retention capacity are best suitable for its cultivation	
Berssem	<i>Trifolium alexandrinum</i>	Beerseen	winter forage.	Plenty	Plenty	Agri. Deptt.	Rich in protein and minerals	Part used whole plant. Repeated cuts can be taken .	Improves physical condition of soil . It can be grown in all types of soil expect very light sandy soil	
Trimbal	<i>Ficus auriculata</i>	Trimbal	Sub tropical	Plenty	Plenty	Natural	Winter Fodder	Leaves	Brown Hill soil	
Brada	<i>Salix alba</i>	Brada	Sub tropical	Plenty	Plenty	Natural	Winter Fodder	Leaves	Brown Hill soil	
Simbal	<i>Bombax cieba</i>	Simbal	Sub tropical	Plenty	Plenty	Natural	Winter Fodder	Leaves	Brown Hill soil	

Other details include fodder for which animal, special features, medicinal uses if any, seasons of availability, propagation methods, collecting from wild or cultivated etc.

### Format 4: Weeds

1	2	3	4	5	6	7		8	9	10	11	12
Plant	Scientific Name	Local Name	Affected crop	Impact	Landscape / Habitat	Local Status		Uses if any	Management options	Associated TK	Other details like exotic	Community / Knowledge holder
						Past	Present					
shol		Shol	Paddy	Broad leaf and consumed the nutrients of the plants and reduces the production	floating on the water	Plenty	Plenty	Nil	Drying of paddy field as a result leaves dry	-	Hady and wider adoptability, multiply very fast	Pahari Community
Shama		Shama	Paddy	compete with nutritions, light and space with Paddy crop and reduces the production	Tall growing just like paddy	Plenty	Plenty	Nil	Use of weedicide	-	-	-
Bathua	<i>Chenopodium sp</i>	Baathu	Wheat	Broad leaf and consumed the nutrients of the plants and reduces the production	Germination in the field after 20 days	Plenty	Plenty	Nil	1.Use of weedicide		Hady and wider adoptability, multiply very fast	
Sitti	<i>Phalaris minor</i>	Sitti, Gehoon ka mama, Gulli Danda	Wheat	Compete with nutritions, light and space with wheat crop and reduces the production Narrow Leaf Weed	Grows with Wheat crop	Plenty	Plenty	Nil	1. Use of Weedicides metribuzinie @200Gms/ha dissolved in 500-600 l of water		Hady and wider adoptability, multiply very fast	
Dhoob	<i>Cynodon dactylon</i>	Dhoob	Maize	Weed emerg with the germination with Maize seed and grow along with plants till the early growth period and cause sever crop weed compitation.	Grows with Maize crop	Plenty	Plenty		1). 2-3 Weeding followed by earthingup. 2). pre emergence appliation Atrazine @ 1-1.25 Kg / per ha of 50% WP		Losses caused by Weeds are more during early stage than in later stages.	

**Format 5: Pests of Crops**

1	2	3	4	5	6	7	8	9	10
Host	Insect / Animal	Scientific name	Local name	Habitat	Time / season of attack	Management mechanism	Associated TK	Other details	Community knowledge holder
Paddy	Grasshopper	<i>Hieroglyphus niogrorepletum</i>	Tidda , Raja da Gorha ,	Polyphagus	June to Novemeber	1.Destroy eggs by cleaning bunds 2. Spray the bunds with Malathion 5 % D @ 25 Kg / Ha	Both nymphs and Adults feed on the leaves , they devour the young shoots and newly farm ear heads.	Adults are like locust but smaller in size	
Paddy	Rice Hisppa	<i>Dicladispa armigera</i>	Neela tittu	Appeaqr in all varieties of rice	July -Sep	1. Clip the affected tips of leaves before transplanting	Quinalphos 25EC 1 litre per ha in 750 ltr of water	The grubs this pest mine into the leaves and adults are external fedders.	
Wheat	Field Rats	<i>Bandicota sp.</i> <i>Tatera sp.</i>	Chua, Kees,	Burrow in soil .Rats are found in nearly all areas of Earth which are inhabited by human beings.	through out the year	1. Poison baiting 2. bund trimming to minimize harborage 3. use indigenous traps	Thjey cause have loss to standing wheat crop and harvested crop in stores.	Domestic rats differ from wild rats in many ways. They are calmer and less likely to bite; they can tolerate greater crowding; they breed earlier and produce more offspring; and their brains, livers, kidneys, adrenal glands, and hearts are smaller	

Wheat	Termites	<i>Microtermes obesi</i>	seenak, seonk, white ant,	Generally appears at wet places, lives in nests made under ground	through out the year	<ol style="list-style-type: none"> <li>1. Destroy termitaria in an around field</li> <li>2. Never use raw FYM</li> <li>3. For termites control in standing crop, dilute 4l of chlorpyriphos 20EC in 5l of water and mix in 50 kg of sand thoroughly . Boradcast this treated soil in the infested areas.</li> </ol>	These are Social insect that lives under ground in colonies.	The damage plant dry up completely and are easily pulled out	
Maize	Stem borer	<i>Chilo partellus</i>	Lurhi, kidda,	Occurs through out the country	July onward . 15-20 days after Germination	<ol style="list-style-type: none"> <li>1. apply granular insecticide carbofuran 3G @20 Kg / Ha</li> <li>2. Uproot the stubbles of previous years crop and burn</li> </ol>	It attacks immediately after germination and causes dead hearts in young plants .	The adult is medium sized straw coloured moth . The caterpillar is dirty white in color with short bristly hair on its body	
	Cut Worm	<i>Agrotis ipsilon</i>	Luhri	Occurs through out the country but especially Hilly areas	July onward .	<ol style="list-style-type: none"> <li>1. Install light traps @2/Ha</li> <li>2. Install Pheromones traps @40/Ha to attract to kill the male moths</li> <li>3. Chlorpyriphos 30EC@3ml/of water</li> </ol>	Larva cut the seedling at the ground level .	They live in soil during the day and feed at night . The caterpillar are in grey in colour	
cole crops	Cabbage butterfly	<i>Pieris brassicae</i>	Titili	The large white butterfly's habitat consists of large, open spaces, as well as farms and vegetable gardens, because of the availability of its food source.	Oct onwards	<ol style="list-style-type: none"> <li>1. Release of <i>Trichogramma chilonis</i> @50000 adults/ha per release (6 times )at weekly interval in Mid January</li> <li>2. Donot spray the crop near harvesting</li> </ol>			

Vegetable	Fruit fly	Bactrocera cucurbitae	Titili	Fruit flies are of concern both as nuisance pests and as serious contaminators of food.	After Summer Rains when Humidity is high.	1. Install methyl eugenol traps @ 5-100/Ha 2. Spray Malathion @ 1ml +10 Grms gur/ ltr of water at evening hours when fruits flies are congregated on the leave surface.	Female fruit flies lay their eggs on the surface of rotting fruits and vegetables. Each female may lay as many as 500 eggs. These eggs hatch into larvae which molt twice before becoming fully grown.	Adults may be dull yellowish, brownish yellow, or brownish black in color and range from 1/10 to 1/5 inch long. Most species have red eyes. Larvae are very small (ranging from 1/10 to 1/5 inch long), dirty white, and maggot-shaped. They can be recognized by the stalked posterior spiracles on the last abdominal segment.	
Pear, Plum , Peach	Insect	<i>Myzus persicata</i>	Green aphid	Soil	Winter season	Biological / chemical			
Apricot, Apple	Insect	<i>Quadraspidiotus perniciosus</i>	Sanjose sacle		Full Year	Biological / chemical			
Walnut, Almond	Insect	<i>Eriosoma lanigerum</i>	Woolly aphid	Soil	Feb-April	Biological / chemical			
Citrus	Insect	<i>Nasutitermes spp</i>	Termites	Soil	All season	Biological / chemical			
Citrus	Insect	<i>Aonidiella aurantii</i>	Red scale	Soil	All season	Biological / chemical			
Mango	Insect	<i>Sternochetus mangiferae</i>	Seed weevil	Soil	All season	Biological / chemical			
Mango	Insect	<i>Penicillaria jocosatrix</i>	Shoot Caterpillar	Soil	All season	Biological / chemical			
Mango	Insect	<i>Nasutitermes spp</i>	Termites	Soil	All season	Biological / chemical			
Citrus, Mango, Litchi, Guava	Insect	<i>Pseudococcus longispinus.</i>	Mealy bug	Soil	All season	Biological / chemical			
Citrus, Mango, Litchi, Guava	Insect	<i>Isoptera spp.</i>	Termites	Soil	All season	Biological / chemical			





### Format 7: Peoplescape

1	2	3	4	5	6	7	8	9	10	11
Community & Population	Families & Major occupation	Sub- occupation	Depending Landscape	Major resources accessed and seasons of access	Landscape management practices	Resource management practices	Cast / tribe	Social condition	Nature of inhabitants	No. of HHs
4/2327	280/Farming	Farming	Agriculture	Water Land	-	-	4	Average	good	414

Major occupation may be farming. Sub-occupations could be fishing, collection of NTFP animal husbandry, artisans, services Examples of depending landscapes are agriculture landscape, rivers, forest etc.

Major resources accessed could be agriculture resources of different nature, fish, birds, water, mud, and etc

How the community manages the landscapes they use for satisfying different needs, their strategies and perception

How the community manages the resources they access for satisfying different needs, their strategies and perception, conflicts etc

### Format 8: Landscape

1			2	3	4	5	6	7	8	9	10	11	12
Major Landscapes			Sub - Landscapes	Feature s and approx. area	Ownership	General flora	General fauna	User groups	Management practices	General uses	Associated TK	Other details	Community accessed
Agricultural land	Pond	Fallow land											
Cultivated Land	Not Applicable	Not	Cultivated Land	-	Private	Local Plants&some wild Plants	Insects	Local People	Modern Agricultral Practices	Agricultural	Unknown	Unknown	Local People
		Applicable											
Irrigated land	Not applicable	Not applicable	Irrigated Land	-	Govt. & Private	Acquatic Plants	Insects	Local People	Modern Agricultral Practices	Agricultural	Unknown	Unknown	Local People
Forest Land	Not applicable	Not applicable	Forest Land	-	Govt.	Local Plants& some wild Plants	Insect & Amphibians	Local People	-	Firewood And Grazing	Unknown	Unknown	Local People
Grazing Land	Not applicable	Not applicable	Non Irrigated Land	-	Govt.	some wild Plants	Insects	Local People	-	Grazing of Cattles	Unknown	Unknown	Local People

Provide a brief description of landscapes such as forests, plantations, cultivated land, estuary, pond, lake or other elements

### Format 9: Waterscape

1	2	3	4	5	6	7	8	9	10	11	12	13
Waterscape element type	Sub- type	Features and approx area	Ownership	General flora	General fauna	Major uses	User groups	Management practices	General uses	Associated TK	Other details	Community accessed
Stream	-	Direct small underground streams	Govt. land, Revenue,	Mostly ferns, Bryophytes	Amphibians	Daily household & Drinking	Local people	Small Check Dams	Drinking, Washing	Unknown	Unknown	Local People
Nalas	-	Tributary of Khads	Govt. land, Revenue,	Flowers, Fruits	Frog, Fish, Snake	Irrigation, Washing	Local people	Small Check Dams	Washing	Unknown	Unknown	Local People
Ponds	-	Dependent on Rainwater	Govt. land, Revenue, Private	Flowers, Fruits	Frog, Fish, Snake	Irrigation, Fish production	Local people	Eradication of weeds	Irrigation	Unknown	Unknown	Local People

Examples: Ponds, Streams, Rivers, Lake, Canal, Tubewell, Dug well etc.,

**Format 10: Soil type**

1	2	3	4	5	6	7	8
Soil Type	Color & Texture	Features	Soil management	Plants / crop suitable	Flora and fauna	Associated TK	Other information
Sandy	Grey	Does not retain water	Recharged with Tank Bed	Maize, Beans	Fodder plants/Snakes ,insects	Unknown	Unknown
Loamy	Brown	Retain Water	High in Moisture	Wheat, paddy,vegetables etc	Fodder	Unknown	Unknown
					Plants/Rats,Insects		
Clay	Brownish	Retains Water	High in moisture	Wheat, paddy,vegetables etc	Fodder	Unknown	Unknown
	Mixture				Plants/Rats,Insects		
Brown Forest Soil	Silt Loam to clay Texture	Fine Granular, Dub-Angular Blocky Structure having pH 7.8-8.3, Water Holding capacity more than 40%	Use of Organic matter	Maize, Wheat, Safflower	-	-	-
Red and Yellow Podzolic Soils.	Coarse Texture	Water Holding Capacity is 40% , Loamy Soils	Use of Organic matter, use of cattle dung	Maize, Jowar, Oats	-	-	-
Lithosols	Gravelly loam to Gravelly silty Loam	pH 7.1-7.8, Occur on steep slopes in the forest hills of 400-600 mtrs. 33-38% Water Holding Capacity	Use of Organic matter	Maize & Fodder Crops	-	-	-
Alluvial Soils	Loamy Soils	ph 7.0-7.7, Organic Carbon 0.28-0.61%	Use of Organic matter	Wheat, Paddy, Vegetables	-	-	-

**Format 11: FRUITS TREES DOMESTICATED BIODIVERSITY**

1	2	3	4	6	7		8	9	10	11	12	13
Plant Type	Scientific Name	Local Name	Variety	Landscape/ Habitat	Local Status		Source of plant/seeds	Season of Fruiting	Uses (usage)	Associated TK	Other details market/own use	Community/ Know. holder
					Past	Present						
Mango	<i>Mangifera indica</i>	Aam	Dashrei Amrapali Malika	Agricultural Land	Available	Abundant	Seeds/ Plants	March-july	-	-	Own/ Market	-
Apple	<i>Malus domestica</i>	Seb	Royal red/ Golden delicious	Agricultural Land	Not found	Rare	Plants	March-july	-	-	Own/ Market	-
Guava	<i>Psidium guajava</i>	Amrud	L-49 Allahabad safeda	Agricultural Land	Rare	Available	Seeds/ Plants	August- december	-	-	Own/ Market	-
Lemon	<i>Citrus aurantifolia</i>	Nimbu	Kagzi, Kumkath	Agricultural Land	Available	Available	Seeds/ Plants	November- december	-	-	Own/ Market	-
Mousambi	<i>Citrus aurantifolia</i>	Mosambi	Grafted	Agricultural Land	Rare	Rare	Seeds/ Plants	April- September	-	-	Own/ Market	-
Jack Fruit	<i>Artocarpus heterophyllus</i>	Kathal	Unbudded	Agricultural Land	Rare	Rare	Seeds/ Plants	March-August	-	-	Own/ Market	-
Sweet Lime	<i>Citrus limetoides</i>	Metha	Grafted	Agricultural Land	Rare	Rare	Seeds/ Plants	April-May	-	-	Own/ Market	-
Pomegranate	<i>Punica granatum</i>	Anaar	Kandhari , Ganesh	Agricultural Land	Rare	Rare	Seeds/ Plants	April-May	-	-	Own/ Market	-
Papaya	<i>Carica papaya</i>	Papita	Red lady, washington	Agricultural Land	Rare	Rare	Seeds/ Plants	All seasons	-	-	Own/ Market	-
Mandarin	<i>Citrus reticulata</i>	Sangtra	Grafted	Agricultural Land	Rare	Rare	Seeds/ Plants	April- September	-	-	Own/ Market	-
Grapes	<i>Vitis vinifera</i>	Angoor, Daakh	Thomson seedless prieette	Agricultural Land	Not found	Not Found	Seeds/ Plants	June- september	-	-	Own/ Market	-
Amla	<i>Phyllanthus emblica</i>	Amla	NA-7 Banarsi	Agricultural Land	Rare	Rare	Plants	August- November	-	-	Own/ Market	-
Walnut	<i>Juglans regia</i>	Akhrot	kagzi local hard sheild	Agricultural Land	Not found	Not Found	Not Found	March-july	-	-	Own/ Market	-

**Format 12: Medicinal Plants (Herbs, Shrubs, Trees etc.)**

1	2	3	4	5	6	7		8	9	10	11	12
Plant Type	Local Name	Scientific Name	Variety	Landscape/Habitat	Source of plant/seeds	Local status		Uses (usage)	Part used	Associated TK	Other details market/own use	Community/ Know. Holders
						Past	Present					
Tree	Karal	<i>Bauhinia variegata</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves,seeds	Used as medicine	Flower used as medicine and vegetable	_
Tree	Aaran	<i>Prunus Persica</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_
Tree	Amla	<i>Phyllanthus emblica</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_
Tree	Baadh	<i>Ficus religiosa</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_
Tree	Bair	<i>Ziziphus xylocarpa</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_
Tree	Bheda	<i>Terminalia bellerica</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_
Tree	Bill-Patre	<i>Angle mermelos</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_
Tree	Cambel	<i>Lannea coromandelica</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_
Tree	Charmood	<i>Ehretia laevis</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_
Tree	Chilla	<i>Casearia tomentosa</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_
Tree	Chir	<i>Pinus rouxburghii</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_
Tree	Dhaman	<i>Grewia optiva</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_
Tree	Drankh	Melia azedarach	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_
Tree	Fakwara	<i>Ficus palmata</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_
Tree	Aaran	<i>Prunus Persica</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_
Tree	Amla	<i>Phyllanthus emblica</i>	Tree	Sub-Tropical	Seed	Available	Available	Own use	Leaves	Used as medicine	Used as medicine	_

**Format 13: Ornamental Plants/Trees/Climbers etc.**

1	2	3	4	5	6	7	8	9	10
Plant type	Local Name	Scientific Name	Variety	Source of Plant/Seeds	Commercial/Non-commercial	Uses	Associated Tk	Other Details	Community/Knowledge Holder
Ornamental Tree	Kachnar	<i>Bauhinia variegata</i>		Nurseries/Forest	Non commercial	Ornamental/Landscaping	Used for Dysentery, Diarrhoea	Pink flowers in Summer	Floriculturists/Nurserymen/Gardeners
Bushes/ Shrubs	Nerium	<i>Nerium oleander</i>		Nurseries	Non commercial	Ornamental/Landscaping	Epilepsy, cancer	Avenue plantation	Floriculturists/Nurserymen/Gardeners
Bushes/ Shrubs	Saru	<i>Thuja orientalis</i>		Nurseries	Non commercial	Ornamental/Landscaping	Respiratory tract infections	Foliage Bush	Floriculturists/Nurserymen/Gardeners
Bushes/ Shrubs	Kaner	<i>Thevetia peruviana</i>		Nurseries	Non commercial	Ornamental/Landscaping	Fevers	Flower most of the year	Floriculturists/Nurserymen/Gardeners
Bushes/ Shrubs	Bottle Brush	<i>Callistemmon spp.</i>		Nurseries	Non commercial	Ornamental/Landscaping	Therapeutic uses	Foliage and flowers	Floriculturists/Nurserymen/Gardeners
Bushes/ shrubs	Bogan Bael	<i>Bouganbhallia</i>		Nurseries	Non commercial	Ornamental/Landscaping	Antidiabetic, antiinflammatory	Multicoloured flowers	Floriculturists/Nurserymen/Gardeners
Bushes/ Shrubs	Golden Duranta	<i>Duranta repens</i>		Nurseries	Non commercial	Ornamental/Landscaping	Beneficial in itching, malaria, asthma etc.	Foliage, Edging	Floriculturists/Nurserymen/Gardeners
Bushes/ Shrubs	Hibiscus	<i>Hibiscus rosasinensis</i>		Nurseries	Non commercial	Ornamental/Landscaping	Used in fever, constipation	Flower throughout the year	Floriculturists/Nurserymen/Gardeners
Bushes/ Shrubs	Motia	<i>Jasminum sambac</i>		Nurseries	Non commercial	Ornamental/Landscaping	Used in Hepatitis, dysentery	Flower throughout the year	Floriculturists/Nurserymen/Gardeners
Herbs Seasonals	Guldopahar	<i>Portulaca Grandiflora</i>		Nurseries	Non commercial	Ornamental/Landscaping	Antioxidant, antibacterial	Summer annual flower	Floriculturists/Nurserymen/Gardeners
Pot Plants	Agave	<i>Agave angustifolia</i>		Nurseries	Non commercial	Ornamental/Landscaping	Traditional medicines	Succulent	Floriculturists/Nurserymen/Gardeners



**Format 14: Timber Plants / Trees**

1	2	3	4	5		6	7	8	9	10
Plant Type	Local Name	Scientific Name	Habitat	Local status		Wild/ home-garden	Other uses (multi)	Associated TK	Other details	Community/ Know. holder
				Past	Present					
Tree	Shisham	<i>Dalbergia sissoo</i>	Sub Tropical	Available	Available	Wild/Garden	Furniture	Wood used for furniture	Unknown	–
Tree	Kimu	<i>Morus serrata</i>	Sub Tropical	Available	Less	Wild/Garden	Furniture	Wood used for furniture	Unknown	–
Tree	Tuni	<i>Cedrela toona</i>	Sub Tropical	Available	Available	Wild/Garden	Furniture	Wood used for furniture	Unknown	–
Tree	Chir	<i>Pinus roxburghii</i>	Sub Tropical	Available	Available	Wild	Furniture	Wood used for making agriculture equipments	Unknown	–
Tree	Beoul	<i>Grewia oppositifolia</i>	Sub Tropical	Available	Available	Wild/Garden	Furniture	Wood used for making agriculture equipments	Unknown	–
Tree	Sagwan	<i>Tectona grandis</i>	Sub Tropical	Available	Available	Wild/Garden	Furniture	Wood used for making agriculture equipments	Unknown	–
Tree	Dhaman	<i>Grewia optiva</i>	Sub Tropical	Available	Available	Wild	Agriculture	Wood used for making agriculture equipments	Unknown	–
Tree	Safeda	<i>Eucalyptus Spp.</i>	Sub Tropical	Available	Available	Wild	Furniture	Wood used for furniture	Unknown	–
Tree	Khair	<i>Acacia catechu</i>	Sub Tropical	Available	Available	Wild	Agriculture	Wood used for making agriculture equipments	Unknown	–

**Format 15: Domesticated Animals**

1	2	3	4	5	6	7		8	9	10	11	12
Animal Type	Local Name	Scientific Name	Breed (local/hybrid)	Features	Method of keeping	Local status		Uses	Associated TK	Commercial rearing	Other details including products and services	Community Know. Holders
						Past	Present					
Cow	Gaay/goo	<i>Bos indicus</i>	Hyrid	High Fertility, High Milk Yield	Domesticated	Available	Available	Milk+ Cow Dung	Highly Nutritious & complete diet	Yes	Nil	Self Observed
			Local	Low Milk Yield , adoptable to local climatic condition					Highly Nutritious	No		
Buffalo	Bhains/ Maain	<i>Bubalus bubalis</i>	Local/ Upgraded	Black in Colour/ Moderate to High Milk yield with High Fat %age	Domesticated	Available	Available	Milk & Dung	Considered more energetic due to High fat %age	Commercial in upgraded , Non commercial in local	Nil	Self Observed
Ox	Bael/Dand	<i>Bos indicus</i>	Local/ Hyrid	Ploughing & Carriage	Domesticated	Available	Available	Ploughing & Carriage	-	No		Self Observed
Dog	Kutta	<i>Cannis lupus familiaris</i>	Local/ Hyrid	Pet	Domesticated & Stray	Available	Available	Guarding & Watching	-	No	Nil	Self Observed
Horse/ Mules/Donkey	Ghoda/ Khachar/Khota	<i>Equus caballus</i>	Local/ Hyrid	-	Domesticated	Available	Available	Carriage & Cart Pulling	-	No	Nil	Self Observed
Buff Bull	Chotta	<i>Bubalus bubalis</i>	Local	-	Domesticated	Rare	Rare	Breeding and ploughing	-	No	Nil	Self Observed
Cat	Billi	<i>Felis catus.</i>	Local	-	Domesticated & Free Roaming	Available	Available	No	-	No	Nil	Self Observed
Poultry	Kukad/Kukdi	<i>Gallus gallus</i>	Local/ Hyrid	-	Domesticated	Available	Available	Meat & Egg Production	-	Yes	Nil	Self Observed

Uses include milk, meat, skin, fur and etc

### Format 16: Culture Fisheries

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local Name	Scientific Name	Variety	Features	Waterscape (pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other details	Community Know. Holders
						Past	Present					
NIL												
Note: Other details include mode of catching fish, time of availability, breeding time, feeds and etc												



**WILD BIODIVERSITY**  
**Format 18: Trees, Shrubs, Herbs, Tubers, Grasses, Climbers etc.**

1	2	3	4	5	6		7	8	9	10	11
Plant Type	Local Name	Scientific Name	Habit	Habitat	Local status		Commercial / own use	Part collected	Associated TK	Other details	Community Knowledge Holder
					Past	Present					
Tree	Amla	<i>Phyllanthus emblica</i>	Tree	Sub - Tropical	Available	Available	Own Use	Fruits	Used in Gastro Problem	Medicinal use	Self observed
Tree	Ber	<i>Ziziphus jujuba</i>	Tree	Sub - Tropical	Available	Available	Own Use	Fruits	Unknown	Medicinal use	Self observed
Tree	Bour	<i>Ficus benghalensis</i>	Tree	Sub - Tropical	Available	Available	Own Use	Fruits	Unknown	Medicinal use	Self observed
Tree	Chilla	<i>Casearia tomentosa</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaf and Wood	Unknown	Medicinal use	Self observed
Tree	Chir	<i>Pinus roxburghii</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Kakoa	<i>Flacourtia indica</i>	Tree	Sub - Tropical	Available	Available	Own Use	Fruits	Unknown	Medicinal use	Self observed
Tree	Daronkal	<i>Murraya koenigii</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves	Unknown	Medicinal use	Self observed
Tree	Dudaya	<i>Wrightia arborea</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves	Unknown	Medicinal use	Self observed
Shrubs	Garna	<i>Carissa spinarum</i>	Shrubs	Sub - Tropical	Available	Available	Own Use	Fruits	Unknown	Medicinal use	Self observed
Tree	Jamun	<i>Syzygium cumini</i>	Tree	Sub - Tropical	Available	Available	Own Use	Fruits/Wood	Used for Diabetes	Medicinal use	Self observed
Tree	kaam	<i>Mitragyna parvifolia</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves and Wood	Used for Diabetes	Medicinal use	Self observed
Tree	Kembal	<i>Lannea coromandelica</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves and Wood	Used for Diabetes	Medicinal use	Self observed
Tree	Kamla	<i>Mallotus philippensis</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves and Wood	Used for Diabetes	Medicinal use	Self observed
Tree	Khair	<i>Acacia catechu</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves and Wood	Used for Diabetes	Medicinal use	Self observed
Tree	Kodh	<i>Aloe barbadensis</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves and Wood	Used for Diabetes	Medicinal use	Self observed
Tree	Krongal	<i>Cassia fistula</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves and Wood	Used for Diabetes	Medicinal use	Self observed

Tree	Lucenia	<i>Leucaena spp.</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves and Wood	Used for Diabetes	Medicinal use	Self observed
Tree	Plah	<i>Butea monosperma</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves and Wood	Used for Diabetes	Medicinal use	Self observed
Tree	Phulai	<i>Acacia modesta</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves and Wood	Used for Diabetes	Medicinal use	Self observed
Tree	Pansara	<i>Wendlandia spp.</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves and Wood	Used for Diabetes	Medicinal use	Self observed
Tree	Reetha	<i>Sapindus mukorossi</i>	Tree	Sub - Tropical	Available	Available	Own Use	Fruits and Wood	Used for Diabetes	Medicinal use	Self observed
Shrubs	Santa	<i>Dodonaea viscosa</i>	Shrubs	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Sarri	<i>Albezzia spp.</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Simbal	<i>Bombax ceiba</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Talli	<i>Dalbergia sisso</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Thub / Dudhruk	<i>Erythrina spp.</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Balugar	<i>Bauhinia vahlii</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Chuindi	<i>Xylosma longifolium</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Doss/sanan	<i>Colebrookea oppositifolia</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Khini	<i>Ficus semicordata</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Kral	<i>Bauhinia variegata</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves/Flowers	Used for Diabetes	Medicinal use	Self observed
Tree	Lana	<i>Ficus hispida</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Dhaman	<i>Grewia optiva</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Charmod	<i>Ehretia spp.</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Badh	<i>Ficus religiosa</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Behra	<i>Terminalia bellirica</i>	Tree	Sub - Tropical	Available	Available	Own Use	Fruits/Wood	Used for Diabetes	Medicinal use	Self observed
Tree	Bilan	<i>Aegle marmelos</i>	Tree	Sub - Tropical	Available	Available	Own Use	Fruits/Wood	Used for Diabetes	Medicinal use	Self observed

Tree	Gandila	<i>Nerium oleander</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Gulmorh	<i>Delonix regia</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Oanni	<i>Lyonia ovalifolia</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Rumble	<i>Ficus racemosa</i>	Tree	Sub - Tropical	Available	Available	Own Use	Fruits/ Wood	Unknown	Medicinal use	Self observed
Tree	Draink	<i>Melia azedarach</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves/Wood	Unknown	Medicinal use	Self observed
Tree	Harad	<i>Terminalia chebula</i>	Tree	Sub - Tropical	Available	Available	Own Use	Fruits/Wood	Unknown	Medicinal use	Self observed
Tree	Amb	<i>Mangifera indica</i>	Tree	Sub - Tropical	Available	Available	Own Use	Fruits/Wood	Unknown	Medicinal use	Self observed
Tree	Soyanjana	<i>Moringa oleifera</i>	Tree	Sub - Tropical	Available	Available	Own Use	Fruits/Wood	Unknown	Medicinal use	Self observed
Tree	Tunnu	<i>Toona ciliata</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Neem	<i>Azadirachta indica</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	Plakh	<i>Ficus virens</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves/Wood	Unknown	Medicinal use	Self observed
Tree	Rehn	<i>Quercus lucotricophora</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	chamar sama	<i>Holoptelea integrifolia</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	lasura	<i>Cordia myxa</i>	Tree	Sub - Tropical	Available	Available	Own Use	Fruits/Wood	Unknown	Medicinal use	Self observed
Tree	kassod	<i>Senna siamea</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Tree	tantary	<i>Oroxylum indicum</i>	Tree	Sub - Tropical	Available	Available	Own Use	Wood	Unknown	Medicinal use	Self observed
Shrubs	BRANKED	<i>Justicia adhatoda</i>	Shrubs	Sub - Tropical	Available	Available	Own Use	Leaves	Unknown	Medicinal use	Self observed
Tree	KHAR	<i>Saccharum bengalense</i>	Tree	Sub - Tropical	Available	Available	Own Use	Leaves	Unknown	Medicinal use	Self observed
Tree	Imli	<i>Tamarandis indica</i>	Tree	Sub - Tropical	Available	Available	Own Use	Fruits	Unknown	Medicinal use	Self observed

### Format 19: Wild Plant Species of Importance

1	2	3	4	5	6
Sl. No.	Local Name	Scientific Name	Variety	Importance (as economic, social, cultural etc.)	Status
1	Rati	<i>Abrus precatorius</i>	Wild	Social and Economic	Available
2	Khair	<i>Acacia catechu</i>	Wild	Social and Economic	Available
3	Exotic acacia	<i>Acacia farnesiana</i>	Wild	Social and Economic	Available
4	Phulai or Fly	<i>Acacia modesta</i>	Wild	Social and Economic	Available
5	Kikar	<i>Acacia nilotica</i>	Wild	Social and Economic	Available
6	Parkanda	<i>Achyranthes aspera</i>	Wild	Social and Economic	Available
7	Bel	<i>Aegle marmelos</i>	Wild	Social and Economic	Available
8	Nuriya	<i>Aerva sanguinolenta</i>	Wild	Social and Economic	Available
9	Ramban	<i>Agave americana</i>	Wild	Social and Economic	Available
10	Kala Siris	<i>Albizia lebbeck</i>	Wild	Social and Economic	Available
11	Kramblu	<i>Albizia odoratissima</i>	Wild	Social and Economic	Available
12	Safed siris	<i>Albizzia procera</i>	Wild	Social and Economic	Available
13	Kwad Gandal	<i>Aloe barbadensis</i>	Wild	Social and Economic	Available
14	Chaleri Saag	<i>Amaranthus viridis</i>	Wild	Social and Economic	Available
15	Seski	<i>Artemisia parviflora</i>	Wild	Social and Economic	Available
16	Kathal	<i>Artocarpus heterophyllus</i>	Wild	Social and Economic	Available
17	Nad	<i>Arundo donax</i>	Wild	Social and Economic	Available
18	Neem	<i>Azadirachta indica</i>	Wild	Social and Economic	Available
19	Bamboo	<i>Bambusa bambos</i>	Wild	Social and Economic	Available
20	Bamboo	<i>Bambusa nutans</i>	Wild	Social and Economic	Available
21	Kachnar	<i>Bauhinia purpurea</i>	Wild	Social and Economic	Available



22	Baloonger	<i>Bauhinia vahlii</i>	Wild	Social and Economic	Available
23	Kachnar	<i>Bauhinia variegata</i>	Wild	Social and Economic	Available
24	Simbal	<i>Bombax ceiba</i>	Wild	Social and Economic	Available
25	Jungli toot	<i>Broussonetia papyrifera</i>	Wild	Social and Economic	Available
26	Plaah	<i>Butea monosperma</i>	Wild	Social and Economic	Available
27	Bhang	<i>Cannabis sativa</i>	Wild	Social and Economic	Available
28	Chilla	<i>Casearia tomentosa</i>	Wild	Social and Economic	Available
29	Krangal	<i>Cassia fistula</i>	Wild	Social and Economic	Available
30	Mainphal	<i>Catunaregum spinosa</i>	Wild	Social and Economic	Available
31	Aajan Grass	<i>Cenchrus ciliaris</i>	Wild	Social and Economic	Available
32	Brahmi buti	<i>Centella asiatica</i>	Wild	Social and Economic	Available
33	Karun	<i>Chenopodium murale</i>	Wild	Social and Economic	Available
34	Khas Khas	<i>Chrysopogon zizanoides</i>	Wild	Social and Economic	Available
35	Kapoor	<i>Cinnamomum camphora</i>	Wild	Social and Economic	Available
36	Bhus	<i>Cirsium arvense</i>	Wild	Social and Economic	Available
37	Sanali or Dussa	<i>Colebrookea oppositifolia</i>	Wild	Social and Economic	Available
38	Barna	<i>Crateva religiosa</i>	Wild	Social and Economic	Available
39	Amar Bel	<i>Cuscuta reflexa</i>	Wild	Social and Economic	Available
40	Shudri	<i>Cynoglossum lanceolatum</i>	Wild	Social and Economic	Available
41	Deela	<i>Cyperus rotundus</i>	Wild	Social and Economic	Available
42	Tali	<i>Dalbergia sissoo</i>	Wild	Social and Economic	Available
43	Dhatura	<i>Datura stramonium</i>	Wild	Social and Economic	Available
44	Baans	<i>Dendrocalamus strictus</i>	Wild	Social and Economic	Available
45	Palain	<i>Dichanthium annulatum</i>	Wild	Social and Economic	Available
46	Kalu grass	<i>Dicliptera bupleuroides</i>	Wild	Social and Economic	Available
47	Sadhun	<i>Dioscorea melanophyma</i>	Wild	Social and Economic	Available
48	Santha	<i>Dodonaea viscosa</i>	Wild	Social and Economic	Available

49	Duranta	<i>Duranta erecta</i>	Wild	Social and Economic	Available
50	Chamror	<i>Ehretia acuminata</i>	Wild	Social and Economic	Available
51	Chamror	<i>Ehretia laevis</i>	Wild	Social and Economic	Available
52	Dhol Dhak	<i>Erythrina suberosa</i>	Wild	Social and Economic	Available
53	Pangara	<i>Erythrina variegata</i>	Wild	Social and Economic	Available
54	Safeda	<i>Eucalyptus camaldulensis</i>	Wild	Social and Economic	Available
55	Hybrid safeda	<i>Eucalyptus tereticornis</i>	Wild	Social and Economic	Available
56	Bubbeain	<i>Eulaliopsis binata</i>	Wild	Social and Economic	Available
57	Thor	<i>Euphorbia royleana</i>	Wild	Social and Economic	Available
58	Trimbal	<i>Ficus auriculata</i>	Wild	Social and Economic	Available
59	Bohr	<i>Ficus benghalensis</i>	Wild	Social and Economic	Available
60	Fagora	<i>Ficus palmata</i>	Wild	Social and Economic	Available
61	Rumble	<i>Ficus racemosa</i>	Wild	Social and Economic	Available
62	Badh or Pipal	<i>Ficus religiosa</i>	Wild	Social and Economic	Available
63	Kakoa	<i>Flacourtia indica</i>	Wild	Social and Economic	Available
64	Kanphuta	<i>Flemingia chappar</i>	Wild	Social and Economic	Available
65	Bhattani	<i>Gomphrena celosioides</i>	Wild	Social and Economic	Available
66	Dhaman	<i>Grewia optiva</i>	Wild	Social and Economic	Available
67	Lamb grass	<i>Heteropogon contortus</i>	Wild	Social and Economic	Available
68	Aakh	<i>Ipomoea carnea</i>	Wild	Social and Economic	Available
69	Kharpoway	<i>Ipomoea purpurea</i>	Wild	Social and Economic	Available
70	Chameli	<i>Jasminum officinale</i>	Wild	Social and Economic	Available
71	Ratanjot	<i>Jatropha curcas</i>	Wild	Social and Economic	Available
72	Brenker	<i>Justicia adhatoda</i>	Wild	Social and Economic	Available
73	Kemba	<i>Lannea coromandelica</i>	Wild	Social and Economic	Available
74	Panjphuli	<i>Lantana camara</i>	Wild	Social and Economic	Available
75	Mithu grass	<i>Lathyrus sativus</i>	Wild	Social and Economic	Available

76	Kamila	<i>Mallotus philippensis</i>	Wild	Social and Economic	Available
77	Baryar	<i>Malvastrum coromandelianum</i>	Wild	Social and Economic	Available
78	Aam	<i>Mangifera indica</i>	Wild	Social and Economic	Available
79	Drehnk	<i>Melia azedarach</i>	Wild	Social and Economic	Available
80	Kaam	<i>Mitragyna parvifolia</i>	Wild	Social and Economic	Available
81	Toot	<i>Morus alba</i>	Wild	Social and Economic	Available
82	Drenkeri	<i>Murraya koenigii</i>	Wild	Social and Economic	Available
83	Gandila	<i>Nerium oleander</i>	Wild	Social and Economic	Available
84	Kua	<i>Olea europaea</i> subsp.	Wild	Social and Economic	Available
85		<i>cuspidata</i>	Wild	Social and Economic	Available
86	Chhitter	<i>Opuntia elatior</i>	Wild	Social and Economic	Available
87	Tetar	<i>Oroxylum indicum</i>	Wild	Social and Economic	Available
88	Congress Grass or Jari	<i>Parthenium hysterophorus</i>	Wild	Social and Economic	Available
89	Deena nath grass	<i>Pennisetum pedicellatum</i>	Wild	Social and Economic	Available
90	Napier grass	<i>Pennisetum purpureum</i>	Wild	Social and Economic	Available
91	Khajoor	<i>Phoenix sylvestris</i>	Wild	Social and Economic	Available
92	Amla	<i>Phyllanthus emblica</i>	Wild	Social and Economic	Available
93	Chir	<i>Pinus roxburghii</i>	Wild	Social and Economic	Available
94	Daduni	<i>Punica granatum</i>	Wild	Social and Economic	Available
95	Jojra	<i>Pupalia lappacea</i>	Wild	Social and Economic	Available
96	Basant panchami	<i>Reinwardtia indica</i>	Wild	Social and Economic	Available
97	Arnid	<i>Ricinus communis</i>	Wild	Social and Economic	Available
98	Junglee Palak	<i>Rumex hastatus</i>	Wild	Social and Economic	Available
99	Khar	<i>Saccharum bengalense</i>	Wild	Social and Economic	Available
100	Kai	<i>Saccharum spontaneum</i>	Wild	Social and Economic	Available
101	Reetha	<i>Sapindus mukorossi</i>	Wild	Social and Economic	Available
102	Bari kasondi	<i>Senna occidentalis</i>	Wild	Social and Economic	Available

103	Kassod	<i>Senna siamea</i>	Wild	Social and Economic	Available
104	Cassia	<i>Senna sulfurea</i>	Wild	Social and Economic	Available
105	Panwar	<i>Senna tora</i>	Wild	Social and Economic	Available
106	Kezun grass	<i>Setaria sphacelata</i>	Wild	Social and Economic	Available
107	Kayan Kothi	<i>Solanum americanum</i>	Wild	Social and Economic	Available
108	Ban tamakoo	<i>Solanum erianthum</i>	Wild	Social and Economic	Available
109	Jamun	<i>Syzygium cumini</i>	Wild	Social and Economic	Available
110	Imli	<i>Tamarindus indica</i>	Wild	Social and Economic	Available
111	Phul dudi	<i>Tarxacum campylodes</i>	Wild	Social and Economic	Available
112	Arjun	<i>Terminalia arjuna</i>	Wild	Social and Economic	Available
113	Bahera	<i>Terminalia bellirica</i>	Wild	Social and Economic	Available
114	Harar	<i>Terminalia chebula</i>	Wild	Social and Economic	Available
115	Giloe	<i>Tinospora sinensis</i>	Wild	Social and Economic	Available
116	Tunu	<i>Toona ciliata</i>	Wild	Social and Economic	Available
117	Jiyo	<i>Trema orientalis</i>	Wild	Social and Economic	Available
118	Pakhra	<i>Tribulus terrestris</i>	Wild	Social and Economic	Available
119	Kayalu	<i>Tulipa clusiana</i>	Wild	Social and Economic	Available
120	Bachita	<i>Urena lobata</i>	Wild	Social and Economic	Available
121	Bana	<i>Vitex negundo</i>	Wild	Social and Economic	Available
122	Pansar	<i>Wendlandia exserta</i>	Wild	Social and Economic	Available
123	Dhain	<i>Woodfordia floribunda</i>	Wild	Social and Economic	Available
124	Dhain	<i>Woodfordia fruticosa</i>	Wild	Social and Economic	Available
125	Dudhi	<i>Wrightia arborea</i>	Wild	Social and Economic	Available
126	Jojera	<i>Xanthium strumarium</i>	Wild	Social and Economic	Available
127	Timbru	<i>Zanthoxylum armatum</i>	Wild	Social and Economic	Available
128	Ber	<i>Ziziphus jujuba</i>	Wild	Social and Economic	Available

### Format 20: Aquatic Biodiversity

1	2	3	4	5	6		7	8	9	10
Local Name	Scientific Name	Variety	Features	Habitat	Local Status		Uses	Associated TK	Other details	Community/ Knowledge Holder
					Past	Present				
<i>Akk</i>	<i>Ipomea carnea</i>	<i>Shurb</i>		<i>Stream &amp; ponds</i>	<i>Available</i>	<i>Available</i>	<i>NA</i>	<i>NA</i>	<i>NA</i>	<i>Self observed</i>
<i>Hygrilla</i>	<i>Hydrilla spp</i>	<i>Grass</i>		<i>Stream &amp; stable water</i>	<i>Available</i>	<i>Available</i>	<i>NA</i>	<i>NA</i>	<i>NA</i>	<i>Self observed</i>
<i>Fish</i>	<i>Tor</i>	<i>Animal</i>		<i>Stream</i>	<i>Available</i>	<i>Available</i>	<i>NA</i>	<i>NA</i>	<i>NA</i>	<i>Self observed</i>
<i>Frog</i>	<i>Rana temporaria</i>	<i>Animal</i>		<i>Stream</i>	<i>Available</i>	<i>Available</i>	<i>NA</i>	<i>NA</i>	<i>NA</i>	<i>Self observed</i>
<i>Dinnu</i>		<i>wild</i>		<i>Stream</i>	<i>Available</i>	<i>Available</i>	<i>No use</i>	<i>Unknown</i>	<i>Unknown</i>	<i>Self observed</i>
<i>Sarkad</i>		<i>Wild</i>		<i>Stream</i>	<i>Available</i>	<i>Available</i>	<i>For eating</i>	<i>Unknown</i>	<i>Unknown</i>	<i>Self observed</i>
<i>Lotus</i>	<i>Nelumbo nucifera</i>	<i>soft plant</i>		<i>Ponds</i>	<i>Available</i>	<i>Available</i>	<i>Worship</i>	<i>Unknown</i>	<i>Unknown</i>	<i>Self observed</i>

Other details may include mode of catching fish, time of availability, breeding time, etc

**Format 21: Wild Aquatic Plant Species of Importance**

1	2	3	4	5	6
Sl. No.	Local Name	Scientific Name	Variety	Importance	Trends
1	Kamal	<i>Nelumbo nucifera</i>	local	Worshipping	unknown
2	Aak	<i>Calotropis gogantea</i>	local	None	unknown
3	Hydrilla	<i>Hydrilla verticillata</i>	local	None	unknown

### Format 22: Wild Plants of Medicinal Importance

1	2	3	4	5	6		7	8	9	10	11
Plant (Herb, Shrub, Tree)	Local Name	Scientific Name	Variety	Landscape / Habitat	Local Status		Associated TK	Uses (usage)	Part used	Other details market/ own use	Community/ Knowledge Holder
					Past	Present					
Tree	Khair	<i>Acacia catechu</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Phulai or Fly	<i>Acacia modesta</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Kikar	<i>Acacia nilotica</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Parkanda	<i>Achyranthes aspera</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Bel	<i>Aegle marmelos</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Kramblu	<i>Albizia odoratissima</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Neem	<i>Azadirachta indica</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Simbal	<i>Bombax ceiba</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Shrubs	Bhang	<i>Cannabis sativa</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Shrubs	Garna	<i>Carissa spinarum</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Krangal	<i>Cassia fistula</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Herbs	Brahmi buti	<i>Centella asiatica</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Herbs	Khas Khas	<i>Chrysopogon zizanoides</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	

Tree	Kapoor	<i>Cinnamomum camphora</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Fagora	<i>Ficus palmata</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Rumble	<i>Ficus racemosa</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Toot	<i>Morus alba</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Shrubs	Drenkeri	<i>Murraya koenigii</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Khajoor	<i>Phoenix sylvestris</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Amla	<i>Phyllanthus emblica</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Reetha	<i>Sapindus mukorossi</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Jamun	<i>Syzygium cumini</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Imli	<i>Tamarindus indica</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Arjun	<i>Terminalia arjuna</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Bahera	<i>Terminalia bellirica</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Tree	Harar	<i>Terminalia chebula</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	
Climber	Giloe	<i>Tinospora sinensis</i>	Wild	Sub-tropical	Available	Available	Medical Use	Medical Use	Leaves Flowers	NA	



**Format 23: Wild relatives of Crops**

1	2	3	4	5		6	7	8	9	10
Local Name	Scientific Name	Associated crop	Landscape / Habitat	Local Status		Uses (usage)	Part Used	Associated TK	Other details	Community / Know holder
				Past	Present					
Panjfulli	<i>Lantana camara</i>	_	Sub-tropical	Available	Available	Medical	leaves	_	_	_
Congress Jadi	<i>Parthenium</i>	_	Sub-tropical	Available	Available	Medical	leaves	_	_	_
Chaleri Saag	<i>Amaranthus viridis</i>	Saag	Sub-tropical	Available	Available	Edible	Leaves	Unknown	unknown	Self addressed
Jangli Putna	<i>Mentha arvensis</i>	Putna	Sub-tropical	Available	Available	To cure stomach ache	Leaves	Unknown	unknown	self addressed
Jangli Palak	<i>Rumex dentatus</i>	Palak	Sub-tropical	Available	Available	Edible	Leaves	Unknown	unknown	Self addressed

Note: Other details may include 'function as a substitute plant' in the absence of a particular plant

**Format 24: Ornamental Plants**

1	2	3	4	5	6	7	8
Local Name	Scientific Name	Variety	Habitat	Commercial / Non-commercial Uses	Associated TK	Any other Detail	Community/ Knowledge Holder
kringal	<i>Casia fistula</i>	Tree	Sub Tropical	Non-Commercial	N.A	N.A	Self observed
Gandera	<i>Nerium oleander</i>	Tree	Sub Tropical	Non-Commercial	N.A	N.A	Self observed
Badah	<i>Salix alba</i>	Tree	Sub Tropical	Non-Commercial	N.A	N.A	Self observed
karal	<i>Bauhinia variegata</i>	Tree	Sub Tropical	Non-Commercial	N.A	N.A	Self observed
Tulsi	<i>Ocimum tenuiflorum</i>	Local	Sub tropical	Non-commercial	Garden	Unavailable	Self observed
Cactus	<i>Cactaceae</i>	Local	Sub tropical	Non-commercial	Garden	Unavailable	Self observed
Aloevera	<i>Aloe barbadensis miller</i>	Local	Sub tropical	Non-commercial	Garden	Unavailable	Self observed
Ashoka	<i>Saraca asoca</i>	Local	Sub tropical	Non-commercial	Garden	Unavailable	Self observed
Bottle brush	<i>Callistemon Lanceolatus</i>	Local	Sub tropical	Non-commercial	Garden	Unavailable	Self observed

**Format 25: Fumigate / Chewing Plants**

1	2	3	4	5	6		7	8	9	10	11
Plant (Herb, Shrub, Tree)	Local Name	Scientific Name	Variety	Habitat	Local Status		Uses (usage)	Part used	Associated TK	Other details (mode of use)	Community knowledge holder
					Past	Present					
Tree	Amrood	<i>Psidium guajava</i>	Local	Sub tropical	Available	Available	Oral health care	leaves, branches	unknown	fruit	self observed
Shrub	Bana	<i>Vitex negundo</i>	Local	Sub tropical	Available	Available	Oral health care	branches	unknown	leaves have medicinal value	self observed
Tree	Shisham	<i>Dalbergia sissoo</i>	Local	Sub tropical	Available	Available	Oral health care	branches	unknown	furniture wood	self observed
Tree	Neem	<i>Azadirachta indica</i>	Local	Sub tropical	Available	Available	Oral health care	branches	unknown	leaves have medicinal value	self observed
Shrub	Peach	<i>Prunus persica</i>	Local	Sub tropical	Available	Available	Oral health care	leaves, branches	unknown	fruit	self observed
Climber	Giloy	<i>Tinospora sinensis</i>	Local	Sub tropical	Available	Available	Oral health care	stem	unknown	unknown	self observed
Shrub	Drenkari	<i>Murraya koenigii</i>	Local	Sub tropical	Available	Available	Oral health care	branches	unknown	unknown	self observed
Tree	Khajoor	<i>Phoenix sylvestris</i>	Local	Sub tropical	Available	Available	Oral health care	branches	unknown	fruits	self observed
Shurb	Garna	<i>Carissa spinarum</i>	Tree	Sub Tropical	Available	Available	Medical	Leaves, Flowers	Medical	NA	
Shurb	Brahmi buti	<i>Centella asiatica</i>	Tree	Sub Tropical	Available	Available	Medical	Leaves, Flowers	Medical	NA	







**Format 28: Wild Animals (Mammals, Birds, Reptiles, Amphibia, Insects, others)**

1	2	3	4	5	6	7		8	9	10	11	12
Animal Type	Local Name	Scientific Name	Habitat	Description	Season when seen	Local Status		Uses (if any)	Associated TK	Mode of Hunting, collecting (if any)	Other details	Community/ Knowledge Holder
						Past	Present					
Mammals	Chitra	<i>Panthera pardus</i>	Jungle	All seasons	available	available	Unknown	Unknown	Unknown	Nil	self observed	
Mammals	Jungali Billi	<i>Felis chaus</i>	Jungle	All seasons	available	available	Unknown	Unknown	Unknown	Nil	self observed	
Mammals	Mongoose	<i>Herpsters aurpunctatus</i>	Jungle	All seasons	available	available	Unknown	Unknown	Unknown	Nil	self observed	
Mammals	Indian Fox	<i>Vulpes bengalensis</i>	Jungle	All seasons	available	available	Unknown	Unknown	Unknown	Nil	self observed	
Mammals	Five Stripped Palm Squirrel	<i>Funambulus penanti</i>	Jungle	All seasons	available	available	Unknown	Unknown	Unknown	Nil	self observed	
Mammals	Field Mouse	<i>Mus boodnga</i>	Jungle	All seasons	available	available	Unknown	Unknown	Unknown	Nil	self observed	
Mammals	Indian Porcupine (sahi)	<i>Hustrix indica</i>	Jungle	All seasons	available	available	Unknown	Unknown	Unknown	Nil	self observed	
Mammals	Musk Deer (Kastura)	<i>Mosculus moschiferus</i>	Jungle	All seasons	available	available	Unknown	Unknown	Unknown	Nil	self observed	
Mammals	Leopard	<i>Panthera pardus</i>	Jungle	All seasons	available	available	Unknown	Unknown	Unknown	Nil	self observed	
Reptiles	Snake	<i>Serpentes</i>	jungle	All seasons	available	available	Unknown	Unknown	Unknown	Nil	self observed	
Mammals	Squirrel	<i>Sciuridae</i>	jungle	All seasons	available	available	Unknown	Unknown	Unknown	Nil	self observed	

Mammals	Wild boar	<i>Sus scrofa</i>	jungle	All seasons	available	available	Unknown	Unknown	Unknown	Null	self observed	
Mammals	Porcupine	<i>Erethizon deosatun</i>	jungle	All seasons	available	available	Unknown	Unknown	Unknown	Null	self observed	
Mammals	Fox	<i>Vulpes vulpes</i>	Jungle	All seasons	available	available	Unknown	Unknown	Unknown	Null	self observed	
Birds	Jungle fowl	<i>Gallus</i>	jungle	All seasons	available	available	Unknown	Unknown	Unknown	Null	self observed	
Amphibian	Frog	<i>Anura</i>	jungle	Monsoon	available	available	Unknown	Unknown	Unknown	Null	self observed	
Birds	Grey francolin	<i>Francolinus pondicerianus</i>	jungle	All seasons	available	available	Unknown	Unknown	Unknown	Null	self observed	



**Format 29: Flora (Urban Biodiversity)**

1	2	3	4	5	6	7
Sr. No.	Local Name	Scientific Name	Type of Plants	Habitat	Flowering Season	Remarks (Rare / Common etc.)

**Note:** Separate format should be used for road side plantation / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

**Format 30: Fauna**

1	2	3	4	5	6
Sr. No.	Local Name	Scientific Name	Type of Animals (Mammals / Birds / Fish / Insect etc.)	Habitat	Remarks (Rare / Common etc.)

**Note:** Separate format should be used for road side plantation - habitat / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

**Format 31: Any other information of local importance**

<b>1</b>	<b>2</b>	<b>3</b>
<b>Sr. No.</b>	<b>Information of local importance</b>	<b>Remarks</b>
	Nil	

*End of Part II*