Peoples' Biodiversity R	Register (PBR): General Details
Name of the Panchayat Samity:	Mooni
Taluk:	
District: Kathua	
State: J&K (ut)	
Geographical Area of the Panch	ayat Samity:
Population under the Panchayat	Samity: Total 3600
Male :- 1870	Female :- 1730
Habitat and Topography:	
	and other weather patterns) Land Use (Nine fold classification available with d Year of PBR preparation:31-08-2019
Management Regime: Reserve F Community Owned and Manage	Forests (RF) / Joint Forest Management (JFM) / Protected Areas(PA) / ed Forests (COM)

Annexure 1
Details of Biodiversity Management Committee (BMC) of the panchayat (One elected Chairperson and six (PA) / Community Owned and Managed Forests (COM) persons nominated by the local body; not less than one third to be women and not less than 18% belonging to SC/ST)
1) Name of the Chairperson: Ashok Kumar
Age: 50
Gender: Male Address: R/O- Mooni, w.no-5
Area of specialization: Bussiness man
2) Name: Smt. Latita Devi
Age:46
Gender: FeMale Address: R/o-Mooni,w.no-5
Area of specialization:Housewife
3. Name: Baby Gupta
Age: 50 Gender:Female
Address:R/o- Mooni, W.no.1
Area of specialization: Housewife
4. Name: Parveen Kumar
Age:42 Gender: FeMale Address:R/o-Mooni, W.No-2
Area of specialization: Farmer
5. Name: Subash Chander
Age 54
Gender:Male
Address:R/o- Mooni ,W.no-4
Area of specialization:Farmer & Businessmen
6) . Name :- Sh Mohinder Kumar Age : - 45
Gender: male
Address:R/o- Mooni ,W.No.8, Area of specialization :- Farmer
7) Name:-Ajeet Kumar (Secretary) Age:45
Gender: Male
Address:R/o-Mooni , W.No-7, Area of specialization: Farmer & Bussinessmen
8) Name:- Rekha Devi Age:45
Gender: Male

Address:R/o-Mooni, W.No-5, Area of specialization:

Annexure-2
List of Vaids, hakims and traditional health care (Human and livestock) practitioners residing and or using biological resources occurring within the jurisdiction of the village
1) Name:
Age:
GENDER:
Address:
Area of specialization:
Location from which the person accesses biological material: local/non local
Perception of the practitioner on the resource status:less local resources availble
Medicinal Use:

Annexure 3
List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in agriculture, fisheries, and foresty
1) Name:
Age:
Gender:
Address:
Area of specialization:Agriculture
2) Name :
Age:
Gender:
Address:
Area of specialization:
3) Name of the Chairperson:
Age:
Gender:
Address:
Area of specialization:
4) Name of the Chairperson:
Age:
Gender:
Address:
Area of specialization:

Annexure 4									
Details of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals involved in the preparation of the PBR									
Contact Person:									
Name and Address:									
2) Contact Person:									
Name and Address:									
3) Contact Person:									
Name and Address:									
4) Contact Person:									
Name and Address:									
You may add names of more institutions/NGO/Individuals etc, if necessary									

Annexure 5

Detail of access to biological resources and traditional knowledge granted, details of the collection fee imposed and details of the benefit derived and the mode of their sharing

S.no	Name and address of the Person/Institute/company others	Local and Scientific Name of the biological material Accessed and quantity	Date and resolution of the BMC and endorsement by the Panchayat	Detail of collection fee imposed	Anticipated mode of sharing benefits or quantum of benefits shared

Part II PBR – Formats AGROBIODIVERSITY Format 1: Crop Plants

1	2	3	4	5	6	7	7		9	10	11	12		14
Crop	Scientific Name	Local Name	Variety	Landscape/ Habitat	Approx. area shown	Local S	tatus	Special features	Crop ping season	Uses	Associated TK	Other details	Source of Seeds/Pl ants	Commu nity/ Knowled ge Holder
						Past							ants	Trotuci
	Oryza sativa	Dhan, Munji	PAC 807	Suitable for Sub Tropical areas . Matures approx. 95-100 days, 110- cm		Abundant	Abundant	Dwarf High Yielding variety	June -	Food Fodder		Suitable for Cultivation in Low land , Mid HillsAreas, Hot & Humid Climate	Agri. Deptt.	
Rice	Oryza sativa	Dhan, Munji	Jaya	Plant hight 140- 145 cm	100 Hoc	Abundant	Abundant	Dwarf High Yielding variety	June -	Food Fodder			Agri. Deptt.	
	Oryza sativa	Dhan, Munji	PHV 71	Plant Height 110- 115 cm 115 -120 Days approx.		Abundant	Abundant	Dwarf High Yielding variety	June -	Food Fodder			Agri. Deptt.	
	Oryza sativa	Dhan, Munji	sarwati	160-165 cm 80- 90 Days		Abundant	Rare	Tall in height , sweet in taste , High starch Content	June -	Food Fodder	Mor e Nut ritiv e Val ue	Suitable of Plain & Mid Hills	Local	Pahari commu nity

WI	Triticum aestivum	Kanak	HD- 2967	150-155 cm	Total- 200	Abundant	Abundant	Dwarf High Yielding variety	Nov-	Food Fodder	Suitable of Plain & Mid Hills	Agri. Deptt.	
Wheat	Triticum aestivum	Kanak	Raj - 3077	135-140 cm	Нос	Abundant	Abundant	Dwarf High Yielding variety	Nov-	Food Fodder	Suitable of Plain & Mid Hills	Agri. Deptt.	
	Triticum aestivum	Kanak	Raj- 3765	125-130 cm		Abundant	Abundant	Dwarf High Yielding variety	Nov-	Food Fodder	Suitable of Plain & Mid Hills	Agri. Deptt.	
	Zea mays	Makk, kukri, challi, Buhtta, jobawr	Ganga Safed - 2 Pro agro 4794 (w)	White grain Hyb. Suitable for Sub- tropical. Mauturees in 95- 100 days		Abundant	Abundant	Hight yeilding Varity	June-	Food Fodder	Suitable of Plain & Mid Hills	Agri. Deptt.	
Maize	Zea mays	Makk, kukri, challi, Buhtta, jabawr	Vijay Double Dekalb (Y)	Composite Maize Yellow grain variety High Yielding Vaiety suitable for Mid Hills	100 Нос	Abundant	Abundant	High yeilding Varity	June-	Food Fodder	Suitable of Plain & Mid Hills	Agri. Deptt.	
Til	Seasamu m indicum	til	Punjab til -1	White seed Variety . Matures in 80- 85 days . Plant hight 1.3-1.6 mtr.	1 Hoc	Abundant	Abundant	High yeilding Varity	June-	Oil,	Suitable of Plain & Mid Hills	Agri. Deptt.	

Pulses (Mash)	Vigna mungo	Maa/ Mash	T-9 Ultra Pu-31	Matures in 85- 90 days. Suitable for plain & Mid hills	20 Hoc	Abundant	Abundant	High yeilding Varity	June-	Food	hig ht Prot ein cont ents	Suitable of Plain & Mid Hills	Agri. Deptt.	
Okra	Abelmosc hus esculentu s Moench	Bhindi	Pusa A-4, Versha Nemo	Dark green andfruit size 12-15 cm long	1 Нос	Abundant	Abundant	High yield Variety , tolerant to YVM and aphids, First picking starts in 45 days	Feb- Marc h June- July (rainy seaso n	Food		Suitable of Plain & Mid Hills	Agri. Deptt.	
Tomato	Solanum lycopersi cum	Tamatar,	Kashi (DVRT -2) Punjab Chhura , Sonali	Plant are Green, Fruit are red, spherical medium to large sized	0.5 Hoc	Abundant	Abundant	First harvest at 70- 75 days after transplanting . Resistant to TLCV.	Trans planti ng Jan to Mid Feb	Food	Res ista nt to TL CV.	Suitable of Plain & Mid Hills	Agri. Deptt.	
Knol khol	Brassica oleracea	Kadam	Purple Vienna	Cool & moist climate	0.5 Hoc	Abundant	Abundant	Matures in 70- 75 days.Knobs are purplish & fleshy greenish white.	mainl y as a winte r crop.	As vegetable pickles.	Ric h in fibr	For early crop sandy or sandy loam soils & for late crop clay loam &silty soils are preffered.	Agri. Deptt.	
Black Mustard	Brassica nigra					Abundant	Abundant						Agri. Deptt.	
Lady finger	Abelmoschus esculentus	Bhindi				Abundant	Abundant						Agri. Deptt.	
Potato	Solanum tuberosum	Aloo				Rare	Rare						Agri. Deptt.	
Peas	Pisum sativum	Mattar				Rare	Rare						Agri. Deptt.	

Onion	Allium cepa	Payaaz, Gande		Rare	Rare			Agri. Deptt.	
Ginger	Zingiber officinale	Adrak		Rare	Rare			Agri. Deptt.	
Radish	Raphanus sativus	Muli		Abundant	Abundant			Agri. Deptt.	
Turmeric	Curcuma longa	Haldi		Rare	Rare			Agri. Deptt.	
Fennel	Foeniculum vulgare	Saunf		Rare	Rare			Agri. Deptt.	
Ajwain	Trachyspermum ammi			Rare	Rare			Agri. Deptt.	
Bitter Gourd	Momordica charantia	Karela		Rare	Rare			Agri. Deptt.	
Pumpkin	Cucurbita pepo	Kadun		Abundant	Abundant			Agri. Deptt.	
Brinjal	Solanum melongena	Wangun		Abundant	Abundant			Agri. Deptt.	
Garlic	Allium sativum	Thoom, Lehsun		Rare	Rare			Agri. Deptt.	
Cauliflowr	Brassica oleracea var. botrytis	Gobi		Rare	Rare			Agri. Deptt.	

	Format 2: Fruit Plants Local Status													
	Scientific			Landscape /	Local	l Status		Season of	Associated		Other details	Community /		
Plant	Name	Local Name	Variety	Habitat	Past	Present	Source of Seeds/Pla	Fruiting	TK	Uses	market / own use	Knowledge holder		
			Desi											
	Mongifera	. [Malta											
Mango	Mongifera Indica	Aam	Choya											
			Malika											
			Na-7											
	PHyllenthus		barnari											
Amla	ambica	Amla	NA-6	Cultivayed				Spring						
			Na-10&	land			Govt./Pvt Source	Spring Session						
			Local											
	Citrus limon	Nimbus												
	Citrus pseudolimon	Galgal								As fresh Use	Own use			
Citrus	Citrus limetta	Masami												
	Citrus × sinensis	Orange												
Banana	Musa paradisia	Kela												
Guava	Psidium guajava	Amrood												
Peach	Prunus persica	Aadu												

							_	_
Mulberry	Morus alba	Toot						
Mulberry	Morus aiba	Toot						

				Form	at 3: Fodde	er Crops / S	pecies			
1	2	3	4		5	6	7	8	9	10
	Scientific	Local	Landscape /	Loca	l Status	Source of	Associated	Part		Community /
Plant	Name	Name	Habitat	Past	Present	Plants / Seeds		Used	Other details	Knowledge holder
Sorghum	Sorghum bicolor	Jowar	Warm climate crop	Plenty	Plenty	Agri. Deptt.	It has resistance to desiccation and tolerate to water logging condition .	Part used whole plant	Soil with clay loam texture having good water retention capcity are best suitable for its cultivation	
Berssem Mascavi	Trifolium alexandrinum	Beerseen	winter forage.	Plenty	Plenty	Agri. Deptt.	It is reich in Calicum and phophorus	Part used whole plant. Repeated cuts can be taken.	Improves phyical condion of soil . It can be grown in all types of soil expect very light sandy soil	
Joi	Hordeum vulgare			Rare	Rare					
Cherri				Abundant	Abundant					
Bajra	Pennisetum glaucum			Rare	Rare					
Dhaman	Grewia optiva			Abundant	Abundant					
Lusini				Abundant	Abundant					
Toot	Morus alba			Abundant	Abundant					
Draink	Melia azedarach			Rare	Rare					
Rumbal	Ficus racemosa			Abundant	Abundant					

Other details include fodder for which animal, special features, medicinal uses if any, seasons of availability, propagation methods, collecting from wild or cultivated etc.

					Format	4: Weeds	S					
1	2	3	4	5	6		7	8	9	10	11	12
					Landscape /	Loca	l Status	Uses if		Associated	Other details	Community /
Plant	Scientific Name	Local Name	Affected crop	Impact	Habitat	Past	Present	any	Management options	TK	like exotic	Knowledge holder
Bathua	Chenopodium sp	Baathu	Wheat	Broad leaf and consumed the nutrients of the plants and reduces the production	Germination in the field after 20 days	Plenty	Plenty	Nil	1.Use of weedicide		Hady and wider adoptability, multiply very fast	
Sitti	Phalaris minor	Sitti, Gehoon ka mama, Gulli Danda	Wheat	Compete with nutritions, light and space with wheat crop and reduces the productionNarrow Leav Weed	Grows with Wheat crop	Plenty	Plenty	Nil	1. Use of Weedicides metribuzinie @200Gms/ha dissolved in 500- 600 l of water		Hady and wider adoptability, multiply very fast	
Dhoob	Cynodon dactylon	Dhoob	Maize	Weed emerg with the germination with Maize seed and grow along with plants till the early growth period and cause sever crop weed compitation.	Grows with Maize crop	Plenty	Plenty		1). 2-3 Weeding follwed by earthingup. 2). pre emergence appliation Atrazine @ 1-1.25 Kg / per ha of 50% WP		Losses caused by Weeds are more during early stage than in later stages.	
Panjfulli	Lantana camara					Abundant	Abundant					
Congress grass	Parthenium					Abundant	Abundant					
Laan (in wheat)						Rare	Rare					

Other details may include how long the weeds have been suppressing/adversely affecting the crops in this locality, when it came under notice, intensity of natural multiplication etc

Format 5: Pests of Crops

1	2	3	4	5	6	7	8	9	10
Host	Insect / Animal	Scientific name	Local name	Habitat	Time / season of attack	Management mechanism	Associated TK	Other details	Community knowledge holder
Paddy	Grasshopper	Hieroglyphus niogrorepletum	Tidda , Raja da Gorha ,	Polyphagus	June to Novemeber	1.Destroy eggs by cleaning bunds 2. Spray the bunds with Malathion 5 % D @ 25 Kg / Ha	Both nymphs and Adults feed on the leaves , they devour the young shoots and newly farm ear heads.	Adults are like locust but smaller in size	
Paddy	Rice Hisppa	Dicladispa armigera	Neela tittu	Appeaqrs in all varieties of rice	July -Sep	Clip the affected tips of leaves before transplanting	Quinalphos 25EC 1 litre per ha in 750 ltr of water	The grubs this pest mine into the leaves and adults are external fedders.	
Wheat	Field Rats	Bandicota sp. Tatera sp.		Burrow in soil .Rats are found in nearly all areas of Earth which are inhabited by human beings.	through out the year	Poison baiting 2. bund trimming to minimize harborage 3. use indigenous traps	Thjey cause have loss to standing wheat crop and harvested crop in stores.	Domestic rats differ from wild rats in many ways. They are calmer and less likely to bite; they can tolerate greater crowding; they breed earlier and produce more offspring; and their brains, livers, kidneys, adrenal glands, and hearts are smaller	
	Termites	Microtermes obesi	seenak, seonk, white ant,	Generally appears at wet places, lives in nests made under ground	through out the year	1. Destroy termitaria in an around field 2. Never use raw FYM 3. For termites control in standing crop, dilute 4l of chlorpyriphos 20EC in 5l of water and mix in 50 kg of sand thoroughjly. Boradcast this treated soil in the infested areas.	These are Social insect that lives under gound in colonies.	The demage plant dry up completely and are easily pulled out	

Maize	Stem borer	Chilo partellus	Lurhi, kidda,	Occurs through out the country	July onward . 15- 20 days after Germination	apply granular insecticide carbofuran 3G @20 Kg / Ha 2. Uproot the stubbles of previous years crop and burn	It attacks immediately after germination and causes dead hearts in young plants .	The adult is medium sized straw coloured moth . The caterpiller is dirty white in color with short bristly hair on its body	
	Cut Worm	Agrotis ipsilon	Luhri	Occurs through out the country but especially Hilly areas	July onward .	1. Install light traps @2/Ha 2. Install Pheromones traps @40/Ha to attract to kill the male moths 3. Chlorpyriphos 30EC@3ml/of water	Larva cut the seedling at the ground level .	They live in soil during the day and feed at night . The caterpiller are in grey in colour	
cole crops	Cabbage butterfly	Pieris brassicae	Titali	The large white butterfly's habitat consists of large, open spaces, as well as farms and vegetable gardens, because of the availability of its food source.	Oct onwards	Release of Trichogramma chilionis @50000 adults/ha per release (6 times)at weekly interval in Mid January Donot spray the crop near harvesting			
Vegetable	Fruit fly	Bactrocera cucurbitae	Titali	Fruit flies are of concern both as nuisance pests and as serious contaminators of food.	After Summer Rains when Humidity is high.	1. Install methyl eugenol traps @ 5-100/Ha 2. Spray Malathion @ 1ml +10 Grms gur/ Itr of water at evening hours when fruits flies are congregated on the leave surface.	Female fruit flies lay their eggs on the surface of rotting fruits and vegetables. Each female may lay as many as 500 eggs. These eggs hatch into larvae which molt twice before becoming fully grown.	Adults may be dull yellowish, brownish yellow, or brownish black in color and range from 1/10 to 1/5 inch long. Most species have red eyes. Larvae are very small (ranging from 1/10 to 1/5 inch long), dirty white, and maggot-shaped. They can be recognized by the stalked posterior spiracles on the last abdominal segment.	

Other details may include possible reasons for insects/animal attack

Format 6: Markets for Domesticated animals

1	2	3	4	5	6	7	8	9
Name of the market & location	Weekly (D)/ Fortnightly (D) / Monthly (D) / Biannual (M) / Annual (M) [1]	Types of animals bought and sold [2]	Types and Average Number of animals transacted in a day	Places from which animals are brought	Places to which the animals are sold / transported	Name and location of fish market	Types of fishes sold	Source of fish
No Organized market in the area. 1) Ujj pull, Mandli 2) Challan ,Ramkote 3) Other Loacla areas of Blocks	Not Organized Culling	Sheep & Goats	02 Sheep	From areas of Mandis & other adjoining areas of Different Blocks	Local Markets of District & also Diff. areas of UT.			
			01 Goat					

Note: [1] (D) – day; (M) – month;
[2] Types of animals may include: Poultry / Sheep / Goats / Cattle / Ducks / Pigs / Donkeys / Mules / Horses / Camels / Others (Specify)

				Format	7: Peoplescape					
1	2	3	4	5	6	7	8	9	10	11
Community & Population	Families & Major occupation	Sub- occupation	Depending Landscape	Major resources accessed and seasons of access	Landscape management practices	Resource management practices	Cast / tribe	Social condition	Nature of inhabitants	No. of HHs
Brahmin Majority										
Mixed Communities										
										827

Major occupation may be farming. Sub-occupations could be fishing, collection of NTFP animal husbandry, artisans, services Examples of depending landscapes are agriculture landscape, rivers, forest etc.

Major resources accessed could be agriculture resources of different nature, fish, birds, water, mud, and etc

How the community manages the landscapes they use for satisfying different needs, their strategies and perception

How the community manages the resources they access for satisfying different needs, their strategies and perception, conflicts etc

						Format	8: Landsc	ape					
	1		2	3	4	5	6	7	8	9	10	11	12
Major l	Landscape	S		F .									
Agricultural land	Agricultural Pond Fallow land		Sub - Landscapes	Feature s and approx. area	Ownershi p	General flora	General fauna	User groups	Management practices	General uses	Associated TK	Other details	Community accessed

Provide a brief description of landscapes such as forests, plantations, cultivated land, estuary, pond, lake or other elements

	Format 9: Waterscape														
1	2	3	4	5	6	7	8	9	10	11	12	13			
Waterscape element type	Sub- type	Features and approx area	Ownership	General flora	General fauna	Major uses	User groups	Management practices	General uses	Associated TK	Other details	Community accessed			
Pond															
Canal															
PONDS															

Examples: Ponds, Streams, Rivers, Lake, Canal, Tubewell, Dug well etc.,

Format 10: Soil type

1	2	3	4	5	6	7	8
Soil Type	Color & Texture	Features	Soil management	Plants / crop suitable	Flora and fauna	Associated TK	Other information
Brown Forest Soil	Silt Loam to clay Texture	Fine Granular, Dub- Angular Blocky Structure having pH 7.8-8.3, Water Holding capacity more than 40%	Use of Organic matter	Maize, Wheat, Safflower			
Alluvial Soils	Loamy Soils	ph 7.0-7.7, Organic Carbon 0.28-0.61%	Use of Organic matter	Wheat, Paddy, Vegetables			

Format 11: Fruit Trees

1	2	3	4	6		7	8	9	10	11	12	13
Plant Type	Local Name	Scientific Name	Variety	Landscape/ Habitat	Local Past	Status Present	Source of plant/seeds	Season of Fruiting	Uses (usage)	Associated TK	Other details market/own use	Community/ Know. holder
Mango	Mango	Magnifera Indica	Malta Deshari Desi	Cultivated land			Govt Nry	Summer			Market	
Orange	Sangtra	Citrus × sinensis	2	Cultivated land			Govt. nry	Winter			Own use	
Kinoo	Kinoo		2	Cultivated land			Govt. nry	Winter	As a fresh fruit		Own use	
Mussami	Mussami	Aranati	1	Cultivated land			Govt. nry	Winter			Own use	
Guava	Amrood	Gujva Pritum	Alabadi sfada	Cultivated land			Govt. nry	Summer			Own use	
Lemon	Nimbu	Citrus limon	Hybrid,Desi	Cultivated land								
Peach	Arru	Prunus persica	Shona Punjabi florida sun	Cultivated land			Govt. nry	Summer			Own use	
Pear	Nashpati	Pyrus communis	Desi,	Cultivated land			Pvt. Source	Summer			Own use	
Galgal	Galgal	Arintio	Desi	Cultivated land								

Format 12: Medicinal Plants (Herbs, Shrubs, Trees etc.)

1	2	3	4	5	6		7	8	9	10	11	12
						Local	status					
Plant Type	Local Name	Scientific Name	Variety	Landscape/ Habitat	Source of plant/seeds	Past	Present	Uses (usage)	Part used	Associated TK	Other details market/own use	Community/ Know. Holders
Herbs	Dudlu	Taraxacum officinale	Temperate area	Rare	Rare	nil	Leaves	N.A	N.A			Generally, held by community
Herbs	Brahmi Bhutti	Centella asiatica	Lower shiwalik	Rare	Rare	nil	Leaves	N.A	N.A			Generally, held by community
Herbs	Tarad	Dioscorea belophylla	Lower shiwalik	Abundant	Abundant	nil	Root	N.A	N.A			Generally, held by community
Herbs	Jungli putna	Mentha arvensis	Lowershiwalik/ Temperate area	Abundant	Abundant	nil	Leaves	N.A	N.A			Generally, held by community
Herbs	Banfsha	Viola odorata	Lowershiwalik/ Temperate area	Abundant	Abundant	nil	Flower	N.A	N.A			Generally, held by community
Shrubs	Trimuru	Zanthoxylum aurmatum	Lower shiwalik	Rare	Rare	nil	Fruit	N.A	N.A			Generally, held by community
Shrubs	Anardana	Punica granatum	Lower shiwalik	Rare	Abundant	nil	Fruit	N.A	N.A			Generally, held by community
Shrubs	brankad	Adha toda vesica	Lower shiwalik	Abundant	Abundant	nil		N.A	N.A			Generally, held by community
Shrubs	Drainkdu	Murraya koenigii	Sub-Tropical area	Rare	Rare	nil	Fruit	N.A	N.A			Generally, held by community
Shrubs	Dussa	Colebrookia oppositifolia	Lower shiwalik	Abundant	Abundant	nil	Flower	N.A	N.A			Generally, held by community

Shrubs	Thor/Shuu	Euphorbia royleana	Lower shiwalik	Abundant	Abundant	nil	Leaves	N.A	N.A	Generally, held by community
Shrubs	Bareyan	Acorus calamus	Lower shiwalik	Rare	Rare	nil	Leaves	N.A	N.A	Generally, held by community
Shrubs	Bhang	Canabis sativia	Lower shiwalik	Abundant	Abundant	nil		N.A	N.A	Generally, held by community
Tree	Amla	Phyllanthus emblica	Lower shiwalik	Abundant	Abundant	nil	Leaves/Fruit	N.A	N.A	Generally, held by community
Tree	Bair	Ziziphus xylocarpa	Lower shiwalik	Rare	Rare	nil	Stem	N.A	N.A	Generally, held by community
Tree	Bheda	Terminalia bellerica	Lower shiwalik	Rare	Abundant	nil	Fruit	N.A	N.A	Generally, held by community
Tree	Bill-Patre	Angle mermelos	Sub-Tropical area	Abundant	Abundant	nil	Root	N.A	N.A	Generally, held by community
Tree	Drankh	Melia azedarach	Lower shiwalik	Abundant	Abundant	nil	Leaves	N.A	N.A	Generally, held by community
Tree	Harad	Terminalia chebula	Lower shiwalik	Abundant	Abundant	Good for digestion	Stem/Fruit	N.A	N.A	Generally, held by community
Tree	Jaman	Syzygium cumini	Lower shiwalik	Abundant	Abundant	maintains sugar level in human	Leaves/Fruit	N.A	N.A	Generally, held by community
Tree	Kakad- Singhi	Pistacia khinjuk	Lower shiwalik	Abundant	Abundant	nil	Leaves/Fruit	N.A	N.A	Generally, held by community
Tree	Karal	Bauhinia variegata	Lower shiwalik	Rare	Rare	nil	Leaves/ Flower	N.A	N.A	Generally, held by community
Tree	Khair	Acacia catechu	Lower shiwalik	Abundant	Abundant	nil	Leaves/Stem	N.A	N.A	Generally, held by community

Tree	Kringal	Casia fistula	Lower shiwalik	Rare	Rare	nil	Fruit	N.A	N.A	Generally, held by community
Tree	Lusada	Cordia dichotoma	Lower shiwalik	Rare	Rare	nil	Leaves/Fruit	N.A	N.A	Generally, held by community
Tree	Mangoo	Mangifera Indica	Lower shiwalik	Abundant	Abundant	nil	Stem/Fruit	N.A	N.A	Generally, held by community
Tree	Retha	Sapindus Mukorossii	Lower shiwalik	Rare	Rare	nil	Fruit	N.A	N.A	Generally, held by community
Tree	Rumbal	Ficus racemosa	Lower shiwalik	Rare	Rare	nil	Leaves	N.A	N.A	Generally, held by community
Tree	Sree	Albizzia lebbeck	Lower shiwalik	Abundant	Abundant	nil	Leaves/Stem	N.A	N.A	Generally, held by community
Tree	Talli	Dalbergia sissoo	Lower shiwalik	Abundant	Abundant	nil	Stem	N.A	N.A	Generally, held by community
Tree	Trimbal	Ficus auriculata	Lower shiwalik	Rare	Rare	nil	Leaves/Fruit	N.A	N.A	Generally, held by community
Tree	Tuni	Toona ciliata	Lower shiwalik	Abundant	Abundant	nil	Stem	N.A	N.A	Generally, held by community
Tree	Arjun	Terminalia arjuna	Lower shiwalik	Rare				N.A	N.A	Generally, held by community
Tree	Aloe vera	Aloe barbadensis miller	Lower shiwalik	Rare				N.A	N.A	Generally, held by community
Tree	Neem	Aloe barbadensis miller	Lower shiwalik	Rare				N.A	N.A	Generally, held by community
Tree	Tulsi	Ocimum tenuiflorum	Lower shiwalik	Rare				N.A	N.A	Generally, held by community

Format 13: Ornamental Plants/ Trees/Climbers etc.

1	2	3	4	5	6	7	8	9	10
Plant Type	Local Name	Scientific Name	Variety	Source of plant/seeds	Commercial/ non- commercial	Uses	Associated TK	Other details	Community/ Know. holder
Tree	kringal	Casia fistula		Flower Fruit	Non- Commercial	N.A	N.A	N.A	Generally, held by community
Tree	Gandera	Nerium oleander		Seed	Non- Commercial	N.A	N.A	N.A	Generally, held by community
Tree	Thub	Erythrina indica		Seed	Non- Commercial	N.A	N.A	N.A	Generally, held by community
Tree	Badah	Salix alba		Seed	Non- Commercial	N.A	N.A	N.A	Generally, held by community
Climber	Kareer	Rosa acicularis		Seed	Non- Commercial	N.A	N.A	N.A	Generally, held by community
Tree	Bottle Brush	Callistemon		-	-	-	-	-	-
	Marie Gold	Genus Tagetes		-	-	-	-	-	-
	Money Plant	Epipremnum aureum		-	-	-	-	-	-
Tree	Ashok Tree	Polyathia longfolia		-	-	-	-	-	-

F	ormat 14:	Timber	Plants /	Tree	S

1	2	3	4		5	6	7	8	9	10
Plant Type	Local Name	Scientific Name	Habitat	Local Past	l status Present	Wild/ home- garden	Other uses (multi)	Associated TK	Other details	Community/ Know. holder
Trees	Cheundi	Xylosma longifolium	Lower shiwalik	Abundant	Abundant	Wild	own	nil	nil	Generally, held by community
Trees	Dhaman	Grewia optiva	Lower shiwalik	Abundant	Abundant	Wild	own	nil	nil	Generally, held by community
Trees	Drankh	Melia azedarach	Lower shiwalik	Abundant	Abundant	Wild	own	nil	nil	Generally, held by community
Trees	Jaman	Syzygium cumini	Lower shiwalik	Abundant	Abundant	Wild	own	maintains sugar level in human body	nil	Generally, held by community
Trees	Kainth	Pyrus paschia	Lower shiwalik	Abundant	Abundant	Wild	own	nil	nil	Generally, held by community
Trees	Kamla	Malotus philippensis	Lower shiwalik	Abundant	Abundant	Wild	own	nil	nil	Generally, held by community
Trees	Khair	Acacia catechu	Lower shiwalik	Abundant	Abundant	Wild	own	nil	nil	Generally, held by community
Trees	Kiker	Acacia nilotica	Lower shiwalik	Rare	Rare	Wild	own	nil	nil	Generally, held by community
Trees	Mangoo	Mangifera indica	Lower shiwalik	Abundant	Abundant	Wild	own	nil	nil	Generally, held by community
Trees	Retha	Sapindus mukorossii	Lower shiwalik	Rare	Rare	Wild	own	nil	nil	Generally, held by community
Trees	Safeda	Eucalyptus spp.	Lower shiwalik	Rare	Rare	Wild	own	nil	nil	Generally, held by community
Trees	Sree	Albizzia lebbeck	Lower shiwalik	Abundant	Abundant	Wild	own	nil	nil	Generally, held by community
Trees	Simbal	Bombax ceiba	Lower shiwalik	Abundant	Abundant	Wild	own	nil	nil	Generally, held by community
Trees	Talli	Dalbergia sissoo	Lower shiwalik	Abundant	Abundant	Wild	own	nil	nil	Generally, held by community

Trees	Tooth	Morus alba	Lower shiwalik	Rare	Rare	Wild	own	nil	nil	Generally, held by community
Trees	Tuni	Toona ciliata	Lower shiwalik	Abundant	Abundant	Wild	own	nil	nil	Generally, held by community
Trees	Popular	Populus ciliata	Lower shiwalik	Rare	Rare	Wild	own	nil	nil	Generally, held by community
Trees	Arjun	Terminalia arjuna	Lower shiwalik	Rare	Rare	Wild	own	nil	nil	Generally, held by community

	Format 15: Domesticated Animals														
1	2	3	4	5	6	7		8	9	10	11	12			
Animal Type	Local Name	Scientific Name	Breed (local/	Features	Method of	Loc state		Uses	Associated	Commercial	Other details including products	Community Know.			
			hybrid)	- 3	keeping	Past	Present		TK	rearing	and services	Holders			
Small Ruminan ts	Sheep	Ovis aries	Local Cross Bred	Small Size Large Size, Fine Wool, White face & White legs						Yes		Yes			
	Goat	Capra hircus	Bakrwali/ Kaghani	Large Size, White/grey/ Brown / Black coat, long hair						Yes	Mutton ,Wool, milk & Skin The department provides all necessary medial facilities scientific system of	Yes			
			Beetal	Usually Black/red, Pendulous ears						Yes	rearing	Yes			
			Beetal Cross	Smalller in Size and Shorter ears						Yes		Yes			
Cow	Gaay`	Bos taurus	Hybrid	High Fertility High milk yield	Domesticated	Available	Available								
			Local	Low milk yield Adapted in Local Condition		Available In hilly belt	Available In hilly belt			milk & Cow Dung					
Buffalo	Bhains	Bubalus bubalis	Local Upgraded	Black in Colour Mod. To High milk High fat %age	Domesticated	Available	Available			milk & Dung					

Ox	Bael	Bos taurus	Local Hybrid	Ploughing 7 carriage	Domesticated	Available	Available	Ploughi ng & carriage
Dog	Kutta	Canis lupus familiaris	Local Hybrid	Pet	Domesticated & Stray	Available	Available	Gaurdin g
Horse Mule Donkey	Ghoda Kachar Khota	Equine spp	Local Hybrid	Pet	Domesticated	Available	Available	Carriage & Cart pulling
Cat	Belli	Felis catus	Local	Pet	Domesticated & Free roaming	Less	less	
Poultry	Kukad Farmi	Gallus gallus domesticus	Local	Enriched meat flavour	Backyard	Abdundan t	Decreased	Egg & Meat
Poultry	Kukad Broiler	Gallus gallus domesticus	Chabro Hybrid	Good egger White in Colour	Backyard Deep Litter	Very few	Increased	Egg & Meat
Pig	Suar	Sus scrofa domesticus	Local	Enriched meat flavour	Domesticated	Very few	Very few	Meat purpose

	Format 16: Culture Fisheries													
1	2	3	4	5	6		7	8	9	10	11	12		
		Scientific			Watarsaana	Loc	al status			Commercial		Community		
Fish Type	Local Name	Name	Variety	Features	Waterscape (pond/bheri/talao)	Past	Present	Uses	Associated TK	rearing	Other details	Know. Holders		
Dola														
Tipper														
Dinu														
Grog										·				

Note: Other details include mode of catching fish, time of availability, breeding time, feeds and etc

		Format 17: Marke	ets / Fair	rs for Domesticated	Animals, Medic	cinal Plants and othe	r products	
1	2	3	4	5	6	7	8	9
Name of the Weekly Market / Fair	Location	Weekly / Fortnightly & Others Bi-annual / Annual	Day held	Month incase of bi- annual or annual market fair	Types of animal bought and sold	Number of animals (average) transacted in a day	Places from where the animals are arrived	Places to where the animals are transported

WILD BIODIVERSITY Format 18: Trees, Shrubs, Herbs, Tubers, Grasses, Climbers etc.

1	2	3	4	5		6	7	8	9	10	11
					Local	l status					
Plant Type	Local Name	Scientific Name	Habit	Habitat	Past	Present	Commercial / own use	Part collected	Associated TK	Other details	Community Knowledge Holder
Trees	Aaran	Prunus persica	Trees	Lower shiwalik	Rare	Rare	own	Fruit	nil	nil	Generally, held by community
Trees	Amla	Phyllanthus emblica	Trees	Lower shiwalik	Rare	Rare	own	Fruit	posses medicinal properties	nil	Generally, held by community
Trees	Baadh	Ficus religiosa	Trees	Lower shiwalik	Rare	Rare	own	Leaves	nil	nil	Generally, held by community
Trees	Bair	Ziziphus xylocarpa	Trees	Lower shiwalik	Rare	Rare	own	Leaves/Fruit	nil	nil	Generally, held by community
Trees	Bheda	Terminalia bellerica	Trees	Lower shiwalik	Rare	Rare	own	Leaves/Fruit	nil	nil	Generally, held by community
Trees	Bill-Patre	Angle mermelos	Trees	Lower shiwalik	Rare	Rare	own	Fruit	posses medicinal properties	nil	Generally, held by community
Trees	Cambel	Lannea coromandelica	Trees	Lower shiwalik	Abundant	Abundant	own	Leaves/Stem	nil	nil	Generally, held by community
Trees	Charmood	Ehretia laevis	Trees	Lower shiwalik	Rare	Rare	own	Leaves	nil	nil	Generally, held by community

Trees	Cheundi	Xylosma longifolium	Trees	Lower shiwalik	Abundant	Abundant	own	Leaves/Stem	nil	nil	Generally, held by community
Trees	Chilla	Casearia tomentosa	Trees	Lower shiwalik	Rare	Rare	own	Leaves	nil	nil	Generally, held by community
Trees	Dhaman	Grewia optiva	Trees	Lower shiwalik	Abundant	Abundant	own	Leaves/ Stem/Bark	nil	nil	Generally, held by community
Trees	Drankh	Melia azedarach	Trees	Lower shiwalik	Abundant	Abundant	own	Leaves/Stem	nil	nil	Generally, held by community
Trees	Fakwara	Ficus palmata	Trees	Lower shiwalik	Abundant	Abundant	own	Leaves/Fruit	nil	nil	Generally, held by community
Trees	Galdey	Rhamnua triquetra	Trees	Lower shiwalik	Rare	Rare	own	Leaves	nil	nil	Generally, held by community
Trees	Guvava	Psidium guajava	Trees	Lower shiwalik	Abundant	Abundant	own	Leaves/Fruit	posses medicinal properties	nil	Generally, held by community
Trees	Harad	Terminalia chebula	Trees	Lower shiwalik	Abundant	Rare	own	Stem/Fruit	Good for digestion	nil	Generally, held by community
Trees	Jaman	Syzygium cumini	Trees	Lower shiwalik	Abundant	Abundant	own	Leaves/Fruit	maintains sugar level in human body	nil	Generally, held by community
Trees	Kainth	Pyrus paschia	Trees	Lower shiwalik	Rare	Rare	own	Leaves	nil	nil	Generally, held by community
Trees	Kakad-Singhi	Pistacia khinjuk	Trees	Lower shiwalik	Abundant 3	Abundant 3	own	Leaves/Fruit	nil	nil	Generally, held by community
Trees	Kakuya	Flacourtia indica	Trees	Lower shiwalik	Abundant	Abundant	own	Leaves	nil	nil	Generally, held by community

Trees	Kamla	Malotus philippensis	Trees	Lower shiwalik	Rare	Rare	own	Leaves	nil	nil	Generally, held by community
Trees	Karal	Bauhinia variegata	Trees	Lower shiwalik	Rare	Rare	own	Leaves/Flower	nil	nil	Generally, held by community
Trees	Khair	Acacia catechu	Trees	Lower shiwalik	Abundant	Abundant	own	Leaves/Stem	nil	nil	Generally, held by community
Trees	Khajur	Phoenix Sylvestris	Trees	Lower shiwalik	Rare	Rare	own	Leaves	nil	nil	Generally, held by community
Trees	Kiker	Acacia nilotica	Trees	Lower shiwalik	Abundant	Abundant	own	Leaves	nil	nil	Generally, held by community
Trees	Kringal	Casia fistula	Trees	Lower shiwalik	Rare	Rare	own	Fruit	nil	nil	Generally, held by community
Trees	Laana	Ficus hispidia	Trees	Lower shiwalik	Abundant	Abundant	own	Leaves	nil	nil	Generally, held by community
Trees	Laseni	Leucaena leucocephala	Trees	Lower shiwalik	Rare	Rare	own	Leaves	nil	nil	Generally, held by community
Trees	Lusada	Cordia dichotoma	Trees	Lower shiwalik	Rare	Rare	own	Leaves/Fruit	nil	nil	Generally, held by community
Trees	Mangoo	Mangifera Indica	Trees	Lower shiwalik	Abundant	Abundant	own	Stem/Fruit	nil	nil	Generally, held by community
Trees	Ola	Albizzia chinensis	Trees	Lower shiwalik	Rare	Rare	own	Leaves	nil	nil	Generally, held by community
Trees	Pansra	Wendlandia heynei	Trees	Lower shiwalik	Rare	Rare	own	Stem	nil	nil	Generally, held by community

	Bana	Vitex negundo									
Trees	Prag	Alnus nitida	Trees	Lower shiwalik	Abundant	Abundant	own	Stem	nil	nil	Generally, held by community
Trees	Retha	Sapindus Mukorossii	Trees	Lower shiwalik	Rare	Rare	own	Fruit	nil	nil	Generally, held by community
Trees	Rumbal	Ficus racemosa	Trees	Lower shiwalik	Rare	Rare	commercial	Leaves	nil	nil	Generally, held by community
Trees	Safeda	Eucalyptus spp.	Trees	Lower shiwalik	Rare	Rare	own	Stem	nil	nil	Generally, held by community
Trees	Sree	Albizzia lebbeck	Trees	Lower shiwalik	Abundant	Abundant	commercial	Leaves/Stem	nil	nil	Generally, held by community
Trees	Simbal	Bombax ceiba	Trees	Lower shiwalik	Abundant	Abundant	own	Leaves/Stem	nil	nil	Generally, held by community
Trees	Talli	Dalbergia sissoo	Trees	Lower shiwalik	Abundant	Abundant	own	Stem	nil	nil	Generally, held by community
Trees	Tooth	Morus alba	Trees	Lower shiwalik	Abundant	Abundant	own	Leaves/Fruit	nil	nil	Generally, held by community
Trees	Trimbal	Ficus auriculata	Trees	Lower shiwalik	Rare	Rare	own	Leaves/Fruit	nil	nil	Generally, held by community
Trees	Tuni	Toona ciliata	Trees	Lower shiwalik	Abundant	Abundant	own	Stem	nil	nil	Generally, held by community
Trees	Badoo	Ficous Banglensis	Trees	Lower shiwalik	Rare	Rare	own	Leaves	nil	nil	Generally, held by community

Trees	Popular	Populus ciliata	Trees	Lower shiwalik	Abundant	Abundant	own	Leaves/Stem	nil	nil	Generally, held by community
Trees	Arjun	Terminalia arjuna	Trees	Lower shiwalik	Rare	Rare	own	Leaves/Bark	nil	nil	Generally, held by community
Trees	Chuntar	Bischofia javanica	Trees	Lower shiwalik	Rare	Rare	own	Leaves	nil	nil	Generally, held by community
Shurbs	Trimuru	Zantho xylum aurmatum	Shurbs	Lower shiwalik	Rare	Rare	own	Fruit	nil	nil	Generally, held by community
Shurbs	Kimb	Citrus karna	Shurbs	Lower shiwalik	3 Rare	3 Rare	own	Fruit	nil	nil	Generally, held by community
Shurbs	Gandera	Thevetia peruviana	Shurbs	Lower shiwalik	Abundant	Abundant	own		nil	nil	Generally, held by community
Shurbs	Anardana	Punica granatum	Shurbs	Sub-Tropical area	Rare	Rare	own	Fruit	nil	nil	Generally, held by community
Shurbs	brankad	Adha toda vesica	Shurbs	Lower shiwalik	Abundant	Abundant	own	Flower	nil	nil	Generally, held by community
Shurbs	Drainkdu	Murraya koenigii	Shurbs	Lower shiwalik	Abundant	Abundant	own	Leaves	nil	nil	Generally, held by community
Shurbs	Dussa	Colebrookia oppositifolia	Shurbs	Lower shiwalik	Rare	Rare	own	Leaves	nil	nil	Generally, held by community
Shurbs	Akk	Ipomea fistulosa	Shurbs	Lower shiwalik	Abundant	Abundant	own		nil	nil	Generally, held by community
Shurbs	Garna	Carissa opaca	Shurbs	Lower shiwalik	Abundant	Abundant	own	Leaves/Fruit	nil	nil	Generally, held by community

Shurbs	Thor/Shuu	Euphorbia royleana	Shurbs	Lower shiwalik	Rare	Rare	own	Stem	nil	nil	Generally, held by community
Shurbs	Aakhe	Rubus ellipticus	Shurbs	Lower shiwalik	Rare	Rare	own	Fruit	nil	nil	Generally, held by community
Shurbs	Bareyan	Acorus calamus	Shurbs	Sub-Tropical area	Abundant	Abundant	own	Root	nil	nil	Generally, held by community
Shurbs	Bhang	Canabis sativia	Shurbs	Lower shiwalik	Abundant	Abundant	own	Leaves	nil	nil	Generally, held by community
Herbs	Dudlu	Taraxacum officinale	Herbs	Temperate area	Rare	Rare	own	Leaves	nil	nil	Generally, held by community
Herbs	Brahmi Bhutti	Centella asiatica	Herbs	Lower shiwalik	Rare	Rare	own	Leaves	nil	nil	Generally, held by community
Herbs	Tarad	Dioscorea belophylla	Herbs	Lower shiwalik	Abundant	Abundant	own	Root	nil	nil	Generally, held by community
Herbs	Jungli putna	Mentha arvensis	Herbs	Lower shiwalik/Temperate area	Abundant	Abundant	own	Leaves	nil	nil	Generally, held by community
Herbs	Banfsha	Viola odorata	Herbs	Lower shiwalik/Temperate area	Abundant	Abundant	own	Flower	nil	nil	Generally, held by community
Grass	Bamboo	Dendrocalamus Strictus	Grass	Lower shiwalik	Abundant	Abundant	own	Leaves	nil	nil	Generally, held by community
Grass	Drub/Khabbal	Cyanodon dactylon	Grass	Lower shiwalik	Abundant	Abundant	own	Leaves	nil	nil	Generally, held by community
Grass	Monja	Saccharum benghalense	Grass	Temperate area	Rare	Rare	own	Stem	nil	nil	Generally, held by community

Grass	Kai/Kaana	Saccharum spontaneum	Grass	Lower shiwalik	Abundant	Abundant	own	Leaves/Stem	nil	nil	Generally, held by community
Climbers	Mlungar	Bouhania vahllaii	Climbers	Lower shiwalik	Rare	Rare	own	Leaves	nil	nil	Generally, held by community
Climbers	Galoi	Tinospora cordifolia	Climbers	Lower shiwalik	Abundant	Abundant	own	Stem	nil	nil	Generally, held by community
	Rada				Rare						
	Lana				Rare						

	Format 19: Wild Plant Species of Importance											
1	2	3	4	5	6							
Sl. No.	plant	Local Name	Scientific Name	Importance (as economic, social, cultural etc.)	Status							
1	Amla	Amla	Phyllanthus emblica	economic/cultural	Abundant							
2	Bair	Bair	Ziziphus xylocarpa	economic/cultural	Rare							
3	Bheda	Bheda	Terminalia bellerica	economic	Rare							
4	Bill-Patre	Bill-Patre	Angle mermelos	Social/Culture	Rare							
5	Drankh	Drankh	Melia azedarach	economic	Abundant							
6	Jaman	Jaman	Syzygium cumini	economic/cultural	Abundant							
7	Kakad-Singhi	Kakad-Singhi	Pistacia khinjuk	economic	Abundant							
8	Karal	Karal	Bauhinia variegata	economic	Abundant							
9	Khair	Khair	Acacia catechu	economic	Abundant							
10	Kringal	Kringal	Casia fistula	social	Abundant							
11	Lusada	Lusada	Cordia dichotoma	economic	Rare							
12	Mangoo	Mangoo	Mangifera indica	economic/cultural	Abundant							
13	Retha	Retha	Sapindus mukorossii	economic	Rare							
14	Rumbal	Rumbal	Ficus racemosa	economic	Rare							
15	Sree	Sree	Albizzia lebbeck	economic	Abundant							
16	Talli	Talli	Dalbergia sissoo	economic	Abundant							

17	Trimbal	Trimbal	Ficus auriculata	economic	Abundant
18	Trimuru	Trimuru	Zantho xylum aurmatum	economic	Rare
19	Tuni	Tuni	Toona ciliata	economic	Rare
20	Arjun	Arjun	Terminalia arjuna	economic	Abundant
21	Anardana	Anardana	Punica granatum	economic	Abundant
22	brankad	brankad	Adha toda vesica	economic	Rare
23	Drainkdu	Drainkdu	Murraya koenigii	economic	Abundant
24	Dussa	Dussa	Colebrookia oppositifolia	economic	Abundant
25	Dudlu	Dudlu	Taraxacum officinale	economic	Abundant
26	Thor/Shuu	Thor/Shuu	Euphorbia royleana	economic	Rare
27	Bareyan	Bareyan	Acorus calamus	economic	Rare
28	Bhang	Bhang	Canabis sativia	economic	Abundant
29	Brahmi Bhutti	Brahmi Bhutti	Centella asiatica	Medicinal	Abundant
30	Tarad	Tarad	Dioscorea belophylla	economic	Abundant
31	Jungli pudina	Jungli putna	Mentha arvensis	Medicinal	Abundant
32	Galoi	Galoi	Tinospora cordifolia	Medicinal	Abundant
33	Banfsha	Banfsha	Viola odorata	Medicinal	Abundant
34	Neem		Azadirachta indica	Medicinal	Abundant

	Format 20: Aquatic Biodiversity													
1	2	3	4	5		6	7	8	9	10				
Local Name	Scientific Name	Variety	Features	Habitat	Loc	al Status	Uses	Associated TK	Other details	Community/ Knowledge				
Local Name	Scientific Name	variety	reatures	Парна	Past	Present	Uses	Associated 1 K	Other details	Holder				
Daryayi Chaahl		Fish												
Pathrili Chaahl		Fish												
Bootal		Fish												
Sol		Fish												
Garoj		Fish												
Tarakla		Fish												
	Other details may include mode of catching fish, time of availability, breeding time, etc													

	Format 21: Wild Aquatic Plant Species of Importance												
1	2	3	4	5	6								
Sl. No.	Local Name	Scientific Name	Variety	Importance	Trends								

Format 22: Wild Plants of Medicinal Importance

1	2	3	4	5		6	7	8	9	10	11
					Local	Status				04 14 7	
Plant (Herb, Shrub, Tree)	Local Name	Scientific Name	Variety	Landscape / Habitat	Past	Present	Associated TK	Uses (usage)	Part used	Other details market/ own use	Community/ Knowledge Holder
Herbs	Dudlu	Taraxacum officinale	Herbs	Temperate area	Rare	Rare	own	nil		nil	Generally, held by community
Herbs	Brahmi Bhutti	Centella asiatica	Herbs	Lower shiwalik	Rare	Rare	own	nil		nil	Generally, held by community
Herbs	Tarad	Dioscorea belophylla	Herbs	Lower shiwalik	Abundant	Abundant	own	nil		nil	Generally, held by community
Herbs	Jungli putna	Mentha arvensis	Herbs	Lower shiwalik/ Temperate area	Abundant	Abundant	own	nil		nil	Generally, held by community
Herbs	Banfsha	Viola odorata	Herbs	Lower shiwalik/ Temperate area	Abundant	Abundant	own	nil		nil	Generally, held by community
Shrubs	Trimuru	Zantho Xylum Aurmatum	Shrubs	Lower shiwalik	Rare	Rare	own	nil		nil	Generally, held by community
Shrubs	Anardana	Punica granatum	Shrubs	Lower shiwalik	Rare	Rare	own	nil		nil	Generally, held by community
Shrubs	brankad	Adha toda vesica	Shrubs	Lower shiwalik	Abundant	Abundant	own	nil		nil	Generally, held by community
Shrubs	Drainkdu	Murraya koenigii	Shrubs	Sub-Tropical area	Rare	Rare	own	nil		nil	Generally, held by community
Shrubs	Dussa	Colebrookia oppositifolia	Shrubs	Lower shiwalik	Abundant	Abundant	own	nil		nil	Generally, held by community
Shrubs	Thor/Shuu	Euphorbia royleana	Shrubs	Lower shiwalik	Abundant	Abundant	own	nil		nil	Generally, held by community
Shrubs	Bareyan	Acorus calamus	Shrubs	Lower shiwalik	Rare	Rare	own	nil		nil	Generally, held by community
Shrubs	Bhang	Canabis sativia	Shrubs	Lower shiwalik	Abundant	Abundant	own	nil		nil	Generally, held by community
Tree	Amla	Phyllanthus emblica	Tree	Lower shiwalik	Abundant	Abundant	own	nil		nil	Generally, held by community

	1				1	l	1			
Tree	Bair	Ziziphus xylocarpa	Tree	Lower shiwalik	Rare	Rare	own	nil	nil	Generally, held by community
Tree	Bheda	Terminalia bellerica	Tree	Lower shiwalik	Rare	Rare	own	nil	nil	Generally, held by community
Tree	Bill-Patre	Angle mermelos	Tree	Sub-Tropical area	Abundant	Abundant	own	nil	nil	Generally, held by community
Tree	Drankh	Melia azedarach	Tree	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community
Tree	Harad	Terminalia chebula	Tree	Lower shiwalik	Abundant	Abundant	own	Good for digestion	nil	Generally, held by community
Tree	Jaman	Syzygium cumini	Tree	Lower shiwalik	Abundant	Abundant	own	maintains sugar level in human body	nil	Generally, held by community
Tree	Kakad- Singhi	Pistacia khinjuk	Tree	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community
Tree	Karal	Bauhinia variegata	Tree	Lower shiwalik	Rare	Rare	own	nil	nil	Generally, held by community
Tree	Khair	Acacia catechu	Tree	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community
Tree	Kringal	Casia fistula	Tree	Lower shiwalik	Rare	Rare	own	nil	nil	Generally, held by community
Tree	Lusada	Cordia dichotoma	Tree	Lower shiwalik	Rare	Rare	own	nil	nil	Generally, held by community
Tree	Mangoo	Mangifera Indica	Tree	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community
Tree	Retha	Sapindus Mukorossii	Tree	Lower shiwalik	Rare	Rare	own	nil	nil	Generally, held by community
Tree	Rumbal	Ficus racemosa	Tree	Lower shiwalik	Rare	Rare	commercial	nil	nil	Generally, held by community
Tree	Sree	Albizzia lebbeck	Tree	Lower shiwalik	Abundant	Abundant	commercial	nil	nil	Generally, held by community
Tree	Talli	Dalbergia sissoo	Tree	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community
Tree	Trimbal	Ficus auriculata	Tree	Lower shiwalik	Rare	Rare	own	nil	nil	Generally, held by community
Tree	Tuni	Toona ciliata	Tree	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community

Tree	Arjun	Terminalia arjuna	Tree	Lower shiwalik	Rare	Rare	own	nil		nil	Generally, held by community
------	-------	-------------------	------	----------------	------	------	-----	-----	--	-----	------------------------------

Format 23: Wild relatives of Crops

1	2	3	4	:	5	6	7	8	9	10
Local	Scientific	Associated crop	Landscape / Habitat	Local	Status	Uses	Part	Associated	Other details	Community / Know
Name	Name	rissociated crop	Lanuscape / Habitat	Past	Present	(usage)	Used	TK	Other details	holder
Flai	Acacia Modesta	Kikker	Scattered in forest	Rare		Fodder	leaf/branches			Generally, held by community
Jungli pudina	Mentha arvensis	Putna	Along the Nalla's	Abundant		Medicinal use	Leaf			Generally, held by community

Note: Other details may include 'function as a substitute plant' in the absence of a particular plant

Format 24: Ornamental Plants

1	2	3	4	5	6	7	8
Local Name	Scientific Name	Variety	Habitat	Commercial / Non- commercial Uses	Associated TK	Any other Detail	Community/ Knowledge Holder
Kareer	Rosa acicularis		Lower to upper shiwalik	Non-Commercial	N.A	N.A	
kringal	Casia fistula		Lower shiwalik	Non-Commercial	N.A	N.A	
Gandera	Nerium oleander		Lower Shiwalik	Non-Commercial	N.A	N.A	
Thub	Erythrina indica		Lower Shiwalik and Plains	Non-Commercial	N.A	N.A	
Badah	Salix alba		Lower Shiwalik and Plains	Non-Commercial	N.A	N.A	

Format 25: Fumigate / Chewing Plants

1	2	3	4	5		6	7	8	9	10	11	
Dlant (Harb Church	Local	Scientific			Loc	al Status	Ligas		Associated	Other details	Community knowledge	
Plant (Herb, Shrub, Tree)	Name	Name	Variety	Habitat	Past	Present	Uses (usage)	Part used	TK	(mode of use)	holder	
Shrub	Trimuru	Zanthoxylum aurmatum									Generally, held by community	
	brankad	Adha toda vesica									Generally, held by community	
	Drainkdu	Murraya koenigii									Generally, held by community	
	Bana	Vitex negundo		Locally present	Rare	Rare	use for teeth Cleaning	Branches			Generally, held by community	
Tree	Flai	Acacia modesta		Forest	Rare	Rare	Medicinal purpose	Branches				
	Kiker	Acacia nilotica		Forest	Rare	Rare	use for teeth Cleaning	Branches				

	Format 26: Timber Plants											
1	2	3		4	5	6	7	8				
			Local	Status	Other Uses,			Community/ Knowledge				
Local Name		Scientific Name	Past	Present	if any	Associated TK	Other Details	Holder				
Bheda	Terminalia bellerica	Lower shiwalik	Rare	Rare	own	nil	nil	Generally, held by community				
Bill-Patre	Angle mermelos	Lower shiwalik	Rare	Rare	own	posses medicinal properties	nil	Generally, held by community				
Cheundi	Xylosma longifolium	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community				
Drankh	Melia azedarach	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community				
Jaman	Syzygium cumini	Lower shiwalik	Abundant	Abundant	own	maintains sugar level in human body	nil	Generally, held by community				
Kainth	Pyrus paschia	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community				
Kakad- Singhi	Pistacia khinjuk	Lower shiwalik	Rare	Rare	own	nil	nil	Generally, held by community				
Kamla	Malotus philippensis	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community				
Khair	Acacia catechu	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community				
Kiker	Acacia Nilotica	Lower shiwalik	Rare	Rare	own	nil	nil	Generally, held by community				
Mangoo	Mangifera Indica	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community				
Prag	Alnus nitida	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community				
Retha	Sapindus Mukorossii	Lower shiwalik	Rare	Rare	own	nil	nil	Generally, held by community				

Safeda	Eucalyptus spp.	Lower shiwalik	Rare	Rare	commercial	nil	nil	Generally, held by community
Sree	Albizzia lebbeck	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community
Simbal	Bombax ceiba	Lower shiwalik	Abundant	Abundant	commercial	nil	nil	Generally, held by community
Talli	Dalbergia sissoo	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community
Tooth	Morus alba	Lower shiwalik	Rare	Rare	own	nil	nil	Generally, held by community
Tuni	Toona ciliata	Lower shiwalik	Abundant	Abundant	own	nil	nil	Generally, held by community
Popular	Populus ciliata	Lower shiwalik	Rare	Rare	own	nil	nil	Generally, held by community
Arjun	Terminalia arjuna	Lower shiwalik	Rare	Rare	own	nil	nil	Generally, held by community

				Forma	at 27 A: C	oastal and Mar	ine Flora			
1	2	3	4		5	6	7	8	9	10
				Loc	al Status	Parts Collected	Commercial Uses			Community
Plant Type	Local Name	Scientific Name	Habitat	Past	Present	(if any)	(if any)	Other Uses	Associated TK	Community/ Knowledge Holder

2 Local Name	3 Scientific Name	4 Habitat	Loc	5	6	7	0		10
Local Name	Scientific Name	Uahitat	Loc			,	8	9	10
Local Name	Scientific Name	Uahitat		al Status					
		павна	Past	Present	Parts Collected (if any)	Commercial Uses (if any)	Other Uses	Associated TK	Community/ Knowledge Holder

Format 28: Wild Animals (Mammals, Birds, Reptiles, Amphibia, Insects, others) 1 2 3 4 5 6 7 8 9 10 11 12 **Local Status** Mode of Hunting, Season when Uses (if **Associated** Other Community/ Knowledge **Animal Type Local Name** Scientific Name Habitat **Description** Holder TK collecting (if any) details seen any) Past Present Generally, held by Summer Panthera pardus Chitra Forest Mammals Season community Generally, held by Jungali Billi Felis chaus Mammals Forest community Generally, held by Mammals Mangoose Herpsters aurpunctatus Forest community Generally, held by Mammals Jackal Canis aureus Forest community Generally, held by Mammals Indian Fox Vulpes bengalensis Forest community Five Stripped Palm Generally, held by Funambulus penanti Mammals Forest Squirrel community Generally, held by Mus boodnga Mammals Field Mouse Forest community Generally, held by Mammals Indian Porcupine (sahi) Hustrix indica Forest community Barking Deer (Kakkarh) Generally, held by Mammals Muntiacus mountjak Forest community Generally, held by Musk Deer (Kastura) Moscus moschiferus Mammals Forest community Generally, held by Mammals Hog Deer (Para) Axis pornicus Forest community

Mammals	Indian Wild Boar (Jungali Sour)	Sus scrofa	Forest	-	-				Generally, held by community
Mammals	Phesus Macaque	Macaac mulatta	Forest	-	-				Generally, held by community
Mammals	Red Fox (Lomari)	Vulpes vulpes	Forest	-	-				Generally, held by community
Birds	Red Jungle Fowl	Gallus gallus	Forest	-	-				Generally, held by community
Birds	Common Pea Fowl	Pavo cristatus	Forest	-	-				Generally, held by community
Birds	Black Partridge	Francolinus francolinus	Forest	-	-				Generally, held by community
Birds	Common or Grey Quail	Conturnix conturnix	Forest	-	-				Generally, held by community
Birds	Blue-Rock Pigeon	Columba Lioia	Forest	-	-				Generally, held by community
Birds	Spotted Dove	Stretopelia chinesis	Forest	-	-				Generally, held by community
Birds	White Backed Bengal Vultures	Psuedogypes bengalensis	Forest	5	-				Generally, held by community
Birds	Jungle Crow	Corvous marcorhynchos	Forest	-	-				Generally, held by community
Birds	House Crow	Corvous splendens	Forest	-	-				Generally, held by community
Birds	Rollel or Blue Jay	Coracras bengalensis	Forest	-	-				Generally, held by community
Birds	Koel	Eudynamys scolopacea	Forest	-	-				Generally, held by community

Birds	Common Hawk Cuckoo	Cuculus varius	Forest	-	-				Generally, held by community
Birds	Himalayan Tree Pie	Dendrocitta formosea	Forest	-	-				Generally, held by community
Birds	Yellow Billed Blue Mapie	Urocissa erythrorhyncha	Forest	-	-				Generally, held by community
Birds	Indian Myna	Acridotheres tristis	Forest	-	-				Generally, held by community
Birds	Blue Whistling Thrush		Forest	-	-				Generally, held by community
Birds	Black Headed Myna	Sturnus pagodarus	Forest	-	-				Generally, held by community
Birds	Wood Pecker	Dryobates himalayansis	Forest	-	-				Generally, held by community
Birds	Toota (Mansari)	Psittacula crameri	Forest	-	-				Generally, held by community
Birds	Cheel	Milousmegrans	Forest	-	-				Generally, held by community
Birds	Moor	Pavo cristatus	Forest	-	-				Generally, held by community
Birds	Tailor Bird	Orthotomous sustorius	Forest	-	-				Generally, held by community
Birds	Indian Robin	Saxicolaides fulicata	Forest	-	-				Generally, held by community
Birds	Paradise Fly Catcher	Terpsiphon paradisi	Forest	-	-				Generally, held by community
Birds	White Spotted Fantail Fly Catcher	Rhepidura albicollis	Forest	-	-				Generally, held by community

Birds	Whitte Breasted king Fisher	Halcyon amyrnensis	Forest	-	-				Generally, held by community
Birds	House Sparrow	Passer domesticus	Forest	-	-				Generally, held by community
Birds	The Hoopoe	Upupa epops	Forest	-	-				Generally, held by community
Birds	Himalayan Barred Owlet	Glaucidium culculoides	Forest	-	-				Generally, held by community
Birds	White Checked Bulbul	Pycnonotus leucogenys	Forest	-	-				Generally, held by community
Birds	Goldern oriola	Oriolus oriolus	Forest	-	-				Generally, held by community
Reptiles	Cobra/Naag	Naja naja	Forest/Cultivated Areas/Along Water Bodies	-	Summer Season				Generally, held by community
Reptiles	Krait/Sanjuth	Zamenies mucosus	Forest/Cultivated Areas/Along Water Bodies	-	Summer Season				Generally, held by community
Reptiles	Python/Sangni	Python morulus	Forest/Cultivated Areas/Along Water Bodies	5	Summer Season				Generally, held by community
Reptiles	Himalayan Pit Viper	Viper rusellii	Forest/Cultivated Areas/Along Water Bodies	-	Summer Season				Generally, held by community
Amphibian	Mendak/meenk	Rana tigrina		Pond/Land	Rainy Season				Generally, held by community
Amphibian	Toad/Dadu	Buff melanostictus		Pond/Land	Rainy Season				Generally, held by community
Mammals	Wild Pig	Sus scrofa							Generally, held by community

	Format 29: FLORA URBAN BIODIVERSITY										
1	2	3	4	5	6	7					
Sr. No.	Local Name	Scientific Name	Type of Plants	Habitat	Flowering Season	Remarks (Rare / Common etc.)					

Note: Separate format should be used for road side plantation / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

	Format 30: Fauna										
1	2	3	4	5	6						
Sr. No.	Local Name	Scientific Name	Type of Animals (Mammals / Birds / Fish / Insect etc.)	Habitat	Remarks (Rare / Common etc.)						

Note: Separate format should be used for road side plantation - habitat / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

	Format 31: Any other information of local importance					
1 2 3						
Sr. No.	Information of local importance	Remarks				
	none					

Annexure 3

List of Vaids, hakims a	and traditional	health care	(human and	livestock)	practitioners	residing ar	າd or ເ	JS
Name:Dharanpaul Age:70 G	ender:Male Addre	ss:Kishnapur				_		

Area of Specialization:

Location from which the person accesses biological material: Perception of the practitioner on the resource status: Medicinal use: K Name: Bishan Dass Age:75 Gender:Male Address:Kishanpur

Area of Specialization:

Location from which the person accesses biological material: Perception of the practitioner on the resource status:

Medicinal use:Kishanpur

Name:

ing biologica	ng biological resources occurring within the jurisdiction of the village					
ishanpur						
4						