| Biodiversity Register (PBR): General Details  |
|---|
| e Panchayat Samiti: ARAI HAVELI   |
| il: MANDI   |
| ONCH  |
| ammu And Kashmir  |
| al Area of the pancahayt Samiti: Hilly & Snow Bound Area  |
| Of the Panchayat samiti: Total 1450   |
| Female: 640   |
| l Topography: Hilly Area  |
| ninfall, Temperature and weather patterns): Humid Sub-Tropical/Temperate Area with Moderate Rainfall, Strong Monsoon Currents are also experienced in the I |
| Nine fold classification available with village records): Agriculture, Horticulture and Animal Husbandry  |
| h and Year of PBR Preparation: 07.09.2022   |
|   |
|   |
|   |

| Annexure 1  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| Details of Biodiversity Management Committee (BMC) of the Panchayat (One elected Chairperson and six than one third to be women and not less than 18% belonging to SC/ST) |  |  |  |  |  |  |
| 1) Name of the Chairperson: Shaheen Akhter W/o Shakeel Ahmed Mob no. 7051925030   |  |  |  |  |  |  |
| <b>Age:</b> 38  |  |  |  |  |  |  |
| Gender: Female  |  |  |  |  |  |  |
| Address: Arai Haveli  |  |  |  |  |  |  |
| Area of specialization: Chairperson   |  |  |  |  |  |  |
| 2) Name: Tazeem Akhter W/o Kabir Din Mob no. 9797694845   |  |  |  |  |  |  |
| <b>Age:</b> 30  |  |  |  |  |  |  |
| Gender: Female  |  |  |  |  |  |  |
| Address: Arai Haveli  |  |  |  |  |  |  |
| Area of specialization: Member  |  |  |  |  |  |  |
| 3) Name: Shaheen Akhter W/o Haqnawaz Ahmed Mob no. 9906385821   |  |  |  |  |  |  |
|   |  |  |  |  |  |  |

| <b>Age:</b> 30   |
|--|
| Gender: Female   |
| Address: Arai Haveli   |
| Area of specialization: Member                               |
| 4) Name: Farooq Ahmed S/o Ilam Din Mob no. 7051887652        |
| <b>Age:</b> 33   |
| Gender: Male   |
| Address: Arai Haveli   |
| Area of specialization: Member                               |
| 5) Name: Shafiq Ahmed S/o Mohd. Khurshid Mob. no. 6006484165 |
| <b>Age:</b> 40   |
| Gender: Male   |
| Address: Arai Haveli   |
|  |

| Area of specialization: Member                             |
|--|
| 6) Name: Mohd. Iqbal S/o Wali Mohd. Mob no. 7051234041     |
| <b>Age:</b> 45   |
| Gender: Male   |
| Address: Arai Haveli                                       |
| Area of specialization: Member                             |
| 7) Name: Zahoor Ahmed S/o Mohd. Sharief Mob no. 8492025733 |
| <b>Age:</b> 38   |
| Gender: Male   |
| Address: Arai Haveli                                       |
| Area of specialization: Member                             |
|  |

| Annexure-2  |
|---|
| List of Vaids, hakims and traditional health care (Human and livestock) practitioners residing and or using biological resources occurring within the jurisdiction of the village |
| 1) Name :   |
| Age:  |
| Gender:male   |
| Geographical Area of the Panchayat Samiti:  |
| Area of specialization: all diseases  |
| Location from which the person accesses biological material:  |
| Perception of the practitioner on the resource status:  |
| Medicinal Use:  |
| 2) Name:  |
| Age:  |
| Gender:   |
| Address:  |
| Area of specialization:   |
| Location from which the person accesses biological material:  |
| Perception of the practitioner on the resource status:  |
| Medicinal Use:  |
| 3) Name:  |
| Age:  |
| Gender:   |

| Address:   |
|--|
| Area of specialization:                                      |
| Location from which the person accesses biological material: |
| Perception of the practitioner on the resource status:       |
| Medicinal Use:   |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |

| Annexure 3  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in agriculture, fisheries, and foresty |  |  |  |  |  |  |
| 1) Name: Irshad Ahmed S/o Bedar Din Mob no. 7051234286  |  |  |  |  |  |  |
| <b>Age:</b> 35  |  |  |  |  |  |  |
| Gender: Male  |  |  |  |  |  |  |
| Address: Arai Haveli  |  |  |  |  |  |  |
| Area of specialization: Agriculture & Horticulture  |  |  |  |  |  |  |
| 2) Name: Shakeel Ahmed S/o Manzoor Ahmed Mob no. 9858813486   |  |  |  |  |  |  |
| <b>Age:</b> 45  |  |  |  |  |  |  |
| Gender: Male  |  |  |  |  |  |  |
| Address: Arai Haveli  |  |  |  |  |  |  |
| Area of specialization: Agriculture & Horticulture  |  |  |  |  |  |  |
| 3) Name: Kabir Din S/o Badar Din Mob no. 9797694845   |  |  |  |  |  |  |
| Age: 30   |  |  |  |  |  |  |

Г

| Gender: Male  |
|---|
| Address: Arai Haveli  |
| Area of specialization: Agriculture & Horticulture          |
| 4) Name: Haq Nawaz Ahmed S/o Mohd. Ayoob Mob no. 9066335821 |
| Age: 32   |
| Gender: Male  |
| Address: Arai Haveli  |
| Area of specialization: Agriculture & Horticulture          |

| Aı   | Annexure 4                               |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|
| Details of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals involved in the preparation of the PBR |  |  |  |  |  |  |  |  |  |
| 1)   | ) Contact Person:                        |  |  |  |  |  |  |  |  |
|  | Name and Address:                        |  |  |  |  |  |  |  |  |
| 2)   | Contact Person:                          |  |  |  |  |  |  |  |  |
| Geo  | ographical Area of the Panchayat Samiti: |  |  |  |  |  |  |  |  |
| 3)   | Contact Person:                          |  |  |  |  |  |  |  |  |
|  | Name and Address:                        |  |  |  |  |  |  |  |  |
| 4)   | Contact Person:                          |  |  |  |  |  |  |  |  |
|  | Name and Address:                        |  |  |  |  |  |  |  |  |

| ANNEXURE 5 |      |  |  |   |                                  |   |  |  |
|------------|------|--|--|---|----------------------------------|---|--|--|
|            | S.no | Name and address of the<br>Person/Institute/company others | Local and Scientific Name of the<br>biological material Accessed and<br>quantity | Date and resolution of the BMC and endorsement by the Panchayat | Detail of collection fee imposed | Anticipated mode of sharing benefits or quantum of benefits<br>shared |  |  |
|            |      |  |  |   |                                  |   |  |  |

| 1                      | 2                  | 3               | 4  | 5   | 6                  | 7            |         |
|------------------------|--------------------|-----------------|--|---|--------------------|--------------|---------|
|                        | Scientific Name    | Local Name      | Variety  | Landscape<br>/ Habitat                                      | Approx. area shown | Local Status |         |
| Стор                   |                    |                 |  |   |                    | Past         | Present |
| Maize                  | Zea mays           | Makki           | Plandri, Rashi 4794, Bio-9621, Bio-9220                | Humid Sub-Tropical Climate/Hilly temperate and intermediate |                    | Plenty       | Plenty  |
| Common<br>Bean/Rajmash | Phaseolus vulgaris | Mothi           | Kidney Bean, Common Bean, Snap<br>Bean and French Bean | Humid Sub-Tropical Climate/Hilly temperate and intermediate |                    | Normal       | Normal  |
| Brown Mustard          | Brassica juncea    | Sarsoon/Sareyan | Local, KS-101, KOS-1                                   | Temperate and intermediate                                  |                    | Plenty       | Plenty  |
| Radish                 | Raphanus sativus   | Mooli           | Local turnip shaped radish                             | Temperate conditions  |                    | Normal       | Normal  |
| Wheat                  | Triticum aestivum  | Kanak/Gandham   | HD2967,PBW644  | Cool Climate during early part of its growth                |                    | Normal       | Normal  |
| Onion                  | Allium cepa        | Pyaaz           | Nasik Red. Red Coral, Monsanto And<br>Local Spp.       | local Planee areas  |                    | Rare         | Rare    |

| Mustard                   | Brassica juncea/<br>Brassica<br>comprestris | Sarson          | Pusa Bold/ KOS -1                                 | Cool & dry   | Normal   | Normal   |
|---------------------------|---|-----------------|---|--|----------|----------|
| Rape Seed/Gobhi<br>Sarson | Brassica napus                              | Sareyan         | GSL-1, DGS-1, Local                               | Cool & dry   | Normal   | Normal   |
| Potato                    | Solamum tuberosum                           | Aalo            | Kufri Sindhuri, Kufri Badsha, local               | Potato is an herbaceous annual, requires cool weather, mostly rainfed conditions | Normal   | Normal   |
| Chilli                    | Capsicum annum                              | Mirchi/Marchi   | Pusa Jawala, CH-1                                 | Tropica/sub tropicall vegetable,grows well warm humid conditions                 | Normal   | Normal   |
| Tomato                    | Solanum<br>lycopersicum                     | Tamater         | Pusa rubi,Pusa early dwarf, Manisha<br>Plus/local | Warm season crop   | Rare     | Rare     |
| Okra                      | Abelmoschus<br>esculentus                   | Bindi           | Varsha uphar, Arka Anamika                        | Tropical/sub tropical vegetable/Hot and humid climate                            | Rare     | Rare     |
| Cucumber                  | Cucumis sativus                             | Kheera          | Kheera local, JL                                  | Grows in all climatic conditions, Tropical, Sub tropical & temprate              | Rare     | Rare     |
| Calabash                  | Lagenaria siceraria                         | Lokki           | PSPL/Punjab Long                                  | Summer & Rainy season crop   | Abundant | Abundant |
| Beans                     | Phaseolus Spp.                              | Phaliya         | Contender   | Cool weather crop/Sandy/loamy soil   | Abundant | Abundant |
| Kohlrabi                  | Brassica oleracae<br>var.gongylodes         | Kadam           | White vienna, Purple vienna                       | cool & moist climate/sub tropical  | Abundant | Abundant |
| Spanich                   | Beta vulgaris                               | Palak           | All Green,Delta                                   | Cool season Crop, thrives well on well drained loam soils                        | Abundant | Abundant |
| Turnip                    | Brassica rapa                               | Gunglu /Shalgam | PTWG/Local  | Cool & moist climate/sub tropical&intermedite                                    | Abundant | Abundant |

| Amaranths    | Amaranthus<br>spinosus | Gnaar         | Local                                  | Cool & moist climate/sub tropical&intermedite       | Abundant | Abundant |
|--------------|------------------------|---------------|--|---|----------|----------|
| Sponge Gourd | Luffa aegyptiaca       | Tori/Toriyaan | Angled luffa, ridged luffa, wild luffa | Cool & moist climate/sub tropical&intermedite       | Normal   | Normal   |
| Garlic       | Allium sativum         | Thoom         | Rocambole, Porcelain                   | Moderate temperature in summer as well as in winter | Normal   | Normal   |

## Format-1 Crop plants

| 8   | 9                        | 10   | 11   | 12  |
|---|--------------------------|--|--|---|
| Special features  | Cropping season          | Uses   | Associated TK  | Other Details   |
| April sown, local variety dentles, corn & flour sweet in taste          | Kharif                   | Major food item,<br>used as flour, feed to<br>cattle, poultry etc.   | Good for Health, Rich in Vitamin C and E, to boost immune, skin and hair health, Dietry Fiber, Calcium | Maize is generally used for<br>animal feed, Maize flour is<br>used to make chapatis |
| Source of dietry fiber, protein, and carbohydrates                      | Summers                  | Used for Obesity,<br>Diabetes, colon<br>cancer, high<br>cholesterol, kidney<br>stones  | Used for diabetes, Colon cancer, high cholesterol, kidney stones etc.                                  | Rich source of Protein,<br>vitamin and minerals                                     |
| Locals used to cook green leaves and eat as (Sabzi) Vegetable           | Rabi                     | Green leaves used as<br>vegetables and seeds<br>used for extracting<br>oil used in cooking<br>and for other relevant<br>purposes | Rich in Dietary Fibre, Vitamin B6, C, and Calcium  | Crop severely affected by<br>the snowfall during the<br>month of dec-feb            |
| The entire plant is edible and the tops can be used as a leaf vegetable | 2-3 crops round the year | Eaten raw, used as<br>vegetable and pickle<br>making   | Traditional variety and cultivation practice   | Round, sharp, white colored   |
| High yielding Variety   | Food & Fodder            | Source of Energy   | Suitable for Chappati/Bread making   | Rabi  |
| Bulbs Cash Crop   | Vegetab gles             | Vegetable  | Staple Vegetable food  | Rabi  |

| Matures in 145-150 days with 40-42 % oil content                                   | Oil for Food  | Source of energy  | vegetable Oil extracted from seeds used in cooking                                   | Rabi          |
|--|---|---|--|---------------|
| Annual Herb, yellow flowers bearing Pods   | oil for Food,leaves<br>used as vegetable                  | Source of energy,<br>calciam,copper,<br>potassium   | vegetable Oil extracted from seeds used in cooking                                   | Rabi          |
| Tubers are round to ovoid, creamish white to light red in colour with shallow eyes | Under ground tubers<br>are used as<br>vegetable,chips etc | One of the temperate<br>staples, eaten boiled,<br>baked, fried, stewed<br>etc.                  | High carbohydrate, provide high n energy value                                       | Rabi          |
| Pungency and flavor  | Used as spice,<br>medicinal value                         | Used orally for upset<br>stomach, toothache,<br>poor circulation,<br>fever and heart<br>disease | Contains good ammount of vitamin A&C   | winter season |
| Stems are woody and weak, and tend to vine over other types of plants.             | Used as vegetable, salad, soup,Souce                      | Rich source of<br>Ascorbic acid   | Tomatoes are also packed with vitamins A and C, calcium, potassium.                  | Rabi          |
| Tender green fruit used as vegetable   | Mainly vegetable  | Source of Fiber   | Contains dietary fibers,protein and carbohydrates                                    | Summer/Kharif |
| Limbing annual bearing elongated thick cylendrical fruit                           | Mainly used as salad                                      | Vegetable   | It also used asantipyretic and causing cooling effect                                | Summer/Kharif |
| Vines vigrous, profusly branched   | Mainly used as Sabzi                                      | Vegetable   | It also contains essential vitamins and minerals                                     | Summer/kharif |
| Tender green pods are used as vegetable  | Mainly vegetable  | Source of energy in<br>the shape of<br>Gur/Sugar  | High protein,VitamineB1,B2 <b6 and="" maganese<="" td=""><td>Summer season</td></b6> | Summer season |
| Swollen stem ,green/purple with long and broad leaves                              | Swollen stem and<br>leaves are consumed<br>as vegetable   | Vegetable   | Rich in Vitamin C  | Rabi          |
| Tender green leaves & root used as Vegetable                                       | Tender green leaves<br>used as leafy<br>Vegetable         | Vegetable   | Vitamins A and C, fiber, folic acid, and other nutrients                             | Rabi          |
| Modified Root is eatable   | Root is used as<br>Vegetable ,Salad                       | Vegetable   | Good source of Vit.C,Diatry Fiber &Potasium  | Rabi          |

| Leaves are eatable   | Summers         | Vegetable | Used as an expectorant and to relieve breathing in acute bronchitis.            | Summers                              |
|--|-----------------|-----------|---|--------------------------------------|
| Fast growing, tendriled Used for arthritis pain, chest pain          | Summers         | Vegetable | Treacting and Preventing colds, Used for nasal swelling and sinus problems etc. | Summers                              |
| Short days are very favorable, Rich in humus, good content of potash | Summers/Winters | Vegetable | Boost Immunity, Reduce High BP, Prevention of Cancer, Antibiotic properties     | May prevent Alzheimer's and Dementia |

| 13  | 14   |
|---|--|
| Source of Seeds /<br>Plants   | Community /Knowledge<br>Holder   |
| HH kept seed, Deptt.<br>Of agriculture,<br>private seed dealers   | Local/ Aged farmers of<br>rural communities possess<br>TK. Cultivation and<br>management practices<br>among the farming<br>communities across the<br>district. |
| HH kept seed, Deptt.<br>Of agriculture,<br>private seed dealers   | Local/ Aged farmers of rural communities possess TK. Cultivation and management practices among the farming communities across the district.                   |
| Farm saved seed,<br>from peer groups of<br>farmers, from deptt.<br>Of agriculture and<br>other relevant sources | Local/ Aged farmers of<br>rural communities possess<br>TK. Cultivation and<br>management practices<br>among the farming<br>communities across the<br>district. |
| Seed being<br>traditionally<br>cultivated and<br>focussed locally   | Farmers of the area  |
| Farmers / Department/ Private Suppliers   | Farmers  |
| Farmers /<br>Department/ Private<br>Suppliers   | Farmers/households   |

| Farmers /<br>Department/ Private<br>Suppliers  | Farmers |
|--|---------|
| Farmers / Department/ Private Suppliers        | Farmers |
| Farmers / Department/ Private Suppliers        | Farmers |
| Farmers / Department/ Private Suppliers        | Farmers |
| Farmers / Department/ Private Suppliers        | Farmers |
| Farmers /<br>Department/ Private<br>Suppliers  | Farmers |
| Farmers /<br>Department/ Private<br>Suppliers  | Farmers |
| Farmers / Department/ Private Suppliers        | Farmers |
| Farmers / Department/ Private Suppliers        | Farmers |
| Farmers /<br>Department/ Privaate<br>Suppliers | Farmers |
| Farmers / Department/ Privaate Suppliers       | Farmers |
| Farmers /<br>Department/ Privaate<br>Suppliers | Farmers |

| Locally, traditionally cultivated | Farmers/Locals |
|-----------------------------------|----------------|
| Locally/Private<br>Suppliers      | Famers/Locals  |
| Locally/Private<br>Suppliers      | Farmers/Locals |

## Format-2 Fruit Plants

|                   |                          |  |   |   |        | 1 011111 |                               |                    |  |  |
|-------------------|--------------------------|--|---|---|--------|----------|-------------------------------|--------------------|--|--|
| 1                 | 2                        | 3  | 4   | 5   | 6      |          | 7                             | 8                  |  |  |
| Plant             | Scientific Name          | Local Name                                       | Vorioty   | Variety Landscape / Habitat                     |        | Status   | Source of Seeds/Plants        | Season of Fruiting |  |  |
| Fiant             | Scientific Name          | Local Name                                       | variety   | Lanuscape / Habitat                             | Past   | Present  | Source of Secus/Flants        | Season of Fruiting |  |  |
| Pear              | Pyrus communs L.         | Nakh   | Pathar Nakh, Packham,<br>Limonera, Conference                   | Highland  | Plenty | Normal   | Fruit itself                  | August             |  |  |
| Plum              | Prunus Domestica<br>Opal | Plump  | Plum opal   | Moisture but well drained<br>Lowland, Deciduous | Plenty | Normal   | do                            | July-August        |  |  |
| Peach             | Prunus Persica           | Aaroo  | July Elberta, Quetta,<br>Shan-e- Punjab, Sun<br>Haven, Sharbati | Highland  | Normal | Normal   | do                            | July-August        |  |  |
| Apple             | Malus domestica          | Saib   | Ambri Apple, Granny<br>Smith, Bramley                           | Tree, regular bearing,<br>Temperate Hills       | Rare   | Rare     | Nurseries                     | August-October     |  |  |
| Apricot           | Prunus armeniaca         | Khubani, Sadi                                    | Local apricot, Bebco  | Tree, regular bearing, Mid Hills                | Plenty | Normal   | Nurseries                     | June-July          |  |  |
| Walnut            | Juglans regia            | Akhrot   | Paper/Thin Shhelled,<br>Hard & Medium Shelled                   | Tree, regular bearing,<br>Temperate Hills       | Normal | Normal   | Nurseries & Locally raised    | Sept-Oct           |  |  |
| Pecan             | Carya illinoenis         | Shimla Khor                                      | Western shell   | Mid/temperate<br>hills/Deciduous/Perennial      | Rare   | Rare     | Nurseries                     | Sept-Oct           |  |  |
| Date Plum         | Diospyros lotus          | Amlook   | Local   | Mid/temperate hills                             | Normal | Rare     | Locally raised                | July-august        |  |  |
| Common Grape Vine | Vitis Vinifera           | Daakh  | Local   | Mid/ temperate hills                            | Rare   | Rare     | Locally raised,govt nurseries | July to september  |  |  |
| Loquat            | Eriobotrya japonica      | Lakaat   | Local   | Sub tropical to mild temperate                  | Rare   | Rare     | Locally Raised, Nurseries     | Late Winters       |  |  |
| Citrus Fruit      | Citrus spp.              | Khatti, Galgal,<br>Nimbu, Santra,<br>Kinnoo etc. | Local Selection, Kagzi<br>Lime etc.                             | Sub Tropical/Temperate                          | Normal | Rare     | Nurseries                     | Through Out Year   |  |  |

| 9   | 10           | 11                               | 12                             |
|---|--------------|----------------------------------|--------------------------------|
| Associated TK   | Uses         | Other Details<br>markt / own use | Community<br>/Knowledge Holder |
| Lower Blood pressure, Prevent Cancer, Energy Booster                                  | Fruit, wood  | Marketing, Own<br>Use            | Farmers/Locals                 |
| Reduce Blood Sugar, Rich in antioxidants  | Fruit        | Marketing, Own<br>Use            | Famers/Locals                  |
| Promote Healing, Keep digestion running smoothly etc.                                 | Fruit, wood  | Marketing, Own<br>Use            | Farmers/Locals                 |
| Fruit, Nutritious, Good for weight loss, Prevent Cancer                               | Fruits       | Marketing, Own<br>Use            | Farmers/Locals                 |
| Rich in Vitamin A, Excellent for promoting eye health                                 | Fruits, Wood | Marketing, Own<br>Use            | Farmers/Locals                 |
| Dry-fruit, Economy generation, Rich in antioxidants, Reduce risk of some cancers etc. | Fruits, Wood | Marketing, Own<br>Use            | Farmers/Locals                 |
| Dry Fruits, Nutritional Value   | Fruits       | Marketing                        | Farmers/Locals                 |
| Dry fruits, Nutritional Value, Anti-Cancer agent                                      | Fruit        | Own Use                          | Locals                         |
| Reduce Blood Pressure, Improve Kidney Function etc.                                   | Fruit        | Own Use                          | Locals                         |
| High in Vitamin A, Antioxidant  | Fruit        | Own Use                          | Locals                         |
| Fruit, Pickle, Squashes etc   | Fruit        | Own Use                          | Locals                         |

# Format-3 Fodder Crops and Species

| 1                               | 2                          | 3                | 4                          | 5            | 5       | 6                        | 7  | 8    | 9                                     |
|---------------------------------|----------------------------|------------------|----------------------------|--------------|---------|--------------------------|--|------|---------------------------------------|
|                                 | Scientific                 | Local            |                            | Local Status |         |                          | Associated   | Part |                                       |
| Plant                           | Name                       | Name             | Landscape / Habitat        | Past         | Present | Source of Plants / Seeds | TK   | Used | Other details                         |
| Paddy hay                       | Orzya Sativa               | Chawal           | Lowlands                   | Good         | Good    | Agriculture Deptt.       | NA   | Crop | NA                                    |
| Oat                             | Avena Sativa               | Tain             | Lowlands                   | Good         | Good    | Agriculture Deptt.       | NA   | Crop | NA                                    |
| Barseem                         | Trifolium Alexandrium      | Barseem/Chhatala | Lowlands                   | Good         | Good    | Self                     | NA Crop  |      | NA                                    |
| Maize                           | Zea mays                   | Makka            | Highland                   | Good         | Good    | Agriculture Deptt.       | NA   | Crop | NA                                    |
| Oats                            | Avena sativa               | Ghaas            | Temperate/<br>Intermediate | Good         | Good    | Self                     | Stored in locally made indigenious structure called "Taai" | Crop | NA                                    |
| Berseem<br>(Egyptian<br>Clover) | Trifolium<br>alexandrinum  | Gjaas            | Irrigated areas            | Good         | Good    | Self                     | NA   | Crop | NA                                    |
| Milkweed                        | Euphorbia thymifolia       | Dudli            | Temperate/<br>Intermediate | Good         | Good    | self                     | NA   | Crop | containing milky fluid like substance |
| Charri                          | Sorghum bicolor            | charri           | Temperate/<br>Intermediate | Good         | Good    | self                     | NA   | Crop | NA                                    |
| Berea grass                     | Dactyloctenium<br>australe | Beran            | Temperate/<br>Intermediate | Good         | Good    | self                     | NA   | Crop | containg lots of fibre                |
| Bray grass                      | Sorghum halepense          | Bray             | Temperate/<br>Intermediate | Good         | Good    | self                     | NA   | Crop | associated with maize crop            |

| Barseem | Trifolium alexandrium | Chhatala | Annual | Good | Good | Farmers / Department/ Privaate<br>Suppliers | Nutritious & palatable<br>fodder, Source of energy<br>for animals | 1                          | Fodder        |
|---------|-----------------------|----------|--------|------|------|---|---|----------------------------|---------------|
| Oats    | Avena spp.            | Javi     | Annual | Good | Good | Suppliers                                   | Nutritious & palatable fodder,                                    | Above ground part of plant | Fodder        |
| Oats    | Sorghum spp.          | cherri   | Annual | Good | Good | Farmers / Department/ Privaate<br>Suppliers | Source of energy  | Above ground part of plant | Fodder        |
| Oats    | Zea mays              | Makki    | Annual | Good | Good | Farmers / Department/ Privaate<br>Suppliers | Source of energy  | Above ground part of plant | Food & fodder |
| Oats    | Vigna unguiculata     | Rongi    | Annual | Good | Good | Farmers / Deptt./ Private<br>Suppliers      | Kharif Legume with high protein                                   | Above ground part of plant | Fodder        |

#### 10

# Community / Knowledge holder

local farmers of rural community

Farmers
Farmers
Farmers
Farmers

|            |                      |             |               |   | Form   | nat-4 Weeds         | 5   |                       |                           |                    |         |
|------------|----------------------|-------------|---------------|---|--|---------------------|---|-----------------------|---------------------------|--------------------|---------|
| 1          | 2                    | 3           | 4             | 5   | 6  |                     | 7   | 8                     | 9                         | 10                 | 12      |
|            |                      |             |               |   | Landscape /                                      | Local St            |   |                       |                           |                    | Other   |
| Plant      | Scientific Name      | Local Name  | Affected crop | Impact  | Habitat  | Past                | Present   | Uses if any           | Management options        | Associated TK      | details |
| Weed grass | Cyanedon Diactylon   | NA          | Paddy maize   | It competes with main crop and lowers the yield | Highland   | Good                | Good  | Can be used as fodder | Proper and timely removal | Nil                | NA      |
| Weed       | Phakaris Minor       | Gulli danda | Wheat         | do  | do   | Good                | Good  | do                    | Proper and timely removal | Nil                | NA      |
| Wild Oat   | Avena fatua          | Jai         | Wheat         | do  | do   | Good                | Good  | do                    | Proper and timely removal | Nil                | NA      |
| Ipomoea    | Ipomea spc.          | NA          | Maize         | Destroys the plant                              | Temperate and Intermediate                       | No weed management` | Scientific based<br>weed<br>management  | Nil                   | Proper and timely removal | Nil                | NA      |
| Ipomoea    | Ipomeaaqatica        | Ghaas       | paddy         | Destroys the plant                              | Temperate and Intermediate                       | No weed management` | Scientific based<br>weed<br>management  | Nil                   | Proper and timely removal | Nil                | NA      |
| Celosia    | Celosia Argentina    | Neeli       | Paddy         | Destroys the plant                              | Temperate and Intermediate                       | No weed management' | Scientific based<br>weed<br>management  | Nil                   | Proper and timely removal | Nil                | NA      |
| Mash       | Cyprus esceluntus    | Ghass       | -             |   | Temperate and intermediate areas of the District | No weed management  | Weed<br>management on<br>scientific lines<br>being followed<br>by the farmers | -                     | -                         | -                  | -       |
| Maize      | Sorghum halepense    | NA          | Maize         | Affect crop yield                               | Temperate/<br>Intermediate                       | average             | Weed<br>management on<br>scientific lines<br>being followed<br>by the farmers | nil                   | hand picking              |                    |         |
| Maize      | Euphorbia thymifolia | Dudli       | maize         | Affect crop yield                               | Temperate/<br>Intermediate                       | Average             | Weed<br>management on<br>scientific lines<br>being followed<br>by the farmers | nil                   | g weedicide or hand pic   | competes with main | NA      |

| Lamb's quarters | Chenopodium album          | Bathua/<br>Kanah/Wild<br>Spinach | Wheat, Pea,<br>Potato                          | Agri. Land | Normal   | Normal   | Eaten as boiled green veg | Physical, Mechanical,<br>Chemical | Rich Source of<br>protein,Vit. A,<br>Calcium,<br>Phosporous &<br>potash | Annual feed & fermentation of Beverages |
|-----------------|----------------------------|----------------------------------|--|------------|----------|----------|---------------------------|-----------------------------------|---|---|
| Barnyard Grass  | Echinochloa crusgalli      | Swank                            | Paddy  | Agri. Land | Abundant | Abundant | Fodder &<br>Animals       | Physical, Mechanical,<br>Chemical | Nil   | Nil                                     |
| Carrot grass    | Parthenum<br>hysterophorus | Congress Grass                   | Gardens & sugarcane ratoon crops & other crops | Agri. Land | Abundant | Abundant | Nil                       | Physical, Mechanical,<br>Chemical | Abnoxious weed difficult to manage                                      | Nil                                     |

13 Community Knowledge Holders NA NA NA NA NA NA No TK associated with either knowledge or management of Ipomea weed local farmers of rural community local farmers of rural community

Farmers
Farmers

|             | Format-5 Pests of Crops |                      |             |                                       |                         |  |                                       |               |  |  |  |  |
|-------------|-------------------------|----------------------|-------------|---------------------------------------|-------------------------|--|---------------------------------------|---------------|--|--|--|--|
| 1           | 2                       | 3                    | 4           | 5                                     | 6                       | 7  | 8                                     | 9             |  |  |  |  |
| Host        | Insect / Animal         | Scientific name      | Local name  | Habitat                               | Time / season of attack | Management mechanism   | Associated<br>TK                      | Other details |  |  |  |  |
| Maize       | Cut worm                | NA                   | Kidi        | Kharif Crops                          | May and June            | IPM  | NA                                    | NA            |  |  |  |  |
| Maize       | Stem Borer              | NA                   | Tana Chedak | do                                    | do                      | DO   | NA                                    | NA            |  |  |  |  |
| Vegetables  | Green fly               | Aphids               | Tela        | do                                    | do                      | DO   | NA                                    | NA            |  |  |  |  |
| Vegetables  | Fruit Borer             | Leucinodes Orbanalis | Suin        | do                                    | do                      | DO   | NA                                    | NA            |  |  |  |  |
| Wheat       | Termites                | Odontotermis         | Sink        | Polyphagous/ sandy<br>and loamy soils | Kharif                  | Field sanitisation and continuous removal and destruction of infected plants   | NA                                    | NA            |  |  |  |  |
| Wheat       | Stem borer              | Chilo partellus      | Ludi        | Polyphagous                           | Kharif                  | Field sanitisation and continuous removal and destruction of infected plants   | NA                                    | NA            |  |  |  |  |
| Maize       | Corn worm               | Helicoverpa armigera | Sundi       | Maize cobs                            | Kharif                  | Field sanitisation and continuous removal and destruction of infected plants. Installing pheromone traps @ 6-10/acre | NA                                    | NA            |  |  |  |  |
| Maize       |                         |                      | Tokka       | upper part of maize                   | Kharif                  | Proper spray of insecticides   | Reduces crop yield                    | NA            |  |  |  |  |
| vegetables  | leaf borer              |                      | pediye      |                                       | Kharif                  | Proper spray of insecticides   | Reduces crop yield                    | NA            |  |  |  |  |
| Bottleguard | fruitfly                | Dacus cucurbitee     |             | pulp of the fruits                    | july to october         | Dusting with some repellents   | causes fungal and bacterial infection | NA            |  |  |  |  |
| Rajma dal   |                         |                      | Dhoru       |                                       | july to october         |  | Reduces crop yiield                   | NA            |  |  |  |  |

10 Community knowledge holder Rare Rare Rare Rare NA NA NA local farmers of rural community local farmers of rural community local farmers of rural community local farmers of rural community

| Format-6 Markets for Domesticated Animals |   |   |   |                                       |   |  |                         |                |  |  |
|---|---|---|---|---------------------------------------|---|--|-------------------------|----------------|--|--|
| 1   | 2   | 3   | 4 | 5                                     | 6   | 7                                      | 8                       | 9              |  |  |
| Name of the market &<br>location          | Weekly (D)/ Fortnightly (D) / Monthly<br>(D) / Biannual (M) / Annual (M)<br>[1] | Types of animals bought and sold [2]  Types and Average Number of animals transacted in a day |   | Places from which animals are brought | Places to which the animals<br>are sold / transported | Name and<br>location of fish<br>market | Types of fishes<br>sold | Source of fish |  |  |
|   |   |   |   |                                       |   |  |                         |                |  |  |

| Format-7 People scape  |   |                    |                              |  |                                |   |                     |                     |                       |            |  |
|------------------------|---|--------------------|------------------------------|--|--------------------------------|---|---------------------|---------------------|-----------------------|------------|--|
| 1                      | 2   | 2 3 4 5 6 7 8 9 10 |                              |  |                                |   |                     |                     | 11                    |            |  |
| Community & Population | Families & Major occupation                             | Sub- occupation    | Depending<br>Landscape       | Major resources<br>accessed and<br>seasons of access | Landscape management practices | Resource management practices           | Cast<br>/ tribe     | Social<br>condition | Nature of inhabitants | No. of HHs |  |
| Mix & 1450             | 635 & Agriculture,<br>Horticulture, Animal<br>Husbandry | Farming            | Agriculture,<br>Horticulture | Wheat (Winters), Rice<br>(Summer), Soil, Forest      | Farming                        | Stripped Cropping,<br>Grassed Waterways | Pahari Tribe,<br>ST | Good                | Good                  | 635        |  |

### Format-8 Landscape

| Pormat-o Lanuscape |                      |                |                    |               |                |                                |   |                  |  |  |
|--------------------|----------------------|----------------|--------------------|---------------|----------------|--------------------------------|---|------------------|--|--|
|                    | 1                    |                |                    | 3             | 4              | 5                              | 6                                       | 7                | 8  |  |
| Majo               | r Landscapes         |                |                    | Eastern a and |                |                                |   |                  |  |  |
| Agricultural land  | Pond                 | Fallow<br>land |                    |               | General fauna  | User groups                    | Manageme nt practices                   |                  |  |  |
| Agric              | Agricultural Lands   |                | Forest and water   |               | Farmers        | Maize                          | Cow, Buffalo, Poultary, Sheep and Goats | Farmers          |  |  |
| C                  | Cultivated           |                | Cultivated         | Fertile Land  | Private        | Trees, Plants, Herbs, Shrubs   | Rodents, Insects                        | Villagers/Locals | Crop Rotation,<br>Terracing                    |  |
| Non- C             | Non- Cultivated Land |                | Non-Irrigated Land | Less Fertile  | Govt./ Private | Marshy/Swampy Plants           | Insects and Amphibians                  | Villagers/Locals | Crop Rotation,<br>Terracing                    |  |
| Irrigated Land     |                      | Irrigated Land |                    | Fertile Land  | Private Land   | Rice, Vegetables, Flowers etc. | Amphibians, Insects                     | Zamindars        | Canals, Channel, Khuls,<br>Distributories etc. |  |
| Grazing Land       |                      | Non-Cultivated | Lush Green         | Govt. Land    | Plants/Herbs   | Rodents, Insects               | Villagers/Locals                        | Nil              |  |  |

| 9  | 10                       | 11               | 12                     |
|--|--------------------------|------------------|------------------------|
| General uses                                 | Associated TK            | Other<br>details | Community accessed     |
| Food, Market and even export to other places |                          |                  |                        |
| Cultivation                                  | Used for Farming         | Nil              | Low Income Communities |
| Cultivation                                  | Available for<br>Farming | Nil              | Low Income Communities |
| Crop cultivation                             | Available for Farming    | Nil              | Every Community        |
| Animal Grazing                               | NA                       | Nil              | Every Community        |

|                         | Format-9 Waterscape |                          |                            |                                    |  |                                    |             |                      |              |               |  |  |
|-------------------------|---------------------|--------------------------|----------------------------|------------------------------------|--|------------------------------------|-------------|----------------------|--------------|---------------|--|--|
| 1                       | 2                   | 3                        | 4                          | 5                                  | 6                                      | 7                                  | 8           | 9                    | 10           | 11            |  |  |
| Waterscape element type | Sub- type           | Features and approx area | Ownership                  | General flora                      | General<br>fauna                       | Major uses                         | User groups | Management practices | General uses | Associated TK |  |  |
| Nallah                  |                     |                          |                            | Crops, Fruits,<br>Vegetables       | Fishes                                 | Used for runing Flour mills        | Locals      |                      | Atta Chakki  |               |  |  |
| Pond                    | Talab               | During Rainy<br>Season   | Private<br>Land/State Land | Crops, fruits, vegetables, flowers | Frogs ,<br>Tadpoles,<br>snakes, snail, | Cattles, irrigation, etc           | Public      |                      |              |               |  |  |
| Hand pumps              | NIL                 | NIL                      | Private/State<br>Land      | NIL                                | NIL                                    | Washing<br>cloths,<br>Drinking etc | Public      | NIL                  |              |               |  |  |

# Format-10 Soil Type

| 1                   | 2  | 3  | 4                     | 5   | 6               | 7             |
|---------------------|--|--|-----------------------|---|-----------------|---------------|
| Soil Type           | Color & Texture  | Features   | Soil management       | Plants / crop suitable                      | Flora and fauna | Associated TK |
| Black soil          | Greyish Brown  | Clayey texture and are highly fertile  |                       | Wheat                                       | All vegetables  |               |
| Alkaline soil       | Brown  |  |                       | Maize                                       |                 |               |
| Black soil          | black in colour and<br>clayey in nature                                | highly fertile andrich in calcium carbonate and poor in nitrogen and phosphorous ,highly retentive of moisture | NA                    | wheat,maize tomatoes,<br>green chillies etc | both            | NA            |
| Laterite soil       | red or rusty in colour<br>and coarser in texture                       | acidic in texture and unsuitable for cultivation   | NA                    | less fertile, potatoes and fruits           | both            | NA            |
| clay soil           | partially off white or<br>yellowish in colour and<br>clayey in texture | sticky ,low permebility, rich in calcium, iron ,magnesium  | NA                    | wheat,vegetables                            | both            | NA            |
| Alluvial soil       | light grey or ash grey   | fertile soil and rich in potash and lime   | NA                    | pulses, vegetables, fruits etc              | both            | NA            |
| Sandy and clay soil | Clayey loam, sandy<br>loam,  | Fine Granular, Dub-Angular Blocky Structure having pH 7.8-8.3, Water<br>Holding capacity more than 40%         | Use of Organic matter | Maize, Wheat                                | -               | -             |

| 8  |
|--|
| Other information                                    |
| dry area   |
| It is found in the areas without irrigation facility |
|  |
|  |
|  |
|  |
| -  |

### Format-11 Fruit Trees

|            |                       |               | i   |   |               |          |                            |                    |
|------------|-----------------------|---------------|---|---|---------------|----------|----------------------------|--------------------|
| 1          | 2                     | 3             | 4   | 5   |               | 6        | 7                          | 8                  |
|            |                       |               |   |   | Loca          | l Status |                            |                    |
| Plant Type | Scientific Name       | Local Name    | Variety   | Landscape/ Habitat                              | Past          | Present  | Source of plant/seeds      | Season of Fruiting |
| Pear       | Pyrus communs L.      | Nakh          | Pathar Nakh, Packham,<br>Limonera, Conference                   | Highland  | Plenty        | Normal   | Fruit itself               | August             |
| Plum       | Prunus Domestica Opal | Plump         | Plum opal   | Moisture but well drained Lowland,<br>Deciduous | and, Plenty N |          | do                         | July-August        |
| Peach      | Prunus Persica        | Aaroo         | July Elberta, Quetta,<br>Shan-e- Punjab, Sun<br>Haven, Sharbati | Highland  | Normal Normal |          | do                         | July-August        |
| Apple      | Malus domestica       | Saib          | Ambri Apple, Granny<br>Smith, Bramley                           | Tree, regular bearing, Temperate Hills          | Rare          | Rare     | Nurseries                  | August-October     |
| Apricot    | Prunus armeniaca      | Khubani, Sadi | Local apricot, Bebco  | Tree, regular bearing, Mid Hills                | Plenty        | Normal   | Nurseries                  | June-July          |
| Walnut     | Juglans regia         | Akhrot        | Paper/Thin Shhelled,<br>Hard & Medium<br>Shelled                | Tree, regular bearing, Temperate Hills          | Normal        | Normal   | Nurseries & Locally raised | Sept-Oct           |
| Pecan      | Carya illinoenis      | Shimla Khor   | Western shell   | Mid/temperate hills/Deciduous/Perennial         | Rare          | Rare     | Nurseries                  | Sept-Oct           |
| Date Plum  | Diospyros lotus       | Amlook        | Local   | Mid/temperate hills                             | Normal        | Rare     | Locally raised             | July-august        |
| Loquat     | Eriobotrya japonica   | Lakaat        | Local   | Sub tropical to mild temperate                  | Rare Rare     |          | Locally Raised, Nurseries  | Late Winters       |

| 9            | 10                                | 11                             | 12  |
|--------------|-----------------------------------|--------------------------------|---|
| Uses (usage) | Other Details market / own<br>use | Community<br>/Knowledge Holder | Associated TK   |
| Fruit, wood  | Marketing, Own Use                | Farmers/Locals                 | Lower Blood pressure, Prevent<br>Cancer, Energy Booster                                     |
| Fruit        | Marketing, Own Use                | Famers/Locals                  | Reduce Blood Sugar, Rich in antioxidants  |
| Fruit, wood  | Marketing, Own Use                | Farmers/Locals                 | Promote Healing, Keep digestion running smoothly etc.                                       |
| Fruits       | Marketing, Own Use                | Farmers/Locals                 | Fruit, Nutritious, Good for weight loss, Prevent Cancer                                     |
| Fruits, Wood | Marketing, Own Use                | Farmers/Locals                 | Rich in Vitamin A, Excellent for promoting eye health                                       |
| Fruits, Wood | Marketing, Own Use                | Farmers/Locals                 | Dry-fruit, Economy generation,<br>Rich in antioxidants, Reduce<br>risk of some cancers etc. |
| Fruits       | Marketing                         | Farmers/Locals                 | Dry Fruits, Nutritional Value   |
| Fruit        | Own Use                           | Locals                         | Dry fruits, Nutritional Value,<br>Anti-Cancer agent   |
| Fruit        | Own Use                           | Locals                         | High in Vitamin A, Antioxidant  |

# Format-12 Medicinal Plants (Herb, Shrubs, Trees etc.)

|            |              |                      |            |                                |                            | Local statu | ıs                     |   |                                 |
|------------|--------------|----------------------|------------|--------------------------------|----------------------------|-------------|------------------------|---|---------------------------------|
| Plant Type | Local Name   | Scientific Name      | Variety    | Landscape/ Habitat             | Source of plant/seeds      | Past        | Present                | Uses (usage)  | Part used                       |
| Trees      | Neem         | Azadarichta indica   |            | lowland                        |                            | good        | good                   | medicinal   | Leaves                          |
| Trees      | Amla         | Emblica officinalia  |            | do                             |                            | good        | good                   | medicinal   | fruit                           |
| Trees      | Anardhana    | Punigranatum         |            | highland                       |                            | good        | rare                   | medicinal and food  | fruit                           |
| Trees      | Babool       | Acasia Nilolica      |            | lowland                        |                            | good        | rare                   | Medicinal and wood  | stem                            |
| Herbs      | Pudina       | Mentha arvensis      |            | lowland and highland           |                            | good        | good                   | medicinal and in food   | leaves                          |
| Herbs      | kuth         | Sassurea lappa       |            | do                             |                            | good        | rare                   | medicinal   | root                            |
| Shrubs     | Bhang        | Cannabis sativa      |            | Temperate                      | Wild                       | Abundant    | Abundant               | medicinal   | Leaves                          |
| Tree       | Sree         | Albizzia lebbeck     |            | Lowland/Highland/<br>Temperate | Wild                       | Good        | Good                   | medicinal   | Bark, seeds, leaves and flowers |
| Herbs      | Dudlu        | Taraxacum officinale |            | Temperate                      | Wild                       | Rare        | Rare                   | medicinal   | Roots                           |
| Herb       | Tamatar      | Solanum lycopersicum | Local      | Temperate                      | Cultivated                 | Available   | Available              | To reduce heart diseases, kidney stones and gall bladder stones | Fruit                           |
| Herb       | Dhaniya      | Coriandrum sativum   | Local      | Temperate                      | Cultivated                 | Available   | Available              | Used for loss of appetite, tooth aches                          | Seeds                           |
| Herb       | Pudina       | Mentha spicata       | Local/wild | Temperate                      | Cultivated/naturally grown | available   | Available              | To cure infection   | Leaf                            |
| Herb       | Pyaz         | Allium cepa          | Temperate  | Cultivated                     | Available                  | Available   | To cure cold and cough | Roots   | To relive cough and cold        |
| Herb       | Lahsun       | Allium sativum       | Local      | Temperate                      | Cultivated                 | Available   | Available              | To cure wounds  | Whole plant                     |
| Herb       | Green Chilly | Capsicum annuum      | Local      | Temperate                      | Cultivated                 | Available   | Available              | To improve immune system  | Entire                          |

| Herb  | Neg chetri       | Trillium govanianum    | Local/wild | Temperate           | Cultivated/naturally grown | Available | Available | Anti inflammatory remedy ,  | Whole plant        |
|-------|------------------|------------------------|------------|---------------------|----------------------------|-----------|-----------|---|--------------------|
| Herb  | Zakhm e hayat    | Bergenia ciliata       | Local/wild | Temperate           | Cultivated/naturally grown | Available | Available | Wound healing, vomiting ,fever, coughand pulmonary infections           | leaves             |
| Herb  | chooray          | Angelica glauca        | Local/wild | Temperate           | Cultivated/naturally grown | Available | Available | dysentry, stomach troubles, infantile atrophy,menorrhagia andrinderpest | stems              |
| Herb  | Gucchi           | Helvella esculenta     | Local/wild | Temperate           | Cultivated/naturally grown | Available | Available |   | whole plant        |
| Herb  | pitpapda         | Fumeria parviflora     | Local/wild | Temperate           | Cultivated/naturally grown | Available | Available | treatment of fever, gastristis, diarrhea etc                            | whole plant        |
| Herb  | Patreesh         | Aconitum heterophyllum | Local/wild | Temperate           | Cultivated/naturally grown | Available | Available | used against diarrhoea, general weakness and fever                      | roots              |
| Herb  | Ceski            | Artemesia absinthium   | Local/wild | Temperate           | Cultivated/naturally grown | Available | Available | remedy for indigestion, gastric pains, antiseptic etc                   | stem and leaves    |
| Herb  | Bethri dhoop     | Juniperus communis     | Local/wild | Temperate           | Cultivated/naturally grown | Available | Available | curing asthama, against swellings,<br>stimulant and diuretic            | flower fruits      |
| Shrub | Kuth             | Sassurea costus        | Local/wild | Temperate           | Cultivated/naturally grown | Available | Available | dysentry,dental trouble, heart problems etc                             | leaves/ roots      |
| Herb  | jungli straberry | Fragaria nubicola      | wild       | Temperate           | naturally grown            | available | average   | Stomach disorders   | fruit              |
| Herb  | Haand dandelian  | Taraxacum officinalis  | wild       | Temperate           | seeds                      | rare      | rare      | treatment of skin ,indigestion, jaundice etc                            | Leaves             |
| Herb  | Banfsha          | Violas serpens         | Local/wild | Temperate           | Cultivated/naturally grown | Available | Available | cough and cold  | whole plant        |
| Herb  | Dramun           | Cynodon dactylon       | Local/wild | Temperate           | Cultivated/naturally grown | Available | Available | used for cough  | Stem/ leaves       |
| Shrub | Datura           | Datura stramonium      | Local/wild | Temperate           | Cultivated/naturally grown | Available | Available | medicine  | Seeds              |
| Shrub | Soi              | Urtica dioica          | Local/wild | Temperate           | Cultivated/naturally grown | Available | Average   | Rehumitides   | Leaves/ stem       |
| Herb  | Bhang            | Cannabis sativa        | Local/wild | Temperate           | naturally grown            | Available | Available | treatment of pain , loss of appetite , insomania , depresssion etc      | Leaves/ stem       |
| Herb  | Kaudh            | Picrorhiza kurroa      | Local/wild | Temperate           | Cultivated/naturally grown | Available | Available | Pain reliever   |                    |
| Herb  | Kishmay          | Berberis lycium        | Local/wild | Temperate           | Cultivated/naturally grown | Available | Available | Jaundice  |                    |
| Herb  | Teevnd           | Viburnum grandiflorum  | wild       | Temperate           | naturally grown            | plenty    | average   | cough and anticold  | flowers /seeds     |
| Herb  | Baryan           | Acorus calamus         | Local/wild | swapmy marshy areas | naturally grown            | plenty    | average   | treatment of gouts  | rhizome/ lowe part |

|  | 1                                  |                              |  |  |
|--|------------------------------------|------------------------------|--|--|
| Associated TK  | Other details<br>market/own<br>use | Community/ Know.<br>Holders  |  |  |
|  | Own use                            | good                         |  |  |
|  | Own use                            | good                         |  |  |
|  | Own use                            | good                         |  |  |
|  | Own use                            | rare                         |  |  |
|  | Own use                            | good                         |  |  |
|  | Own use                            | rare                         |  |  |
| Protection against pain, nause and vomiting                  | Own use                            | Generally, held by community |  |  |
| Used For migraine, diarrhea, jaundice, skin problems, asthma | Own use                            | Generally, held by community |  |  |
| Antiviral activity, anti-diabetic, anti inflammatory         | Own use                            | Generally, held by community |  |  |
| Cure heart and stone diseases                                | Own use                            | Generally, held by community |  |  |
| Cure pain  | Own use                            | Generally, held by community |  |  |
| Cure infection   | Own use                            | Generally, held by community |  |  |
| Extract  | Own use                            | Generally, held by community |  |  |
| Used for wounds  | Own use                            | Generally, held by community |  |  |
| Improve eye site   | Own use                            | Generally, held by community |  |  |

|           |         | 0 11 1 111                   |
|-----------|---------|------------------------------|
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |
| available | Own use | Generally, held by community |

|                                |  |                                       | Format- | 13 Ornamental Pl      | ants/Trees/Climbo              | ers etc.          |               |               |                              |
|--------------------------------|--|---------------------------------------|---------|-----------------------|--------------------------------|-------------------|---------------|---------------|------------------------------|
| 1                              | 2  | 3                                     | 4       | 5                     | 6                              | 7                 | 8             | 9             | 10                           |
| Plant Type                     | Local Name                                   | Scientific Name                       | Variety | Source of plant/seeds | Commercial/<br>non- commercial | Uses              | Associated TK | Other details | Community/ Know. holder      |
| Silver Oak                     | Silver oak                                   | Gravilla Robusta                      |         | Nature                | Non commercial                 | Ornamentatio<br>n |               |               | A few                        |
| Saroon/Oriental<br>Arbor-vitae | Saru   | Plactycladus orientalis               |         | Stems                 | do                             | ornamentatio<br>n |               |               | do                           |
| Burnas                         | Hardul                                       | Rhododendron arboreum                 |         |                       | do                             | do                |               |               | do                           |
| Tree                           | Gandera                                      | Nerium oleander                       | -       | Plant                 | Non-Commercial                 | N.A               | N.A           | N.A           | Generally, held by community |
| Plant                          | Canna Lily                                   | Canna indica L.                       |         | Plant                 | Non-Commercial                 | N.A               | N.A           | N.A           | Generally, held by community |
| Plant                          | Creek<br>bottlebrush/Melaleu<br>ca viminalis | Callistemon viminalis                 |         | Plant                 | Non-Commercial                 | N.A               | N.A           | N.A           | Generally, held by community |
| Plant                          | Oriental Arbor-vitae                         | Platycladus orientalis (L.)<br>Franco |         | Plant                 | Non-Commercial                 | N.A               | N.A           | N.A           | Generally, held by community |
| Plant                          | Alpine Rose                                  | Rosa pendulina L.                     |         | Plant                 | Non-Commercial                 | N.A               | N.A           | N.A           | Generally, held by community |

|             |            |                    |                            | Format-14 | 4 Timber l | Plants/Trees       |   |               |                |                  |
|-------------|------------|--------------------|----------------------------|-----------|------------|--------------------|---|---------------|----------------|------------------|
| 1           | 2          | 3                  | 4                          | 5         |            | 6                  | 7                                       | 8             | 9              | 10               |
|             |            |                    |                            | Local     | status     | Wild/ home-        | Other                                   |               |                | Community/ Know. |
| Plant Type  | Local Name | Scientific Name    | Habitat                    | Past      | Present    | garden             | uses (multi)                            | Associated TK | Other details  | holder           |
| Wild walnut | Banakhor   | Aesculus Indica    | do                         | Plenty    | Normal     |                    | Dry fruit                               |               |                |                  |
| Walnut      | Akhroot    | Juglanregia        | Both highland and low land | Plenty    | Normal     |                    | do                                      |               |                |                  |
| Tree        | Walnut     | Juglans regia      | Temperate                  | Plenty    | Normal     | Wild, home         | Furniture, tooth cleaner                | NA            | unknown        |                  |
| Tree        | Banj       | Quercus incana     | Temperate                  | Plenty    | Normal     | Wild               | Firewood                                | NA            | Unknown        |                  |
| Tree        | Apricot    | Prunusar meniaca   | Temperate                  | Plenty    | Normal     | Wild, home         | Furniture, firewood                     | NA            | Unknown        |                  |
| Tree        | Peach      | Prunus persica     | temperate                  | Plenty    | Normal     | Wild, home         | Firewood                                | NA            | Unknown        |                  |
| Tree        | Keth       | Pyru spashia       | Temperate                  | Plenty    | Normal     | Wild               | Firewood                                | NA            | Unknown        |                  |
| Tree        | Rubinkul   | Robinia sp         | Temperate                  | Plenty    | Normal     | wild/ home- garden | Furniture,<br>firewood                  | NA            | Unknown        |                  |
| Tree        | Drek       | Melia azedarach    | Temperate                  | Plenty    | Normal     | wild               | Furniture,<br>firewood                  | NA            | Unknown        |                  |
| Tree        | Moru oak   | Quercus floribunda | Temperate                  | Plenty    | Normal     | wild               | Furniture,<br>firewood                  | NA            | Strongest wood |                  |
| Tree        | Fur        | Abies pindrow      | Temperate                  | Plenty    | Normal     | wild               | Furniture,<br>firewood                  | NA            | Unknown        |                  |
| perinnial   | Kail       | Pinus wallichania  | Temperate                  | Plenty    | Normal     | wild               | Furniture,<br>firewood                  | NA            | Unknown        |                  |
| perinnial   | Tulkul     | Morus nigra        | Temperate                  | Plenty    | Normal     | wild/ home- garden | fodder for silk<br>worm and<br>Firewood | NA            | Unknown        |                  |
| perinnial   | Devdar     | Cedrus deodara     | Temperate                  | Plenty    | Normal     | wild               | Furniture,<br>firewood                  | NA            | Strongest wood |                  |

| perinnial | Kikar   | Robinia pseudoacacia | Temperate | Plenty | Normal | wild               | fodder for<br>animals and<br>firewood | NA | Unknown |  |
|-----------|---------|----------------------|-----------|--------|--------|--------------------|---------------------------------------|----|---------|--|
| Tree      | Chinar  | Plantanus orientalis | Temperate | Plenty | Normal | wild/ home- garden | Furniture, firewood                   | NA | Unknown |  |
| Tree      | Shisham | Dalbergia sissoo     | Temperate | Plenty | Normal | wild/ home- garden | Furniture, firewood                   | NA | Unknown |  |

|             |                |                  |                         |                               | Format-15 D   | omesticated A | nimals          |                                  |               |            |                          |              |
|-------------|----------------|------------------|-------------------------|-------------------------------|---------------|---------------|-----------------|----------------------------------|---------------|------------|--------------------------|--------------|
| 1           | 2              | 3                | 4                       | 5                             | 6             | ,             | 7               | 8                                | 9             | 10         | 11                       | 12           |
| Animal Type | Local Name     | Scientific Name  | Breed (local/           | Features                      | Method of     | _             | Local<br>status |                                  | Associated TK | Commercial | Other details including  | Community    |
| J. J.F.     |                |                  | hybrid)                 |                               | keeping       | Past          | Present         |                                  |               | rearing    | products and<br>Services | Know.Holders |
| Buffalo     | Manj           | Babulus bubalis  | local                   | Black color body              | Domestic      | abundant      | decreased       | Dairy                            | nil           | no         | Milk                     | All          |
| Buffalo     | Punjabi manj   | Bubalus Bubalis  | murrah                  | Black color body              | Domestic      | very few      | increased       | Dairy                            | nil           | yes        | Milk                     | All          |
| Cattle      | Gaan           | Bos taurus       | ND                      | Low yield                     | Domestic      | abundant      | decreased       | Dairy                            | nil           | no         | Milk                     | All          |
| Chicken     | Desi Murga     | Galus domesticus | hybrid                  | hybrid                        | Domestic      | very few      | increased       | egg & meat                       | nil           | no         | Meat                     | All          |
| Dog         | kutta          | canis familaris  | Local                   | nil                           | stray         | abundant      | abundant        | nil                              | nil           | no         | Nil                      | All/Stray    |
| Dog         | bakerwal kutta | canis familaris  | bakarwal                | brown black in color          | household     | abundant      | rare            | comparison                       | nil           | no         | Nil                      | Bakerwals    |
| Cat         | billi          | frlis catus      | local                   | grey colored                  | pet           | abundant      | abundant        | pet                              | nil           | nil        | Nil                      | All Stray    |
| Sheep       | bhed           | Ovis aries       | local                   | small sized rough<br>coat     | flock rearing | least concern | least concern   | mutton,wool<br>& manure          | yes           | yes        | Meat                     | All          |
| Sheep       | bhed           | Ovis aries       | rambouillet cross       | large sized fine wool         | flock rearing | least concern | least concern   | mutton,wool<br>& manure          | yes           | yes        | Meat                     | All          |
| Goat        | Bakri          | Capra aegagrus   | local                   | small size low<br>body weight | flock rearing | least concern | least concern   | chevon,<br>hair.milk &<br>manure | yes           | yes        | Meat                     | All          |
| Goat        | Bakri          | Capra aegagrus   | kaghani(bakerwall<br>i) | large size low<br>body weight | flock rearing | least concern | least concern   | chevon,<br>hair.milk &<br>manure | yes           | yes        | Meat                     | All          |
| Goat        | Bakri          | Capra aegagrus   | beetal                  | large size low<br>body weight | flock rearing | least concern | least concern   | chevon,<br>hair.milk &<br>manure | yes           | yes        | Meat                     | All          |
|             | Gau            | Bos indicus      | ND                      | Low yield                     | stall feeding | Abundant      | Decrease        | Dairy                            | Nil           | No         | Milk                     | All          |

| Cattle  | Jersy Gau    | Bos taurus               | CB Jersy       | Dished face                                | stall feeding / semi<br>intensive | Very few | Increase  | Dairy      | Nil  | yes  | Milk       | All         |
|---------|--------------|--------------------------|----------------|--|-----------------------------------|----------|-----------|------------|------|------|------------|-------------|
|         | Amrecan Gau  | Bos taurus               | CB HF          | Black and white spot                       | stall feeding / semi<br>intensive | Very few | Increased | Dairy      | Nil  | Yes  | Milk       | All         |
| Buffalo | Manj         | Bubalus bubalis          | Local          | Low yield                                  | stall feeding                     | Abundant | Decreased | Dairy      | Nil  | No   | Milk       | All         |
| Dullato | Punjabi Mais | Bubalus bubalis          | Murrah /Graded | Black color body                           | stall feeding / semi<br>intensive | Very few | Increased | Dairy      | Nil  | Yes  | Milk       | All         |
| Horse   | ghoda        | Equus caballus           | Local          | Red color body                             | Backyard                          | Abundant | Decrease  | Pack/ Cart | Nil  | No   | Pack/ Cart | All         |
|         | Parrot       | Psittaciformes           | Local          | parrot green in<br>colour with red<br>beak | Backyard                          | few      | Decrease  | decorative | Nil  | No   | Nil        | All         |
|         | Pigeon       | Columbidae               | Local          | white color, fast growing                  | Backyard                          | few      | Decrease  | decorative | Nil  | No   | nil        | All         |
| Dog     | Kutta        | canis familaries         | Local          | Nil  | Pet ,Stray                        | Abundant | Abundant  | Nil        | Nil  | No   | Nil        | All / stray |
| Rabbit  | Khargosh     | Oryctolagus<br>cuniculus | White gaint    | white                                      | Pet ,wild                         | few      | few       | Pet        | Nil  | No   | Nil        | All / wild  |
| Poultry | Kukkar       | Gallus domesticus        | Desi/ Local    | Enriched Meat<br>Flavour                   | Intensive, Free                   | Abundant | Decreased | - Egg/Meat | Nil  | Nil  | Nil        | All         |
| r outry | Farmi Kukkar | Gaitus aomesticus        |                | Good Egg Yielder                           | range, Backyard                   | Very Few | Increased | Egg/Wieat  | INII | INII | INII       | All         |

|      | Format-16 Culture Fisheries   |      |  |  |                     |      |         |  |    |         |         |               |  |  |  |
|------|---|------|--|--|---------------------|------|---------|--|----|---------|---------|---------------|--|--|--|
| Fish | Fish Local Scientific Variety Features Waterscape Local Status Uses Associated Commercial Other Community |      |  |  |                     |      |         |  |    |         |         |               |  |  |  |
| Туре | Name  | Name |  |  | (Pond/ Bheri/Talao) | Past | Present |  | TK | rearing | details | know. Holders |  |  |  |
|      |   |      |  |  |                     |      |         |  |    |         |         |               |  |  |  |

| Format 17: Markets / Fairs for Domesticated Animals, Medicinal Plants and other products |          |  |          |  |                                    |  |   |   |  |  |  |  |  |
|--|----------|--|----------|--|------------------------------------|--|---|---|--|--|--|--|--|
| Name of the Weekly<br>Market / Fair  | Location | Weekly / Fortnightly &<br>Others<br>Bi-annual / Annual | Day held | Month incase of bi-annual or<br>annual market fair | Types of animal<br>bought and sold | Number of animals<br>(average) transacted in a day | Places from where the animals are arrived | Places to where the animals are transported |  |  |  |  |  |
|  |          |  |          |  |                                    |  |   |   |  |  |  |  |  |

## Format-18 Trees, Shrubs, Herbs, Tubers, Grasses, Climbers etc.

| 1         | 2           | 3                    | 4         | 5                         |                             | 6          | 7                   | 8                | 9                   | 10                              | 11                               |
|-----------|-------------|----------------------|-----------|---------------------------|-----------------------------|------------|---------------------|------------------|---------------------|---------------------------------|----------------------------------|
| Plant     | Local Name  | Scientific Name      | Habit     | Habitat                   | Loca                        | ıl status  | Commercial / own    | Part collected   | Associated TK       | Other details                   | Community                        |
| Type      | Local Manie | Scientific Paine     | iiubit    | 11moreur                  | Past Present  Good Moderate |            | use                 | Tare concercu    | Associated 111      | other deams                     | Knowledge Holder                 |
| Tree      | Chir        | Pinus roxburghii     | Tree      | Northern/Sub-<br>Tropical | Good                        | Moderate   | Commercial/own use  | Timber/ Firewood | Resin               | -                               | local farmers of rural community |
| Tree      | Deodar      | Cedrus deodara       | Tree      | Forest,<br>temperate      | Dense                       | Less dense | Commercial, own use | Whole plant      | Furniture, roofing  | Furniture                       | local farmers of rural community |
| Tree      | Kail        | Pinus wallichiana    | Tree      | Forest,<br>temperate      | Dense                       | Less dense | Commercial, own use | Whole plant      | Furniture, roofing  | Furniture                       | local farmers of rural community |
| Shrubs    | Kemel       | Barberries           | Shrubs    | Forest,<br>temperate      | Dense                       | Dense      | Commercial, own use | Roots and leaves | Medicinal use       | Medicinal                       | local farmers of rural community |
| Herbs     | Datura      | Datura stramonium    | Herb      | Forest,<br>temperate      | Dense                       | Dense      | Commercial, own use | seeds            | Medicinal use       | Medicinal                       | local farmers of rural community |
| Grasses   | Ghass       | Rhododendron         | Grass     | Forest                    | Dense                       | Dense      | own use             | Whole            | Medicinal use       | Medicinal use                   | local farmers of rural community |
| Mushroom  | Guchhies    | Morchella spp.       | Mushroom  | Temperate                 | Available                   | Available  | Commercial, own use | Whole plant      | Medicinal use       | Used in medicines preparation   | local farmers of rural community |
| Tree      | Rubinkul    | Robinia sp           | Temperate | Temperate                 | Plenty                      | least      | Furniture, firewood | Whole plant      | Firewoood           | Furniture                       | local farmers of rural community |
| Tree      | Drek        | Melia azedarach      | Temperate | Temperate                 | Plenty                      | Average    | Furniture, firewood | Whole plant      | furniture, firewood | Furniture                       | local farmers of rural community |
| Tree      | Moru oak    | Quercus floribunda   | Temperate | Temperate                 | Plenty                      | Average    | Commercial, own use | Whole plant      | Strongest wood      | Furniture                       | local farmers of rural community |
| Tree      | Fur         | Abies pindrow        | Temperate | Temperate                 | Plenty                      | Average    | Furniture, firewood | Whole plant      | Furniture, roofing  | Furniture                       | local farmers of rural community |
| perinnial | Kikar       | Robinia pseudoacacia | Temperate | Temperate                 | Plenty                      | Average    | , own use           | Whole plant      | Firewoood           | fodder for animals and firewood | local farmers of rural community |

| Tree  | Chinar               | Plantanus orientalis      | Temperate  | Temperate | Plenty    | least     | Commercial, own use | Whole plant   | Furniture, roofing   | Furniture, firewood | local farmers of rural community |
|-------|----------------------|---------------------------|------------|-----------|-----------|-----------|---------------------|---------------|--|---------------------|----------------------------------|
| Tree  | Shisham              | Dalbergia sissoo          | Temperate  | Temperate | Plenty    | Average   | Commercial, own use | Whole plant   | Furniture, roofing   | Furniture, firewood | local farmers of rural community |
| Herb  | Neg chetri           | Trillium govanianum       | Local/wild | Temperate | Available | Available | Commercial, own use | Whole plant   | Anti inflammatory remedy,  | Medicinal use       | local farmers of rural community |
| Herb  | Zakhm e<br>hayat     | Bergenia ciliata          | Local/wild | Temperate | Available | Available | Commercial, own use | leaves        | Wound healing,<br>vomiting ,fever,<br>coughand pulmonary<br>infections           | Medicinal use       | local farmers of rural community |
| Herb  | chooray              | Angelica glauca           | Local/wild | Temperate | Available | Available | Commercial, own use | stems         | dysentry, stomach<br>troubles, infantile<br>atrophy,menorrhagia<br>andrinderpest | Medicinal use       | local farmers of rural community |
| Herb  | Gucchi               | Helvella esculenta        | Local/wild | Temperate | Available | Available | Commercial, own use | whole plant   | prevent heart diseases and diabaties   | Medicinal use       | local farmers of rural community |
| Herb  | pitpapda             | Fumeria parviflora        | Local/wild | Temperate | Available | Available | Commercial, own use | whole plant   | treatment of fever,<br>gastristis, diarrhea etc                                  | Medicinal use       | local farmers of rural community |
| Herb  | Patreesh             | Aconitum<br>heterophyllum | Local/wild | Temperate | Available | Available | Commercial, own use | roots         | used against diarrhoea,<br>general weakness and<br>fever                         | Medicinal use       | local farmers of rural community |
| Herb  | Ceski                | Artemesia absinthium      | Local/wild | Temperate | Available | Available | Commercial, own use | leaves/ stems | remedy for indigestion,<br>gastric pains, antiseptic<br>etc                      | Medicinal use       | local farmers of rural community |
| Herb  | Bethri dhoop         | Juniperus communis        | Local/wild | Temperate | Available | Available | Commercial, own use | flower fruits | curing asthama, against<br>swellings, stimulant and<br>diuretic                  | Medicinal use       | local farmers of rural community |
| Shrub | Kuth                 | Sassurea costus           | Local/wild | Temperate | Available | Available | Commercial, own use | leaves/ roots | dysentry,dental trouble,<br>heart problems etc                                   | Medicinal use       | local farmers of rural community |
| Herb  | jungli<br>strawberry | Fragaria nubicola         | wild       | Temperate | available | average   | Commercial, own use | fruit         | Stomach disorders  | Medicinal use       | local farmers of rural community |
| Herb  | Haand<br>dandelian   | Taraxacum officinalis     | wild       | Temperate | rare      | rare      | Commercial, own use | Leaves        | treatment of<br>skin ,indigestion, jaundice<br>etc                               | Medicinal use       | local farmers of rural community |

| Herb  | Banfsha                         | Violas serpens             | Local/wild | Temperate                  | Available          | Available          | Commercial, own use | whole plant      | cough and cold   | Medicinal use | local farmers of rural community |
|-------|---------------------------------|----------------------------|------------|----------------------------|--------------------|--------------------|---------------------|------------------|--|---------------|----------------------------------|
| Herb  | Dramun                          | Cynodon dactylon           | Local/wild | Temperate                  | Available          | Available          | Commercial, own use | Stem/ leaves     | used for cough   | Medicinal use | local farmers of rural community |
| Shrub | Datura                          | Datura stramonium          | Local/wild | Temperate                  | Available          | Available          | Commercial, own use | Seeds            | medicine   | Medicinal use | local farmers of rural community |
| Shrub | Soi                             | Urtica dioica              | Local/wild | Temperate                  | Available          | Average            | Commercial, own use | Leaves/ stem     | Rehumitides  | Medicinal use | local farmers of rural community |
| Herb  | Bhang                           | Cannabis sativa            | Local/wild | Temperate                  | Available          | Available          | Commercial, own use | Leaves/ stem     | treatment of pain , loss of appetite , insomania , depresssion etc | Medicinal use | local farmers of rural community |
| Herb  | Teevnd                          | Viburnum grandiflorum      | Herb       | Temperate/<br>Intermediate | Available          | Available          | Commercial, own use | flowers /seeds   | cough and anticold   | Medicinal use | local farmers of rural community |
| Grass | Oats                            | Avena sativa               | Herb       | Irrigated areas            | Local<br>varieties | Improved varieties | own use             | Leaves/ stem     | Fodder   | NA            | local farmers of rural community |
| Grass | Berseem<br>(Egyptian<br>Clover) | Trifolium alexandrinum     | Herb       | Temperate/<br>Intermediate | NA                 | Improved varieties | own use             | Leaves/ stem     | Fodder   | NA            | local farmers of rural community |
| Grass | Milkweed                        | Euphorbia thymifolia       | Herb       | Temperate/<br>Intermediate | local<br>varieties | local varities     | own use             | Leaves/ stem     | Fodder   | NA            | local farmers of rural community |
| Grass | Charri                          | Sorghum bicolor            | Herb       | Temperate/<br>Intermediate | local<br>varities  | local varities     | own use             | Leaves/ stem     | Fodder   | NA            | local farmers of rural community |
| Grass | Berea grass                     | Dactyloctenium<br>australe | Herb       | Temperate/<br>Intermediate | local<br>varities  | Improved varieties | own use             | Leaves/ stem     | Fodder   | NA            | local farmers of rural community |
| Grass | Bray grass                      | Sorghum halepense          | Herb       | Temperate/<br>Intermediate | local<br>varities  | Improved varieties | own use             | Leaves/ stem     | Fodder   | NA            | local farmers of rural community |
| Tree  | Safeda                          | Eucalyptus                 | Tree       | Northern/Sub-<br>Tropical  | Good               | Moderate           | Commercial/Own use  | Timber/ Firewood | -  | -             | local farmers of rural community |

|         |                    | Format-19 Wild Plant Species of Importance |         |   |        |  |  |  |  |  |  |  |  |  |
|---------|--------------------|--|---------|---|--------|--|--|--|--|--|--|--|--|--|
| 1       | 2                  | 3  | 4       | 5   | 6      |  |  |  |  |  |  |  |  |  |
| Sl. No. | Local Name         | Scientific Name                            | Variety | Importance<br>(as economic, social,<br>cultural etc.) | Status |  |  |  |  |  |  |  |  |  |
| 1       | Kanner/Lal Gandila | Nerium indicum                             | Shrub   | NA  | Good   |  |  |  |  |  |  |  |  |  |
| 2       | Bhang              | Cannabis sativa                            | Shrub   | Medicinal   | Good   |  |  |  |  |  |  |  |  |  |

|            | Format-20 Aquatic Biodiversity |         |          |         |       |         |      |            |        |                   |  |  |  |  |  |
|------------|--------------------------------|---------|----------|---------|-------|---------|------|------------|--------|-------------------|--|--|--|--|--|
|            |                                |         |          |         | Local | status  |      | Associated | Other  | Community/        |  |  |  |  |  |
| Local Name | Scientific Name                | Variety | Features | Habitat | Past  | Present | Uses | тк         | Detail | knowledge Holders |  |  |  |  |  |
|            |                                |         |          |         |       |         |      |            |        |                   |  |  |  |  |  |
|            |                                |         |          |         |       |         |      |            |        |                   |  |  |  |  |  |
|            |                                |         |          |         |       |         |      |            |        |                   |  |  |  |  |  |
|            |                                |         |          |         |       |         |      |            |        |                   |  |  |  |  |  |
|            |                                |         |          |         |       |         |      |            |        |                   |  |  |  |  |  |
|            |                                |         |          |         |       |         |      |            |        |                   |  |  |  |  |  |

|        | Format-21 Wild Aquatic Plant Species of Importance |                 |            |         |            |        |       |  |  |  |  |  |  |  |
|--------|--|-----------------|------------|---------|------------|--------|-------|--|--|--|--|--|--|--|
| S. No. | PBR ID   | Scientific name | Local Name | Variety | Importance | Trends | Image |  |  |  |  |  |  |  |
|        |  |                 |            |         |            |        |       |  |  |  |  |  |  |  |

|              |               |                           |           | Forn        | nat-22 Wild F | Plants of Med   | icinal Impo                             | rtance  |                 |                       |
|--------------|---------------|---------------------------|-----------|-------------|---------------|-----------------|---|---|-----------------|-----------------------|
| 1            | 2             | 3                         | 4         | 5           | (             | í               | 7                                       | 8   | 9               | 10                    |
| Plant (Herb, | Local Name    | Scientific Name           | Variety   | Landscape / | Local         | Status          | Associated TK                           | Uses (usage)  | Part used       | Other details         |
| Shrub, Tree) | Down I wante  |                           | , unitely | Habitat     | Past          | Present         | 110000111101111111111111111111111111111 | cost (asings)   | 1 11 7 11 5 7 1 | market/ own use       |
| Plant        | Bankakri      | Podophyllum<br>hexandrum  | plant     | Temperate   | Available     | Available       | Available                               | It has been found to be effective in contolling skin<br>diseases and recently attracted attention for use in<br>certain form of cancer  | Fruit           | own use               |
| Herb         | Banafsha      | Viola spp.                | Herb      | Temperate   | Available     | Available       | Available                               | Flowers are used in perfumery and are also used medicinally as demulcent and biliousness and lungs troubles   | Flower          | own use<br>/marketing |
| Climber      | Kins          | Dioscorea deltoidea       | Climber   | Temperate   | Available     | Available       | Available                               | The yield Diosgenin, which is used to synthesize sex hormones and Corisone, Cortisone is extensively and used in rheumatism and allergic conditions.  Propagation of the species is though rhizome. | Tuber           | own use               |
| Mushroom     | Guchhies      | Morchellaspp              | Mushroom  | Temperate   | Abundant      | rare            | available                               | Used in medicines prepration  | Whole plant     | own use<br>/marketing |
| Herb         | Neg chetri    | Trillium govanianum       | Herb      | Temperate   | Abundant      | average         | Available                               | Anti inflammatory remedy ,  | Whole plant     | own use<br>/marketing |
| Herb         | Zakhm e hayat | Bergenia ciliata          | Herb      | Temperate   | abundant      | abundant        | Available                               | Wound healing, vomiting ,fever, coughand pulmonary infections   | leaves          | own use<br>/marketing |
| Herb         | chooray       | Angelica glauca           | Herb      | Temperate   | abundant      | abundant        | Available                               | dysentry, stomach troubles, infantile atrophy,menorrhagia andrinderpest   | stems           | own use<br>/marketing |
| Herb         | Gucchi        | Helvella esculenta        | Herb      | Temperate   | abundant      | average or rare | Available                               |   | whole plant     | own use<br>/marketing |
| Herb         | pitpapda      | Fumeria parviflora        | Herb      | Temperate   | abundant      | average         | Available                               | treatment of fever, gastristis, diarrhea etc  | whole plant     | own use<br>/marketing |
| Herb         | Patreesh      | Aconitum<br>heterophyllum | Herb      | Temperate   | abundant      | average         | Available                               | used against diarrhoea, general weakness and fever  | roots           | own use<br>/marketing |
| Herb         | Ceski         | Artemesia absinthium      | Herb      | Temperate   | abundant      | abundant        | Available                               | remedy for indigestion, gastric pains, antiseptic etc   |                 | own use<br>/marketing |

| Herb | Bethri dhoop     | Juniperus communis        | Herb | Temperate | Available | Available | Available | curing asthama, against swellings, stimulant and diuretic  | flower fruits  | own use<br>/marketing |
|------|------------------|---------------------------|------|-----------|-----------|-----------|-----------|--|----------------|-----------------------|
| Herb | Kuth             | Sassurea costus           | Herb | Temperate | abundant  | Available | Available | dysentry,dental trouble, heart problems etc  | leaves/ roots  | own use<br>/marketing |
| Herb | jungli straberry | Fragaria nubicola         | Herb | Temperate | abundant  | average   | Available | Stomach disorders  | fruit          | own use<br>/marketing |
| Herb | Haand dandelian  | Taraxacum officinalis     | Herb | Temperate | rare      | rare      | Available | treatment of skin ,indigestion, jaundice etc   | Leaves         | own use<br>/marketing |
| Herb | Banfsha          | Violas serpens            | Herb | Temperate | Available | Available | Available | cough and cold   | whole plant    | own use<br>/marketing |
| Herb | Dramun           | Cynodon dactylon          | Herb | Temperate | abundant  | abundant  | Available | used for cough   | Stem/ leaves   | own use<br>/marketing |
| Herb | Datura           | Datura stramonium         | Herb | Temperate | Available | Available | Available | medicine   | Seeds          | own use<br>/marketing |
| Herb | Soi              | Urtica dioica             | Herb | Temperate | abundant  | Average   | Available | Rehumitides  | Leaves/ stem   | own use<br>/marketing |
| Herb | Bhang            | Cannabis sativa           | Herb | Temperate | abundant  | abundant  | Available | treatment of pain , loss of appetite , insomania , depresssion etc                                     | Leaves/ stem   | own use<br>/marketing |
| Herb | Kaudh            | Picrorhiza kurroa         | Herb | Temperate | Available | Available | Available | Pain reliever  |                | own use<br>/marketing |
| Herb | Kishmay          | Berberies lycium          | Herb | Temperate | Available | Available | Available | Jaundice   |                | own use<br>/marketing |
| Herb | Teevnd           | Viburnum grandiflorum     | Herb | Temperate | plenty    | average   | Available | cough and anticold   | flowers /seeds | own use<br>/marketing |
| Herb | Patrees          | Aconitum<br>heterophyllum | Herb | Temperate | plenty    | average   | Available | It is an excellent tonic for combating ability after malarial & other fevers & diseases                | Roots          | own use<br>/marketing |
| Herb | Banafsha         | Viola                     | Herb | Temperate | plenty    | average   | Available | Flowers are used in perfumery & are also used medicinally as demulcent and biliousness & lungs trouble | Flower         | own use<br>/marketing |

| Herb    | Kuth      | Soussurea lappa     | Herb    | Temperate | plenty | average | Available | Used in treatment of cough, asthma & fever.   | Root         | own use<br>/marketing |
|---------|-----------|---------------------|---------|-----------|--------|---------|-----------|---|--------------|-----------------------|
| Climber | Dioscorea | Dioscorea deltoidea | Climber | Temperate | plenty | average | Available | The tubers yield diosgenin, which is used to synthesize sex hormones.                   | Tuber        | own use<br>/marketing |
| Shrub   | Simlu     | Berberis lyceum     | Shrub   | Temperate | plenty | average | Available | It is an excellent tonic for combating ability after malarial & other fevers & diseases | Fruit, roots | own use<br>/marketing |

### 11

### c.knowledge holder

local farmers of rural community

### Format-23 Wild Relatives of Crops

| S. No. | Scientific name | Local Name   | Associated crop | Landscape/Habitant | Local Status Past | Local Status<br>Present | Uses             | Part Used      | Associated TK           | Other<br>Details | Community /<br>Knowledge Holder |
|--------|-----------------|--------------|-----------------|--------------------|-------------------|-------------------------|------------------|----------------|-------------------------|------------------|---------------------------------|
| 1      | Aesculas indica | Ban khori    | Akhrot          | Scattered          | Available         | Available               |                  | Fruit / leaves |                         |                  |                                 |
| 2      | Mentha arvensis | Jungli putna | Putna           | Along the Nalla's  | Rare              | Rare                    | Medicinal<br>use | Laef           | Medicinal<br>Properties |                  | Generally, held by community    |

|               |                      |         | Format-24 Orna         | nmental Plants                          |                  |                     |                                   |
|---------------|----------------------|---------|------------------------|---|------------------|---------------------|-----------------------------------|
| 1             | 2                    | 3       | 4                      | 5                                       | 6                | 7                   | 8                                 |
| Local<br>Name | Scientific<br>Name   | Variety | Habitat                | Commercial / Non-<br>commercial<br>Uses | Associated<br>TK | Any other<br>Detail | Community/<br>Knowledge<br>Holder |
| Saroon        | Cupressus            |         | lowland                | non commercial                          |                  | nil                 |                                   |
| Gandila       | Nerium indicum       | Shrub   | Northern/ Sub-Tropical | non commercial                          | -                | -                   | Locals                            |
| Bougainvillea | Bougainvillea glabra | Shrub   | Northern/ Sub-Tropical | non commercial                          |                  | -                   | Locals                            |
| Gandera       | Nerium oleander      | Shrub   | Northern/ Sub-Tropical | non commercial                          |                  |                     | Locals                            |

|                   |       |                          |              | Format-25 Fu                   | ımigate/C | hewing Pl | ants                                 |                  |  |  |
|-------------------|-------|--------------------------|--------------|--------------------------------|-----------|-----------|--------------------------------------|------------------|--|--|
| 1                 | 2     | 3                        | 4            | 5                              |           | 6         | 7                                    | 8                | 9  |  |
| Plant (Herb,      | Local | Scientific               | W            | ty Habitat                     |           | Status    | Uses                                 | D ( )            | Associated   |  |
| Shrub, Tree)      | Name  | Name                     | Variety      | Habitat                        | Past      | Present   | (usage)                              | Part used        | TK   |  |
| Herb - Spearmint  | Pudna | Mentha spicata L.        | Lamiaceae    | Homestead, agricultural land   | Abudant   | Abudant   | Spice                                | Leaves           | Anti cancer<br>activity against<br>different types of<br>human cancers as<br>cervix, breast and<br>many others |  |
| Herb - Holy Basil | Tulsi | ocimum tenuiflorum       |              | Moist soil                     | Normal    | Normal    | Medicinal                            | Leaves           | Used in Cough,<br>Colds, Asthma, and<br>Bronchitis   |  |
| Herb              | Methi | Treionellafoenum graceum | Annual plant | Temperate regions /homegardens | Plenty    | Normal    | used in stomach troubles and anaemia | leaves and seeds | cooking  |  |

| 10  | 11                               |
|---|----------------------------------|
| Other details<br>(mode of use)  | Community<br>knowledge<br>holder |
| Widely used in savory<br>dishes, food, beverages, and<br>confectionary products | Locals                           |
| Effective remedy for hair loss treatment  | Locals                           |
| NA  | local farmers                    |

|            |                      |                       | ]     | Format-26 T | imber Plants                                |               |                     |                      |
|------------|----------------------|-----------------------|-------|-------------|---|---------------|---------------------|----------------------|
| 1          | 2                    | 3                     | 4     | ļ           | 5   | 6             | 7                   | 8                    |
| Local Name | Scientific Name      | Habitat               | Local | Status      | Other Uses, if any                          | Associated TK | Other Details       | Community/ Knowledge |
|            |                      |                       | Past  | Present     | , , ,                                       |               |                     | Holder               |
| Chir Pine  | Pinus Roxiburghi     | Terrestrial temperate | good  | rare        | NA  | NA            | nil                 | local people         |
| Deodar     | Cedrus deodara       | Terrestrial temperate | good  | rare        | Dense                                       | NA            | Commercial, own use | local people         |
| Fir        | Abies pindrow        | Terrestrial temperate | good  | rare        | Dense                                       | NA            | Commercial, own use | local people         |
| Kail       | Pinus wallichiana    | Terrestrial temperate | good  | rare        | Dense                                       | NA            | Commercial, own use | local people         |
| Walnut     | Juglans regia        | Terrestrial temperate | good  | rare        | Furniture, tooth cleaner                    | NA            | Commercial, own use | local people         |
| Banj       | Quercus incana       | Terrestrial temperate | good  | rare        | Furniture, roofing                          | NA            | Commercial, own use | local people         |
| Apricot    | Prunusar meniaca     | Terrestrial temperate | good  | rare        | Furniture, roofing                          | NA            | Commercial, own use | local people         |
| Peach      | Prunus persica       | Terrestrial temperate | good  | rare        | Furniture, roofing                          | NA            | Commercial, own use | local people         |
| Keth       | Pyru spashia         | Terrestrial temperate | good  | rare        | Furniture, roofing                          | NA            | Commercial, own use | local people         |
| Rubinkul   | Robinia sp           | Terrestrial temperate | good  | rare        | Furniture, roofing                          | NA            | Commercial, own use | local people         |
| Drek       | Melia azedarach      | Terrestrial temperate | good  | rare        | ,firewood , furniture                       | NA            | Commercial, own use | local people         |
| Moru oak   | Quercus floribunda   | Terrestrial temperate | good  | rare        | furniture, roofing ,ploughing equipment etc | NA            | Commercial, own use | local people         |
| Kikar      | Robinia pseudoacacia | Terrestrial temperate | good  | rare        | use for fodder ,firewood                    | NA            | Commercial, own use | local people         |
| Chinar     | Plantanus orientalis | Terrestrial temperate | good  | rare        | Furniture, roofing                          | NA            | Commercial, own use | local people         |

| Shisham | Dalbergia sissoo | Terrestrial temperate | good | rare     | Furniture, roofing                 | NA                  | Commercial, own use | local people |
|---------|------------------|-----------------------|------|----------|------------------------------------|---------------------|---------------------|--------------|
| Teak    | Tectona granis   | Terrestrial temperate | good | rare     | furniture, roofing etc             | NA                  | Commercial, own use | local people |
| Tulkul  | Morus nigra      | Terrestrial temperate | good | rare     | firewood, fodder for silkworm etc. | NA                  | Commercial, own use | local people |
| Safeda  | Eucalyptus       | Northern/Sub-Tropical | Good | Moderate | Commercial/ own use                | Timber/<br>Firewood | -                   | -            |

|             | Format-27 A. Coastal and Marine Flora |                   |         |              |         |                 |                 |            |                |                      |  |  |  |  |
|-------------|---------------------------------------|-------------------|---------|--------------|---------|-----------------|-----------------|------------|----------------|----------------------|--|--|--|--|
| 1           | 2                                     | 3                 | 4       | :            | 5       | 6               | 7               | 8          | 9              | 10                   |  |  |  |  |
| Plant Type  | Local Name                            | Scientific Name   | Habitat | Local Status |         | Parts Collected | Commercial Uses | Other Uses | Associated TK  | Community/ Knowledge |  |  |  |  |
| Timile Type | Even Panie                            | Scientific Plante | 11      | Past         | Present | ( if any)       | ( if any)       | Other eses | rissociated TI | Holder               |  |  |  |  |
|             |                                       |                   |         |              |         |                 |                 |            |                |                      |  |  |  |  |

|                 | Format-27 B. Coastal and Marine Fauna |                 |         |       |         |                     |                     |            |               |                      |  |  |  |  |
|-----------------|---------------------------------------|-----------------|---------|-------|---------|---------------------|---------------------|------------|---------------|----------------------|--|--|--|--|
| 1               | 1 2 3 4 5 6 7 8 9 10                  |                 |         |       |         |                     |                     |            |               |                      |  |  |  |  |
| A character and | T I N                                 | C • 4.6° N      | W.124.4 | Local | Status  | Parts Collected (if | Commercial Uses (if | ,          | A TVZ         | Community/ Knowledge |  |  |  |  |
| Animal Type     | Local Name                            | Scientific Name | Habitat | Past  | Present | any)                | any)                | Other Uses | Associated TK | Holder               |  |  |  |  |
|                 |                                       |                 |         |       |         |                     |                     |            |               |                      |  |  |  |  |

#### Format - 28. Wild Animals (Mammals, Birds, Reptiles, Amphibians, Insects, others) 1 2 3 4 5 6 7 8 9 10 11 12 Mode of **Local Status** Hunting, Season Community/ Scientific Name Uses (if any) Other details **Animal Type** Local Name Habitat Description Associated TK when seen collecting (if Knowledge Holder Past Present any) The species is endemic November to Gallus Sonneratii Highlands Hunting Banned Grey Junglefowl Bankukard Good Rare to India January Winter Mammals Chitra Panthra pardus Endangered Least More Weapon endangered Forest season Weapon Mammal Bhalu Ursus americanus Forest More summer Least Mammal Fox Vulpes vulpis Forest All season More More Weapon Birds Neel Monal phesant Endangered All season Least Weapon Endangered forest Least Critically Endangered Birds Gid Gyps affricanus Forest Critically Endangered All season Least Least Weapon Birds Chakore Pheasant Endangered All season Weapon Endangered Forest Least Least Columba livia Birds kabutar All season Forest More More Weapon Reptile Saanf Ptyas mucosa Forest More More Stick summer Lycodon Mackinnoni Stick Reptile Saanf Forest Summer More More

| Lizards | chipkali    | Hemidactylus<br>brookii  | Forest/Local     | -   | Summer            | More      | More      | -                   | - | Stick      | -                                     | -             |
|---------|-------------|--------------------------|------------------|---|-------------------|-----------|-----------|---------------------|---|------------|---------------------------------------|---------------|
| Aquatic | Fish        | Trout                    | Pond / Nalla     | -   | all               | More      | More      | -                   | - | Hook n Net | -                                     | -             |
| Bird    | Iel         | Gyps himayensis          | Forest           |   | All time          | Available | Less      | No                  |   | Prohibited | Maintains forest ecosystem            | Self-observed |
| Bird    | Khukhow     | Clamato rJacabinu        | Forest           |   | Spring season     | Available | Less      | No                  |   | Prohibited | Maintains forest ecosystem            | Self-observed |
| Bird    | Dhik Charak | Picus cholorolophus      | Forest           |   | All time          | Available | Less      | No                  |   | Prohibited | Maintains forest ecosystem            | Self-observed |
| Bird    | Kova        | Corvus<br>smacrorhynchos | Forest           |   | All time          | Available | Less      | No                  |   | Prohibited | Maintains forest ecosystem            | Self-observed |
| Snake   | Samp /sap   | Serpentes                | Forest /water    |   | All time          | Available | Less      | No                  |   | Prohibited | Maintains forest ecosystem            | Self-observed |
| Fishes  | Machli      | Himaliyan trout          | Water            |   | All time          | Available | Available | No                  |   | Prohibited | Maintains forest ecosystem            | Self-observed |
| Bird    | Myna        | Acridotheres tristis     | Forest           |   | all time          | common    | common    | No                  |   | Prohibited | Maintains forest ecosystem            | local people  |
| Insect  | Tuller      | Apis melifera            | Temperate region | Dark brown colour<br>body                               | Spring and summer | common    | common    | extraction of honey |   | NA         | pollinating agent                     | local people  |
| Insect  | Mohh        | Aedes spp                | Temperate region | white marking on<br>their legs and body                 | summer            | common    | common    | Na                  |   | NA         | body parasite of<br>human and animals | local people  |
| Insect  | spider      | Araneus mitificus        | Temperate region | males are smaller and<br>less colourful than<br>females | all time          | common    | common    | Na                  |   | NA         | NA                                    | local people  |

| Insect       | Bomsin               | Pheretima posthuma          | Temperate region                           | individual are<br>hermaphrodite with<br>segmented bodies | during<br>summers          | common | common | Na |   | Na | known as farmers<br>friends            | local people |
|--------------|----------------------|-----------------------------|--|--|----------------------------|--------|--------|----|---|----|--|--------------|
| Insect       | Raeii                | Tapinoma sessile            | nests in open<br>soil ,under stones<br>etc | small sized insects<br>with varied body                  | during<br>summers          | common | common | NA |   | NA | Strongly attracted to sweet substances | local people |
| Insect       | Tcharr               | Cimex lectularius           | Temperate region                           | Adult cimex are light<br>brown in colour ,flat<br>oval   | during<br>summers          | common | common | NA |   | na | nuisance pest                          | local people |
| Amphibian    | Meinn                | Rana tigrina                | semi acquatic                              | solitary and nocturnal<br>in nature                      | during spring<br>to autumn | common | common | NA |   | NA |  | local people |
| Wild Bird    | Red jungle fowl      | Gallus gallus               | Northern/ Sub-<br>Tropical                 | -  | -                          | Good   | Good   | -  | - | -  |  | local people |
| Wild bird    | Rose ringed parakeet | Psittaculidae               | Northern/ Sub-<br>Tropical                 | -  | -                          | Good   | Good   | -  | - | -  |  | local people |
| Wild Animal  | Fox                  | Vulpes                      | Northern/ Sub-<br>Tropical                 | -  | -                          | Good   | Good   | -  | - | -  |  | local people |
| Wild Animal  | Porcupine            | Erethizon dorsatum          | Northern/ Sub-<br>Tropical                 | -  | -                          | Rare   | Rare   | -  | - | -  |  | local people |
| wild insects | Grasshooper          | Parallelus                  | Northern/ Sub-<br>Tropical                 | -  | -                          | Good   | Good   | -  | - | -  |  | local people |
| wild insects | butterfly            | Chorthippus<br>brunneus     | Northern/ Sub-<br>Tropical                 | -  | -                          | Good   | Good   | -  | - | -  |  | local people |
| wild insects | bees                 | Apis mellifera              | Northern/ Sub-<br>Tropical                 | -  | -                          | Good   | Good   | -  | - | -  |  | local people |
| wild insects | ants                 | Brachymyrmex<br>patagonicus | Northern/ Sub-<br>Tropical                 | -  | -                          | Good   | Good   | -  | - | -  |  | local people |

| wild insects | Bumble bee | Bombus                      | Northern/ Sub-<br>Tropical | - | - | Good | Good | - | - | - | local people |
|--------------|------------|-----------------------------|----------------------------|---|---|------|------|---|---|---|--------------|
| Amphibia     | Frog       | Euphlyctis<br>cyanophlyctis | Northern/ Sub-<br>Tropical | - | - | Good | Good | - | - | - | local people |
| Reptiles     | Snake/Sap  | Serpentes                   | Northern/ Sub-<br>Tropical | - | 1 | Good | Good | - | - | - | local people |

|         | Format 29: Flora |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|---------|------------------|--------|-----------------|------|----------------|---------|------------------------------|--|--|--|--|--|--|--|
| 1       | 2                | 3      | 4               | 5    | 6              | 7       | 8                            |  |  |  |  |  |  |  |
| Sr. No. | Local Name       | Family | Scientific Name | Uses | Type of Plants | Habitat | Remarks (Rare / Common etc.) |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         | _                |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |
|         |                  |        |                 |      |                |         |                              |  |  |  |  |  |  |  |

| Format 30: Fauna |            |                 |  |         |                              |  |
|------------------|------------|-----------------|--|---------|------------------------------|--|
| 1                | 2          | 3               | 4  | 5       | 6                            |  |
| Sr. No.          | Local Name | Scientific Name | Type of Animals (Mammals / Birds / Fish / Insect etc.) | Habitat | Remarks (Rare / Common etc.) |  |
|                  |            |                 |  |         |                              |  |
|                  |            |                 |  |         |                              |  |
|                  |            |                 |  |         |                              |  |
|                  |            |                 |  |         |                              |  |
|                  |            |                 |  |         |                              |  |
|                  |            |                 |  |         |                              |  |
|                  |            |                 |  |         |                              |  |
|                  |            |                 |  |         |                              |  |
|                  |            |                 |  |         |                              |  |
|                  |            |                 |  |         |                              |  |
|                  |            |                 |  |         |                              |  |
|                  |            |                 |  |         |                              |  |
|                  |            |                 |  |         |                              |  |
|                  |            |                 |  |         |                              |  |
|                  |            |                 |  |         |                              |  |

| Format 31: Any other information of local importance |   |         |  |  |  |
|--|---|---------|--|--|--|
| 1  | 2   | 3       |  |  |  |
| Sr. No.  | Information of local importance   | Remarks |  |  |  |
| 1  | the halqa panchayat is very far flung near the POK Border, situated in Pirpanjal hilly region with less road connectivity | Nil     |  |  |  |