

## Peoples' Biodiversity Register (PBR): General Details

Name of the Panchayat Samiti: SURANKOTE LOWER

Taluk/Tehsil: Surankote

District: Poonch

State/UT: Jammu And Kashmir

Geographical Area of the Panchayat Samiti:

Population Of the Panchayat samiti... Total 3052

Male= 1734

Female = 1318

Habitat and Topography: Hilly area

Climate (Rainfall, Temperature and other weather patterns): Cold temperature, Maximum Rainfall

Land Use (Nine fold classification available with village records): Agriculture land

Date, Month and Year of PBR preparation: 27-09-2021

**Annexure 1**

**Management Committee (BMC) of the Panchayat (One elected Chairperson and six persons nominated by the local body ; not less than one third to be women)**

Chairperson: Mr. Basharrat Hussain

Member

Agriculture & Forestry

Agriculture

)

riculture

ricultures

r

Mirza

---

r

---

restry

---

## Annexure-2

List of Vaid, hakims and traditional health care (Human and livestock) practitioners residing and or using biological resources occurring within the jurisdiction of the village

1) Name :

Age:

GENDER:

Address:

Area of specialization:

Location from which the person accesses biological material: local/non local

Perception of the practitioner on the resource status: less local resources available

Medicinal Use:

### Annexure 3

**List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in agriculture, fisheries, and forestry**

1) Name : Mr. Thair Mirza

Age: 32 years

Gender: Male

Address: Surankote Lower

Area of specialization: Agriculture

2) Name :

Age: 50

Gender:

Address:

Area of specialization:

3) Name of the Chairperson:

Age:

Gender:

Address:

Area of specialization:

4) Name of the Chairperson:

Age:

Gender:

Address:

Area of specialization:

## Annexure 4

**Details of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals involved in the preparation of the PBR**

1) Contact Person:

Name and Address:

2) Contact Person:

Name and Address:

3) Contact Person:

Name and Address:

4) Contact Person:

Name and Address:

**You may add names of more institutions/NGO/Individuals etc, if necessary**



**Annexure 5**

<b>S.no</b>	<b>Name and address of the Person/Institute/company others</b>	<b>Local and Scientific Name of the biological material Accessed and quantity</b>	<b>Date and resolution of the BMC and endorsement by the Panchayat</b>	<b>Detail of collection fee imposed</b>	<b>Anticipated mode of sharing benefits or quantum of benefits shared</b>

**Format-1 Crop plants**

1	2	3	4	5	6	7		8	9	10	11	12	13	14	
Crop	Scientific name	Local name	Variety	Landscape/ Habitat	Approx. area sown	Local status		Special features	Cropping season	Uses	Associated TK	Other details	Source of seed/plants	Community/ Knowledge holder	
						Past	Present								
Rice	<i>Oryza sativa</i>	Chawal	Giza , K-343, K-39	Mid hills and hilly areas of district	3620 hac.	Local varieties	Improved varieties	1.Non shattering character	Kharif	1 .Major food item	Staple food	-	Farmers kept seed/Deptt. of Agriculture	Generally aged farmer or rural communities	
						Red Rice(Ranjha)		2.Highly resistant to hailstorm							
						Chandak basmati		3.Moderately resistant to blast							
								4.Late in maturity and has short bold grains							
								5.High yielding variety							
Maize	<i>Zea Mays</i>	Makh	Bio-9621, K-6129, K-65, GG, star -9, 4794,DD , 7314	Hilly, Temperate & intermediate areas of district	24000 Hac.	Local varieties	Improved varieties	1.March to April sown	Kharif	1. Major food item	Staple food	-	Farmers kept seed, Deptt. of Agri, Private seed dealer	Generally aged farmer or rural communities	
								2.Local variety dentles							2. Feeding to poultry and cattle
								3.Corn and flour sweet in taste							3 .Used as flour
															4. Straw used as dry fodder

Wheat	<i>Triticum astivum</i>	Kanak	HD -2967, HD 3086	Hilly, Temperate & intermediate areas of district	15000 hac.	Moond	Improved varieties	2. Resistant to pest	Rabi	2.Straw used as dry fodder	Staple food	-	Seed selected from previous yr. crop, deptt. of agri.	Local faming communities
								3. susceptible to all kind of rust		3.Pre mature crop used as fodder				
								4. Drought resistant						
Garlic	<i>Allium sativum</i>	Thoom	Yamuna Safed(G- 1,G-50,G- 282), German White	Hilly, Temperate & intermediate ar. of distt.	50 hac.	Local varieties	Improved varieties	1.Disease resistance variety	Rabi	As a spice	-	-	Seed selected from previous yr. crop,	Local faming communities
								2. 5-8 cloves						
								3. Rich and spicy in flavour						

**Format 2: Fruit Plants**

1	2	3	4	5	6		7	8	9	10	11	12
Plant	Scientific Name	Local Name	Variety	Landscape / Habitat	Local Status		Source of Seeds/Plants	Season of Fruiting	Associated TK	Uses	Other details market / own use	Community / Knowledge holder
					Past	Present						
Tree	Prunus Persica	Aroo	Local	Sub-tropical	Rare	Common	Nurseries	July-Sep	-	Fruit	Market use & own use	Knowledge holder
Tree	<i>Malus domestica</i>	Saib	Local	Sub-tropical or Lower hilly areas	Rare	Rare	Agriculture deptt	Aug-Oct		Fruit/ Medicinal uses	Own use	Knowledge holder

**Format-3 Fodder Crops and Species**

1	2	3	4	5		6	7	8	9	10
PLANT	LOCAL NAME	SCIENTIFIC NAME	LANDSCAPE/ HABITAT	LOCAL STATUS		SOURCE OF PLANT/SEEDS	PART USED	ASSOCIATED TK	OTHER DETAILS	COMMUNITY/ KNOWN HOLDER
				PAST	PRESENT					
OATS	Khandiyaal	<i>Avina Sativa</i>	Hilly, Temperate & areas of district	Local varieties	Improved varieties	Seed selected from previous yr. crop, deptt. of agri	Grain for seed purpose, Green/ dry fodder	Nutritious and palatable fodder	Suitable for fodder	Farmer
BARSEEM	Shatalla	<i>Trifolium alexandrium</i>	Irrigated area of the district	Local varieties	Improved varieties	Seed selected from previous yr. crop, deptt. of agri	Green fodder for cattle	Nutritious and palatable fodder	Suitable for fodder	Farmer
BAJRA	Bajra	<i>Pennisetum glaucum</i>	Hilly, Temperate & areas of district	Local varieties	Improved varieties	Seed selected from previous yr. crop, deptt. of agri	Green/ dry fodder	Nutritious & Source of energy	Suitable for fodder	Farmer

**Format-4 Weeds**

1	2	3	4	5	6	7		8	9	10	11	12
PLANT	LOCAL NAME	SCIENTIFIC NAME	AFFECTED CROP	IMPACT	LANDSCAPE/ HABITAT	LOCAL STATUS		USES IF ANY	MGMT. OPTION	ASSOCIATED TK	OTHER DETAILS LIKE EXOTIC	COMMUNITY/ KNOWN HOLDER
						PAST	PRESENT					
	Bermuda Grass	<i>Cynodon dactylon</i>	Maize		Hilly, Temperate & intermediate ar. of distt	No weed mgmt.	Weed mgmt. on scientific lines being followed by farmers	-	Manual control/ Chemical mgmt. through herbicides	nil	nil	No TK associated with knowledge of weed
	Zehar bael	<i>Ipomea sp.</i>	Maize		Hilly, Temperate & intermediate ar. of distt	No weed mgmt.	Weed mgmt. on scientific lines being followed by farmers	-	Manual control/ Chemical mgmt. through herbicides	nil	nil	No TK associated with knowledge of weed
	Ghass	<i>Cyprus esculantus</i>	Maize		Hilly, Temperate & intermediate areas of district	No weed mgmt.	Weed mgmt. on scientific lines being followed by farmers	-	Manual control/ Chemical mgmt. through herbicides	nil	nil	No TK associated with knowledge of weed
	Wild rice	<i>Echinocola colonum</i>	Rice	1. Grow faster than native plants & successfully compete for available nutrients, water, space & sunlight	Hilly, Temperate & intermediate areas of district	No weed mgmt.	Weed mgmt. on scientific lines being followed by farmers	-	Manual control/ Chemical mgmt. through herbicides	nil	nil	No TK associated with knowledge of weed
RICE	Dheloo	<i>Cyprus rotundus</i>	Rice	3. Reduce crop productivity	Hilly, Temperate & intermediate areas of district	No weed mgmt.	Weed mgmt. on scientific lines being followed by farmers	-	Manual control/ Chemical mgmt. through herbicides	nil	nil	No TK associated with knowledge of weed

	Bathua	<i>Chenopodium album</i>	Wheat	4. Cause human health problems such as respiratory, skin irritation	Hilly, Temperate & intermediate areas of district	No weed mgmt.	Weed mgmt. on scientific lines being followed by farmers	Used as vegetable	Manual control/ Chemical mgmt. through herbicides	Rich source of protein vitamin A, calcium, Potassium & phosphorous	Local	No TK associated with knowledge of weed
	Wild oat	<i>Avena fatua</i>	Wheat		Hilly, Temperate & intermediate areas of district	No weed mgmt.	Weed mgmt. on scientific lines being followed by farmers	-	Manual control/ Chemical mgmt. through herbicides	Source for high quality protein	Local	No TK associated with knowledge of weed
WHEAT	Gully danda	<i>Phalaris minor</i>			Hilly, Temperate & intermediate ar of district	No weed mgmt.	Weed mgmt. on scientific lines being followed by farmers	-	Manual control/ Chemical mgmt. through herbicides	Source for high quality protein	Local	No TK associated with knowledge of weed
	Jhadii	<i>Parthenimum hysterophorous</i>	All crops		Hilly, Temperate & intermediate areas of district	No weed mgmt.	Weed mgmt. on scientific lines being followed by farmers	-	Manual control/ Chemical mgmt. through herbicides	Abnoxious weed difficult to control	Exotic	No TK associated with knowledge of weed
	Chingeri Sag	<i>Vicia hirsua</i>	All crops		Hilly, Temperate & intermediate ar of distt	No weed mgmt.	Weed mgmt. on followed by farmers	-	Manual control/ Chemical mgmt. through herbicides	nil	nil	No TK associated with knowledge of weed
All crop	Jangali palak	<i>Rumex crispus</i>	All crops		Hilly, Temperate & intermediate ar of distt	No weed mgmt.	Weed mgmt. on followed by farmers	Used as vegetable	Manual control/ Chem. mgmt. herbicides	nil	nil	No TK associated with knowledge of weed

**Format-5 Pests of Crops**

1	2	3	4	5	6	7	8	9	10
HOST	INSECT/ANIMAL	SCIENTIFIC NAME	LOCAL NAME	HABITAT	TIME /SEASON OF ATTACK	MANAGEMENT MECHANISM	ASSOCIATED TK	OTHER DETAILS	COMMUNITY KNOWLEDGE HOLDER
RICE	Yellow Stem Borer	<i>Scirpopogai Incertulas</i>		Paddy field	August to September	· Clipping of tip of seedlings before transplanting to eliminate egg masses.	nil	nil	Nil
						· Need base application of triazophos or quinaphos			
	Brown Plant Hopper	<i>Nilaparvata lugens</i>		Paddy Field	August to September	· Closure spaces should be avoided	nil	nil	Nil
						· Alternate wetting and drying of padduy field			
· Use of light traps									
					· Chemical mgmt. through insecticide				
	Rice Grasshopper	<i>Hieroglyphus banian</i>	Tridhaa	Paddy Field	June to September	· Trimming the bunds	nil	nil	Nil
						· Dusting of carbaryl 5% or malathion 5% @ rs. 25 kg /hac			
	Stem Borer	<i>Samia inferens</i>		Wheat		· Need base application of triazophos or quinaphos	nil	nil	Nil
					· Installation of pheromone traps for monitoring				



WHEAT	Field Rats	<i>Bendicota bangalensis, Torera indica, Millardia melitada</i>		All fields	All season	· Traps and chemicals	nil	nil	Nil	
	Cut worm	<i>Agroris sp.</i>	-	Maize	April to May	· Chemical mgmt. through insecticide (phorate)	nil	nil	Nil	
MAIZE	Stem Borer	<i>Chilo partellus</i>	-	Maize	June to July	· Ploughing of filed after harvest and destroy stubbles & weeds	nil	nil	Nil	
						· Distruction of infected plant and removal of dead herts				
						· Chemical mgmt. through insecticide				
	Cob Worm	<i>Helicoverpa armigera</i>	-	Maize	June to July	· Deep summer ploughing	nil	nil	Nil	
						· Installation of pheromone traps for monitoring				
						· Chemical mgmt. through insecticide				
	Blister Beetel	<i>Mylabris pustulata</i>	Khundii		Maize	June to August	· Avoid excessive use of nitrogenous fertilizers	nil	nil	Nil
							· Manual collection or collection with insect net and killing of adults in kerosenized water			
							· Need based spray of carbaryl and fenthione			





**Format-8 Landscape**

1			2	3	4	5	6	7	8	9	10	11	12
Major Landscapes			Sub - Landscapes	Features and approx. Area	Ownership	General flora	General	User	Management practices	General uses	Associated TK	Other details	Community accessed
Agricultural land	Pond	Fallow Land					fauna	groups					
Cultivated Land	Not Applicable	Not Applicable	Cultivated Land		Agricultural Land are Privately owned	Fodder and Crop Plants	Insects,Snakes, Dogs,Fox,Jackels etc	Nil	Nil	Nil		Nil	Low-Income community
Non-Cultivated Land	Not Applicable	Not Applicable	Non-Cultivated Land		Govt./Private	Wild plants and Fodder Plants	Insects,Snakes, Dogs, Fox, Jackels etc	Nil	Nil	Nil		Nil	Low-Income community
Forest Land	Not Applicable	Not Applicable	Forest Land		Government	Wild plants	Wild animals, wild Chicken, fox, Jackel, Insects etc	Nil	Nil	Nil		Nil	Low-Income community

**Format-9 Waterscape**

1	2	3	4	5	6	7	8	9	10	11	12	13
Waterscape element type	Sub- type	Features and approx area	Ownership	General flora	General fauna	Major uses	User groups	Management practices	General uses	Associated TK	Other details	Community accessed
Nallas		Originates from the foothills of Mountains	Govt. and Panchayat	Frog,Tadpoles, Fishes,Water, Water Snakes, Crabs etc	Wild and Aquatic Plants	Irrigation	Farmers		For Irrigation and Drinking of Domesticated animals and Wild Animals	Nil	Nil	Local Villagers
Chasma		Originates from surwale Shower	Panchayat			Drinking purpose						
Tape water			Govt	Nil		Drinking purpose						
Bawovle			Govt.	Tadpole frogs		Drinking purpose						

**Format-10 Soil Type**

<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>
<b>Soil Type</b>	<b>Color &amp; Texture</b>	<b>Features</b>	<b>Soil management</b>	<b>Plants / crop suitable</b>	<b>Flora and fauna</b>	<b>Associated TK</b>	<b>Other information</b>
Sandy and clay soil	Clayey loam, sandy loam,	Fine Granular, Dub-Angular Blocky Structure having pH 7.8-8.3, Water Holding capacity more than 40%	Use of Organic matter	Maize, Wheat	-	-	-



### Format-11 Fruit Trees

1	2	3	4	6	7		8	9	10	11	12	13
Plant Type	Local Name	Scientific Name	Variety	Landscape/ Habitat	Local Status		Source of plant/seeds	Season of Fruiting	Uses (usage)	Associated TK	Other details market/own use	Community/ Know. holder
					Past	Present						
Apple	Seb	<i>Malus domestica</i>	Red delicious	Low land velley	Available	Available	Local preserve	Jun-July	Rich source of iron & fibre	Rich source of iron & fibre	Own use/ commercial	
Apricot	Khobani	<i>Prunus armenica</i>	Beboco char magaz	Low land velley	Available	Available	Local preserve	March April	Rich source of iron & fibre	Rich source of iron & fibre	Own use/ commercial	
Plum	Lucha	<i>Prunus subg prunus</i>	Local	Low land velley	Available	Available	Local preserve	April May	Rich source of iron & fibre	Rich source of iron & fibre	Own use/ commercial	
Peach	Aru	<i>Prunus percia</i>	Local	Low land velley	Available	Available	Local preserve	April May	Rich source of iron & fibre	Rich source of iron & fibre	Own use/ commercial	
Pear	Bagu Gosha	<i>Pyrus spp.</i>	Local	Low land velley	Available	Available	Local preserve	Jun July	Rich source of Vit. C	Rich source of Vit. C	Own use/ commercial	
Lime	Nimbu	<i>Citrus aurenticafolia</i>	Kagazi	Low land velley	Available	Available	Local preserve	Aug Sept	Rich source of Vit. C	Rich source of Vit. C	Own use/ commercial	
Guava	Amrood	<i>Psidium guava</i>	Safeda	Low land velley	Not available	Not available	Local preserve	March April	Rich source of iron & fibre	Rich source of iron & fibre	Own use/ commercial	



Grapes	Angoor	<i>Vitis venifera</i>	Local	Low land velley	Available	Available	Local preserve	Jun July	Rich source of sugur & Vit. C	Rich source of sugur & Vit. C	Own use/ commercial	
Pica nut	Kagzi akhrot	<i>Caryailloinensis</i>	Nellis, maha, barkat	Plain & sunny	Not available	Not available	Local preserve	Sept. Oct	Rich in oil mineral & vit.	Rich in oil mineral & vit.	Own use/ commercial	
Wall nut	Akhroot	<i>Junglans regia</i>	kagazi	Low land velley	Available	Available	Natural	Sept. Oct	Rich in oil mineral & vit.	Rich in oil mineral & vit.	Own use/ commercial	

**Format-12 Medicinal Plants (Herb, Shrubs, Trees etc.)**

1	2	3	4	5	6	7		8	9	10	11	12
Plant Type	Local Name	Scientific Name	Variety	Landscape/ Habitat	Source of plant/seeds	Local status		Uses (usage)	Part used	Associated TK	Other details market/own use	Community/ Know. Holders
						Past	Present					
Shrubs	Trimuru	<i>Zanthoxylum aurmatum</i>	Local	Sub-tropical	Seed	Abundant	Abundant	Good for Cleaning Teeths.	Stem / Seed		N.A	Generally, held by community
Shrubs	Anardana	<i>Punica granatum</i>	Local	Sub-tropical	Seed	Rare	Rare	Edible	Fruit		N.A	Generally, held by community
Shrubs	Bhang	<i>Canabis sativia</i>	Local	Sub-tropical	Seed	Abundant	Abundant	Medicinal use	Leaves		N.A	Generally, held by community
Trees	Bair	<i>Ziziphus xylocarpa</i>	Local	Sub-tropical	Seed	Rare	Rare	Medicinal use	Fruit,Leaves		N.A	Generally, held by community

**Format 13: Ornamental Plants/ Trees/Climbers etc.**

1	2	3	4	5	6	7	8	9	10
Plant Type	Local Name	Scientific Name	Variety	Source of plant/seeds	Commercial/ non- commercial	Uses	Associated TK	Other details	Community/ Know. holder
Tree	Rein	Quercus oblongata	Wild	Naturally originating	Non-Commercial	Corn & Bark is used against indigestion diarrhoea etc			

**Format-14 Timber Plants/Trees**

1	2	3	4	5		6	7	8	9	10
Plant Type	Local Name	Scientific Name	Habitat	Local status		Wild/ home- garden	Other uses (multi)	Associated TK	Other details	Community/ Know. holder
				Past	Present					
Trees	Chir	<i>Pinus roxburghii</i>	Sub-tropical	Rare	Rare		Roofing, furniture etc.	nil	nil	
Trees	Oak	<i>Quercus incana</i>	Sub-tropical	Rare	Common	Wild	Roofing, furniture etc.	Medicinal	nil	Knowledge holder

**Format-15 Domesticated Animals**

1	2	3	4	5	6	7		8	9	10	11	12
Animal Type	Local Name	Scientific Name	Breed (local/hybrid)	Features	Method of keeping	Local status		Uses	Associated TK	Commercial rearing	Other details including products and services	Community Know. Holders
						Past	Present					
Cattle	Ghan	<i>Bos indicus</i>	ND	Low yield	Backyard	Abdulant	Decreased	Dairy	Nil	No	Milk	All
	Jersey Ghan	<i>Bos iaurus</i>	CB Jersey	Dished Face	Backyard/Commrcial	Very few	Increased	Dairy	Nil	Yes	Milk	All
	Punjabi Mais	<i>Bubales bubalis</i>	Murrah	Black coloured Body	Backyard	Very few	Increased	Dairy	Nil	Yes	Milk	All
Horse	Ghora	<i>Equus caballus</i>	Local	Red cloured Body	Backyard	Abdulant	Decreased	Pack Purpose	Nil	No	Pack	Bakerwal
Poultry	Kukarr	<i>Galus domesticus</i>	Local	Enriched Meat Flavour	Backyard	Abdulant	Decreased	Egg and Meat	Nil	No	Egg and Meat	All
	Broiler	<i>Galus domesticus</i>	Hybrid	White in colour	Deep litter	Very few	Increased	Only Meat	Nil	Yes	Only Meat	All

Dog	Kutta	<i>Canis familiaris</i>	Local	Nil	Stray	Abdulant	Abdulant	Nil	Nil	No	No	Stray
Cat	Billi	<i>Felis catus</i>	Local	Grey colour	Pet	Abdulant	Abdulant	Pet	Nil	Nil	Nil	Nil







**Format-18 Trees, Shrubs, Herbs, Tubers, Grasses, Climbers etc.**

1	2	3	4	5	6		7	8	9	10	11
Plant Type	Local Name	Scientific Name	Habit	Habitat	Local status		Commercial / own use	Part collected	Associated TK	Other details	Community Knowledge Holder
					Past	Present					
Trees	Melia azedarach	Drankh	Trees	Sub-Tropical	Abundant	Rare	own	Leaves/Stem	nil	nil	Generally, held by community
Trees	<i>Ficus palmata</i>	Fagwara	Trees	Sub-Tropical	Abundant	Abundant	own	Leaves/Fruit	nil	nil	Generally, held by community
Trees	<i>Pyrus paschia</i>	Kainth	Trees	Sub-Tropical	Rare	Rare	own	Leaves	nil	nil	Generally, held by community
Trees	<i>Acacia Nilotica</i>	Kiker	Trees	Sub-Tropical	Abundant	Abundant	own	Leaves	nil	nil	Generally, held by community
Trees	<i>Eucalyptus spp.</i>	Safeda	Trees	Sub-Tropical	Rare	Abundant	own	Stem	nil	nil	Generally, held by community
Trees	<i>Morus alba</i>	Tooth	Trees	Sub-Tropical	Abundant	Abundant	own	Leaves/Fruit	nil	nil	Generally, held by community

Shurbs	<i>Zantho Xylum Aurmatum</i>	Trimuru	Shurbs	Sub-Tropical	Rare	Rare	own	Fruit	nil	nil	Generally, held by community
Shurbs	<i>Punica granatum</i>	Anardana	Shurbs	Sub-Tropical	Rare	Rare	own	Fruit	nil	nil	Generally, held by community
Shurbs	<i>Ipomea fistulosa</i>	Akk	Shurbs	Sub-Tropical	Abundant	Abundant	own		nil	nil	Generally, held by community
Shurbs	<i>Canabis sativia</i>	Bhang	Shurbs	Sub-Tropical	Abundant	Abundant	own	Leaves	nil	nil	Generally, held by community
Herbs	<i>Mentha arvensis</i>	Jungli putna	Herbs	Sub-Tropical	Abundant	Abundant	own	Leaves	nil	nil	Generally, held by community
Herbs	<i>Viola odorata</i>	Banfsha	Herbs	Sub-Tropical	Abundant	Abundant	own	Flower	nil	nil	Generally, held by community
Grass	<i>Cyanodon dactylon</i>	Drub/Khabbal	Grass	Sub-Tropical	Abundant	Abundant	own	Leaves	nil	nil	Generally, held by community

**Format-19 Wild Plant Species of Importance**

1	2	3	4	5	6
Sl. No.	Local Name	Scientific Name	Variety	Importance (as economic, social, cultural etc.)	Status
1	Akhroot	<i>Juglans regia</i>	Wild	Economic, social	Rare
2	Bhang	<i>Cannabis sativa</i>	Wild	Economic, social	Common
3	Wild anaar	<i>Punica granatum</i>	Wild	Economic, social	Rare

**Format-20 Aquatic Biodiversity**

1	2	3	4	5	6		7	8	9	10
Local Name	Scientific Name	Variety	Features	Habitat	Local Status		Uses	Associated TK	Other details	Community/ Knowledge Holder
					Past	Present				
Luss	<i>Schizothorax spp.</i>		elongated subcylindrical body with short	Aquatic	Common	Common		Nil		
			blunt upper jaw , herbivorous							
Machi	<i>Barillius sp.</i>		omnivorous body very long and much	Aquatic	Rare	Rare		Rich in protein		
			compressed sides irregularly marked with							
			numerous incomplete oblique spots							

**Format-21 Wild Aquatic Plant Species of Importance**

<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>
<b>Sl. No.</b>	<b>Local Name</b>	<b>Scientific Name</b>	<b>Variety</b>	<b>Importance</b>	<b>Trends</b>
	Cho	<i>Nasturtium officinale</i>	Local	Medical purpose	Common

**Format-22 Wild Plants of Medicinal Importance**

1	2	3	4	5	6		7	8	9	10	11
Plant (Herb, Shrub, Tree)	Local Name	Scientific Name	Variety	Landscape / Habitat	Local Status		Associated TK	Uses (usage)	Part used	Other details market/ own use	Community/ Knowledge Holder
					Past	Present					
Herb	Patrees	<i>Aconitum heterophyllum</i>	Herb					It is an excellent tonic for combating ability after malarial & other fevers & diseases	Roots		
Herb	Banafsha	<i>Viola</i>	Herb					Flowers are used in perfumery & are also used medicinally as demulcent and biliousness & lungs trouble	Flower		
Herb	Kuth	<i>Soussurea lappa</i>	Herb					Used in treatment of cough, asthma & fever.	Root		
Climber	Dioscorea	<i>Dioscorea deltoidea</i>	Climber					The tubers yield diosgenin, which is used to synthesize sex hormones.	Tuber		
Shrub	Simlu	<i>Berberis lyceum</i>	Shrub					It is an excellent tonic for combating ability after malarial & other fevers & diseases	Fruit, roots		

**Format-23 Wild Relatives of Crops**

1	2	3	4	5		6	7	8	9	10
Local Name	Scientific Name	Associated crop	Landscape / Habitat	Local Status		Uses (usage)	Part Used	Associated TK	Other details	Community / Know holder
				Past	Present					
Ban khori	<i>Aesculus indica</i>	Akhrot	Scattered	Available	Available		Fruit / leaves			
Jungli putna	<i>Mentha arvensis</i>	Putna	Along the Nalla's	Rare	Rare	Medicinal use	Laef	Medicinal Properties		Generally, held by community

**Format-24 Ornamental Plants**

1	2	3	4	5	6	7	8
<b>Local Name</b>	<b><i>Scientific Name</i></b>	<b>Variety</b>	<b>Habitat</b>	<b>Commercial / Non-commercial Uses</b>	<b>Associated TK</b>	<b>Any other Detail</b>	<b>Community/ Knowledge Holder</b>
Gandera	<i>Nerium oleander</i>	Local	Near the nalla's	Non-Commercial	N.A		



**Format-25 Fumigate/Chewing Plants**

1	2	3	4	5	6		7	8	9	10	11
Plant (Herb, Shrub, Tree)	Local Name	Scientific Name	Variety	Habitat	Local Status		Uses (usage)	Part used	Associated TK	Other details (mode of use)	Community knowledge holder
					Past	Present					
Shrub	Trimuru	<i>Zanthoxylum</i>	Local	Forest	Rare	Rare	use for teeth Cleaning/ Medicinal Purpose	Fruit, Branches	-	-	Generally, held by community
		<i>aurmatum</i>									
Shrub	brankad	<i>Adha toda vesica</i>	Local	Locally present	Rare	Rare	Medicinal purpose	Flower	-	-	Generally, held by community
Shrub	Bana	<i>Vitex negundo</i>	Local	Locally present	Rare	Rare	use for teeth Cleaning	Branches	-	-	Generally, held by community
Tree	Kiker	<i>Acacia Nilotica</i>	Local	Forest	Rare	Rare	use for teeth Cleaning	Branches	-	-	Generally, held by community

**Format-26 Timber Plants**

1	2	3	4		5	6	7	8
Local Name	Scientific Name	Habitat	Local Status		Other Uses, if any	Associated TK	Other Details	Community/ Knowledge Holder
			Past	Present				
Chir	<i>Pinus roxburghii</i>		Rare	Rare	Roofing, furniture etc.	Whole for different uses		
Oak	<i>Quercus incana</i>		Moderate	Moderate	Roofing, furniture etc.	Whole for different uses		





**Format 28: Wild Animals (Mammals, Birds, Reptiles, Amphibia, Insects, others)**

1	2	3	4	5	6	7		8	9	10	11	12
Animal Type	Local Name	Scientific Name	Habitat	Description	Season when seen	Local Status		Uses (if any)	Associated TK	Mode of Hunting, collecting (if any)	Other details	Community/ Knowledge Holder
						Past	Present					
Mammal	Black bear	<i>Ursus thibetanus</i>				Available	Available		Prohibited		Maintains forest ecosystem	
Mammal	Porcupine	<i>Hystrix indica</i>				Available	Available		Prohibited		Maintains forest ecosystem	
Mammal	Leopard	<i>Panther pardus</i>				Available	Available		Prohibited		Maintains forest ecosystem	
Bird	House crow	<i>Corvus splendens</i>				Available	Available		Prohibited		Maintains forest ecosystem	
Bird	Koel	<i>Eudynamys scolopaceas</i>				Available	Available		Prohibited		Maintains forest ecosystem	

**Format 29: FLORA URBAN BIODIVERSITY**

1	2	3	4	5	6	7
Sr. No.	Local Name	Scientific Name	Type of Plants	Habitat	Flowering Season	Remarks (Rare / Common etc.)
1	Ghass	<i>Trifolium alexandrinum</i>	Herb	Sub-Tropical	Aug-Sept	Common
2	Besa	Salix Alba	Tree	Sub-Tropical	July-Oct	Common
3	Rein	Quercus Indica	Tree	Sub-Tropical	July-Sept	Common

**Format 31: Any other information of local importance**

1	2	3
Sr. No.	Information of local importance	Remarks

**Format 30: Fauna**

1	2	3	4	5	6
Sr. No.	Local Name	Scientific Name	Type of Animals (Mammals / Birds / Fish / Insect etc.)	Habitat	Remarks (Rare / Common etc.)
1	Bakari	<i>Capra aegagrus</i>	Mammals	Sub-Tropical	Common
2	Phaed	<i>Ovis aries</i>	Mammals	Sub-Tropical	Common
3	Asian Koel	<i>Eudynamys scolopaceus</i>	Birds	Sub-Tropical	Common