

Peoples' Biodiversity Register (PBR): General Details

Name of the Panchayat Samiti:-Androoth	
Taluk/Tehsil / Block:-Qila Darhal	
District:-Rajouri	
State/UT: Jammu And Kashmir	
Geographical Area of the pancahayt Samiti:	
Population Of the Panchayat samiti...Total	
Male=	Female =
Habitat and Topography:	
Climate (Rainfall, Temperature and other weather patterns):	
Land Use (Nine fold classification available with village records):	
Date, Month and Year of PBR preparation: 23-03-2021	
Sarpanch - Razia Bi	Contact no - 8492960162

Annexure 1

Details of Biodiversity Management Committee (BMC) of the Panchayat (One elected Chairperson and six persons nominated by the local body ; not less than one third to be women and not less than 18% belonging to SC/ST)

1)Name of the Chairperson:

Age:

Gender:

Address:-

Area of specialization:

2) Name:

Age:

Gender:

Address:

Area of specialization

3)Name:

Age:32

Gender:

Address:

Area of specialization:

4)Name:

Age:

Gender: male

Address:

Area of specialization:

5)Name:

Age:

Gender:

Address:

Area of specialization:

6)Name:

Age:

Gender:

Address:

Area of specialization:

7)Name:

Age:

Gender:

Address:

Area of specialization:

Annexure-2

List of Vaid, hakims and traditional health care (Human and livestock) practitioners residing and or using biological resources occurring within the jurisdiction of the village

1) Name :

Age:

GENDER:

Address:

Area of specialization:

Location from which the person accesses biological material: local/non local

Perception of the practitioner on the resource status:less local resources available

Medicinal Use:

Annexure 3

List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in agriculture, fisheries, and forestry

1) Name :

Age:

Gender:

Address:

Area of specialization: Agriculture

2) Name :

Age:50

Gender:

Address:

Area of specialization:

3) Name of the Chairperson:

Age:

Gender:

Address:

Area of specialization:

4) Name of the Chairperson:

Age:

Gender:

Address:

Area of specialization:

--

Annexure 4

Details of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals involved in the preparation of the PBR	
1) Contact Person:	
Name and Address:	
2) Contact Person:	
Name and Address:	
3) Contact Person:	
Name and Address:	
4) Contact Person:	
Name and Address:	
You may add names of more institutions/NGO/Individuals etc, if necessary	

Annexure 5

Detail of access to biological resources and traditional knowledge granted, details of the collection fee imposed and details of the benefit derived and the mode of their sharing

S.no	Name and address of the Person/Institute/company others	Local and Scientific Name of the biological material Accessed and quantity	Date and resolution of the BMC and endorsement by the Panchayat	Detail of collection fee imposed	Anticipated mode of sharing benefits or quantum of benefits shared

End of Part I

Format : 01 Crop Plants

S.No	Crop	Scientific Name	Local Name	Variety	Land Scape / Habitat	Approx area sown	Local Status		Special feature	Cropping season	Uses	Associated TK
							Past	Present				
1	Rice	<i>Oryza sativa</i>	Dhan	K-39,K-343, G-14	Hilly terrain		Plenty	Plenty	Medium height, resistant to draught,	Kharif	Food /Fodder	Stapple food
2	Maize	<i>Zea mays</i>	Makka	Rasi4794, Kh517, Kh-612, DD	Hilly & lower hills		Plenty	Plenty	HYV, Resistant to draught ang lodging	Kharif	Food /Fodder	Stapple food
3	Wheat	<i>Triticum aestivum</i>	Gandam	Raj 3765, HD 2967, HD 3086,	Hilly & lower hills		Plenty	Plenty	HYV, Draught resistant, Shaort duration	Rabi	Food / Fodder	Stapple food
4	Mustard	<i>Brassica juncea</i>	Sarson	Pusa bold, Gobi Sarson	Cool & dry		Normal	Normal	Matures in 145-150 days with 40-42 % oil content	Rabi	Source of energy	vegetable Oil extracted from seeds used in cooking
Vegetables												
a	Okra	<i>Abelmoschus esculentus</i>	Bhindi	Arka Anamika, Versha Uphar, PS, PK,	Sub tropical & intermediate		Normal	Normal	Green Veg	Kharif	Green Veg	Green Veg
b	Brinjal	<i>Solanum melongena</i>	Bangun	PPL,PPC, PH4, BR112	Sub tropical & intermediate		Normal	Normal	Green Veg	Kharif	Green Veg	Green Veg
c	Brottle Gourd	<i>Lagenaria siceraria</i>	Kaddu	PSPL, Punjab Komal	Sub tropical & intermediate		Normal	Normal	Green Veg	Rabi	Swollen stem and leaves are consumed as vegetable	Source of minerals & energy
d	Cauliflower	<i>Brassica oleraceae var.botrytis</i>	Ful gobi	Pusa Snow Ball, Pusa Katki, Girja	Sub tropical & intermediate		Normal	Normal	-	Rabi	Curd used as vegetable	Also good source of protein,carbohyd rate, phasphorus & iron

e	Cabbage	<i>Brassica oleraceae var. capitata</i>	Band gobi	Golden Acre, Pride of India, Green Flesh	Sub tropical & intermediate		Normal	Normal	Round head green colour	Rabi	Head used as vegetable, salad	Also good source of protein, carbohydrate, phosphorus & iron
f	Tomato	<i>Solanum lycopersicum</i>	Tamater	Pusa Rubi, Pusa Early Dwarf, Manisha Plus/ local	Sub tropical & intermediate		Normal	Normal	-	Kharif	Rich in Ascorbic acid	Tomatoes are rich in iron & vitamins A and C, calcium, potassium.
g	Onion	<i>Allium cepa</i>	Pyaj	Pusa Red, Nasik Red, N-53, Liberty	Cool weather at vegetative stage followed by warm weather at Bulb Stage		Normal	Normal	-	Rabi	Vegetable & Salad use	Good source of dietary fiber, Vitamin B6, C, Potassium and folic acid.

Format 2: Fruit Plants

Plant	Scientific Name	Local Name	Variety	Landscape/ Habitat	Local Status		Source of Seed /Plants	Season of Fruiting	Associated TK	Uses	Other details market/Own use	Communicate/ Knowledge holder
					Past	Present						
Mango	<i>Mangifera indica</i>	Aam	Desi, Dusheri, Malda	Subtropical	Plenty	Plenty	Nurseries	June-August		Fruit, Pickling, Preserves	Marketing, own use	
Citrus fruits	<i>Citrus spp.</i>	Khatti, Galgal, Nimbu, Santra, Kinnow, Mosambi etc.	Local selection, Kagzi Lime, Italian Lime, Hill Lemon etc.	Subtropical, mid hills	Plenty	Plenty	Nurseries	through out year		Fruit, Pickling, Squashes etc.	Marketing, own use	
Guava	<i>Psidium guajava</i>	Amrood	Local, L-49, Allahabadi Safeda etc.	Subtropical	Plenty	Plenty	Nurseries	July-August		Fruit	Marketing, own use	
Grapes	<i>Vitis vinifera</i>	Angoor	Local Dakh, Perlette,	Subtropical, Mid hills	Rare	Rare	Nurseries	July-August		Fruit		
Aonla	<i>Phyllanthus emblica</i>	Ambla	Local selection, NA-7	Subtropical	Plenty	Plenty	Nurseries, local collection	Nov-Dec		Pickling, Preserves, Juices etc.	Marketing, own use	
Peach	<i>Prunus persica</i>	Aaroo	July Elberta, Quetta	Mid hill	Rare	Rare	Nurseries	June-July		Fruit	Marketing, own use	
Apricot	<i>Prunus armeniaca</i>	Khubani, Sadi	Local apricot, Bebo	Mid hills	Plenty	Plenty	Nurseries	June-July		Fruit	Own use	
Pecan	<i>Carya illinoensis</i>	Pecan	Western shelley	Mid hills /Temperate	Rare	Rare	Nurseries	Sept-Oct		Dry Fruit	Marketing	
Plum	<i>Prunus salicina</i>	Aaloo Bukhara	santa Rosa, Allubukhara	Mid Hills	Rare	Rare	Nurseries, locally raised	July-August		Fruit	Marketing, own use	

FORMAT-3 : FODDER CROPS/SPICES

S.No	Plant	Scientific Name	Local Name	Land Scape/ Habitat	Local Status		Source of plants/ seeds	Associated TK	Part Used	Other details	Community/ Knowledge holder
					Past	Present					
1	Oats	<i>Avena sativa</i>	Javi	Sub Tropical / Intermediate	Rare	Rare	Agri Dept /Local	Nutritious & palatable fodder,	Whole plant	Suitable for fodder	Farmers
2	Sorghum	<i>Sorghum spp.</i>	Charry/ Jawar	Sub Tropical / Intermediate	Rare	Plenty	Agri Dept /Local	Source of energy	Whole plant	Suitable for fodder	Farmers
3	Barseem	<i>Trifolium alexandrinum</i>	Shatala	Sub Tropical / Intermediate	Rare	Rare	Agri Dept /Local	Nutritious & palatable fodder	Whole plant	Suitable for fodder	Farmers
4	Chilli	<i>Capsicum annum</i>	Mirch	Sub Tropical / Intermediate	Rare	Rare	Agri Dept /Local	Village Head	Dry fruit	Contains good ammount of vitamin A&C	Farmers
6	Garlic	<i>Allium Sativum</i>	Thom	Sub Tropical / Intermediate	Rare	Rare	Agri Dept /Local	Medicinal value	Clove	Spice use	Farmers

FORMAT- 4 : WEEDS

S.No	Plant	Scientific Name	Local Name	Affected Crop	Impact	Land Scape / Habitat	Local Status		Uses if Any	Management Options	Associated TK	Other details like exotic
							Past	Present				
1	Guli Danda	<i>Phalaris minor</i>	Sitti	Wheat	Compete with crop	Sub Tropical/ intermediate	Plenty	Plenty	Nil	Chemical / Manual Control	Source for High quality protein	Local
2	Parathenium	<i>Parthenium hysterophorus</i>	Congress grass	All crops	Allelopathy effect, reduce yield	Sub Tropical/ intermediate	Rare	Plenty	Nil	Chemical / Manual Control	Abnoxious weed difficult to manage	Exotic
3	Bathua	<i>Chenopodium album</i>	Bathua	Wheat, Vegetables	Compete with main crops for space and nutrients	Sub Tropical/ intermediate	Plenty	Plenty	Leavy vegetable	Chemical Control	Rich Source of protein, Vit. A, Calcium , Phosporous & potash	Used as green vegetable
4	Wild Oats	<i>Avena spp.</i>	Jungli Javi	Wheat	Compete with main crops for space and nutrients	Sub Tropical/ intermediate	Plenty	Plenty	Green Fodder for animal	Chemical / Manual Control	Source for High quality protein	Local
5	Bhang	<i>Cannabis sativa</i>	Bhang	Maize, Wheat, Vegetables	Allelopathy effect, Compete with crops	Sub Tropical/ intermediate	Plenty	Plenty	psychoactive effects	Chemical / Manual Control	intoxicating causes dehydration, nausea and headache	Local

FORMAT 5: PESTS OF CROPS

S.No	Host	Insect/ Animal	Scientific Name	Local Name	Habitat	Time/ Season of Attack	Management mechanism	Associated TK	Other details	Community Knowledge Holder
1	Rice	Rice Hispa	<i>Dicladispa armigera</i>	Kali Pundi	Sub Tropical/ intermediate	Kharif	Chemical control	-	Feed on crop leaves	Farmers
2	Rice	Stem Borer	<i>Scirpophaga incertulas</i>	Dhain ka Kida	Sub Tropical/ intermediate	Kharif	Chemical control	-	Feed on crop leaves	Farmers
3	Maize	Blister Beetle	<i>Mylabris phalerata</i>	Bhundi	Sub Tropical/ intermediate	Kharif	Chemical control	-	Feed on crop leaves	Farmers
4	Maize	Cut Worm	<i>Agrotis spp.</i>	Makki da kida	Sub Tropical/ intermediate	Kharif	Chemical control	-	Feed on crop leaves	Farmers
5	Maize	Maize stem Borer	<i>Chilo partellus</i>	Sundi	Chewing & biting		Mechanical & Chemical measures	-	Causes dead hearts in young plants	Farmers
6	Maize/Wheat	Termite	<i>Odontotermes obesus</i>	Sink	Sub Tropical/ intermediate	Kharif/ Rabi	Chemical control	-	Feed on crop leaves	Farmers
7	Brijal/ Tomato	Fruit Borer	<i>Helicoverpa armigera</i>	Sundi	Sub Tropical/ intermediate	Kharif	Chemical control	-	Feed on crop leaves	Farmers
8	Wheat, Maize, Rice	Rat	<i>Tatera indica</i>	Chuha	Sub Tropical/ intermediate	Kharif/ Rabi	Chemical control	-	Feed on crop leaves	Farmers
9	Miaze, Potato	Porcupine	<i>Erethizon dorsatum</i>	Seh	Sub Tropical/ intermediate	Kharif/ Rabi	NA	-	Feed potato tubers, vegetales and cobs	Farmers

Format 6: Markets for Domesticated animals

1	2	3	4	5	6	7	8	9
Name of the market & location	Weekly (D)/ Fortnightly (D) / Monthly (D) / Biannual (M) / Annual (M) [1]	Types of animals bought and sold [2]	Types and Average Number of animals transacted in a day	Places from which animals are brought	Places to which the animals are sold / transported	Name and location of fish market	Types of fishes sold	Source of fish

Note: [1] (D) – day; (M) – month;

[2] Types of animals may include: Poultry / Sheep / Goats / Cattle / Ducks / Pigs / Donkeys / Mules / Horses / Camels / Others (Specify)

Format 7: Peoplescape

1	2	3	4	5	6	7	8	9	10	11
Community & Population	Families & Major occupation	Sub- occupation	Depending Landscape	Major resources accessed and seasons of access	Landscape management practices	Resource management practices	Cast / tribe	Social condition	Nature of inhabitants	No. of HHs
<p>Major occupation may be farming. Sub-occupations could be fishing, collection of NTFP animal husbandry, artisans, services Examples of depending landscapes are agriculture landscape, rivers, forest etc.</p> <p>Major resources accessed could be agriculture resources of different nature, fish, birds, water, mud, and etc</p> <p>How the community manages the landscapes they use for satisfying different needs, their strategies and perception</p> <p>How the community manages the resources they access for satisfying different needs, their strategies and perception, conflicts etc</p>										

Format 8: Landscape

1			2	3	4	5	6	7	8	9	10	11	12
Major Landscapes			Sub - Landscapes	Feature s and approx. area	Ownersh i p	General flora	General fauna	User groups	Management practices	General uses	Associated TK	Other details	Community accessed
Agricultural land	Pond	Fallow land											

Provide a brief description of landscapes such as forests, plantations, cultivated land, estuary, pond, lake or other elements

Format 12: Medicinal Plants (Herbs, Shrubs, Trees etc.)

1	2	3	4	5	6	7		8	9	10	11	12
Plant Type	Local Name	Scientific Name	Variety	Landscape/ Habitat	Source of plant/seeds	Local status		Uses (usage)	Part used	Associated TK	Other details market/own use	Community/ Know. Holders
						Past	Present					
<p>Note: Uses: Food/ Veterinary Medicine,/ Human Medicine (Sub-divisions like for children, women etc),/ Agricultural Purpose (Bio-pesticide) Other details: Propagation methods, / Harvesting period,/ Cultivated or collected from wild or both,/ Perennial/annual/seasonal</p>												

Format 15: Domesticated Animals

1	2	3	4	5	6	7		8	9	10	11	12
Animal Type	Local Name	Scientific Name	Breed (local/hybrid)	Features	Method of keeping	Local status		Uses	Associated TK	Commercial rearing	Other details including products and services	Community Know. Holders
						Past	Present					

Uses include milk, meat, skin, fur and etc

Format 16: Culture Fisheries

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local Name	Scientific Name	Variety	Features	Waterscape (pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other details	Community Know. Holders
						Past	Present					

Note: Other details include mode of catching fish, time of availability, breeding time, feeds and etc

Format 20 : Aquatic Biodiversity

1	2	3	4	5	6		7	8	9	10
Local Name	scientific Name	Variety	Features	Habitat	Local status		Uses	Associated TK	Other Details	community/Know. Holder
					Past	Present				
Fish		-	-	Inside water	-	-	Catable			
Frog	<i>Buforidose spp.</i>			Inside, outside water			Nil			

Other details may include mode of catching fish, time of availability, breeding time, etc

Format 22: Wild Plants of Medicinal Importance

1	2	3	4	5	6		7	8	9	10	11
Plant (Herb, Shrub, Tree)	Local Name	Scientific Name	Variety	Landscape / Habitat	Local Status		Associated TK	Uses (usage)	Part used	Other details market/ own use	Community/ Knowledge Holder
					Past	Present					

Note: Uses: Food/Veterinary Medicine/Human Medicine (Sub-divisions like for children, women etc)/Agricultural Purpose (Bio-pesticide)
 Other details: Harvesting period /Perennial/annual/seasonal

Format 23: Wild relatives of Crop

1	2	3	4	5		6	7	8	9	10
Local Name	Scientific Name	Associated Crop	Landscape/ Habitat	Local status		Associated TK	Uses (Usage)	Part used	Other Details	community/ knowledge Holder
				Past	Present					
Jungly Methi	-	-	-	-	-	-	-	Leaves		

Note: Uses: Food/Veterinary Medicine/Human Medicine (Sub-divisions like for children, women etc)/Agricultural Purpose (Bio-pesticide)
Other details: Harvesting period /Perennial/annual/seasonal

Format 24: Ornamental Plants

1	2	3	4	5	6	7	8
Local Name	Scientific Name	Variety	Habitat	Commercial / Non-commercial Uses	Associated TK	Any other Detail	Community/ Knowledge Holder

Format 25: Fumigate / Chewing Plants

1	2	3	4	5	6		7	8	9	10	11
Plant (Herb, shrub, Tree)	Local Name	Scientific Name	Variety	Habitat	Local status		Associated TK	Uses (Usage)	Part used	Other Details (Mode of use)	Community/ knowledge Holder
					Past	Present					
Shrubs	Ganore	-	-	Forest	-	-	-	-	-		

Note: Other details may include 'function as a substitute plant' in the absence of a particular plant

Format 29: Flora

1	2	3	4	5	6	7
Sr. No.	Local Name	Scientific Name	Type of Plants	Habitat	Flowering Season	Remarks (Rare / Common etc.)

Note: Separate format should be used for road side plantation / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

Format 30: Fauna

1	2	3	4	5	6
Sr. No.	Local Name	Scientific Name	Type of Animals (Mammals / Birds / Fish / Insect etc.)	Habitat	Remarks (Rare / Common etc.)

Note: Separate format should be used for road side plantation - habitat / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

Format 31: Any other information of local importance

1	2	3
Sr. No.	Information of local importance	Remarks

End of Part II