

People Biodiversity Register (PBR): General Details

Name of the Panchayat Samiti: BIDDA

Taluk: SALAL BIDDA

District: Reasi

State: J&K

Geographical Area of the Panchayat Samiti: 290 HECT.

Population under the Panchayat Samiti: Total 1310 (as per 2011 census)

Male 820

Habitat and Topography: Hilly Area

Climate (Rainfall, Temperature and weather patterns)

Land Use (Nine fold classification available with village records)

Date, Month and Year of PBR Preparation: 13/09/2021

Management Regime: Reserve Forest (RF)/Joint Forest Management(JGM)/Protected Areas(PA)/ Community Owned and Managed Forest(COM)

Details of Biodiversity Management Committee (BMC) of the panchayat (One elected Chairperson and six persons nominated by the local body; not less than one third to be women and not less than 18% belonging to SC/ST)**1)Name:** Smt. Shehnaz Bibi**Age:** 36**Gender:** Female**Address:** r/o Bidda**Area of specialization:****2)Name:**Arshad Bibi**Age:** 41**Gender:** Female**Address:** r/o Bidda**Area of specialization:****3)Name:** Shehnaz Begum**Age:** 25**Gender:** Female**Address:** r/o Bidda**Area of specialization:****3)Name:** Sanjay Kumar**Age:** 38**Gender:** Female**Address:** r/o Bidda**Area of specialization:****5)Name:** Surat Singh**Age:** 35**Gender:** Male**Address:** r/o Bidda**Area of specialization:****6)Name:** Mohd Sadiq**Age:** 45**Gender:** Male**Address:** r/o Bidda**Area of specialization:****7)Name:** Mohd Manzoor**Age:** 43**Gender:** Male**Address:** r/o Bidda**Area of specialization:**

List of Vaid, hakims and traditional health care (human and livestock) practitioners residing and or using biological resources occurring within the jurisdiction of the village

1) Name: NIL

Age:

Gender:

Address:

Area of specialization:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

2) Name: NIL

Age:

Gender:

Address:

Area of specialization:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

3) Name: NIL

Age:

Gender:

Address:

Area of specialization:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in agriculture, fisheries, and forestry**1) Name of the Chairperson:** Kesri Singh**Age:** 52**Gender:** Male**Address:** r/o Bidda**Area of specialization:****2) Name of the Chairperson:** Narinder Sharma**Age:** 54**Gender:** Male**Address:** r/o Bidda**Area of specialization:****3) Name of the Chairperson:****Age:****Gender:****Address:****Area of specialization:****4) Name of the Chairperson:****Age:****Gender:****Address:****Area of specialization:**

Annexure 4

Details of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals involved in the preparation of the PBR

1) **Contact Person:** NIL

Name and Address:

2) **Contact Person:** NIL

Name and Address:

3) **Contact Person:** NIL

Name and Address:

4) **Contact Person:** NIL

Name and Address:

You may add names of more institutions/NGO/Individuals etc, if necessary

Detail of access to biological resources and traditional knowledge granted, details of the collection fee imposed and details of the benefit derived and the mode of their sharing

1	2	3	4	5	6
S.no	Name and address of the Person/Institute/company others	Local and Scientific Name of the biological material Accessed and quantity	Date and resolution of the BMC and endorsement by the Panchayat	Detail of collection fee imposed	Anticipated mode of sharing benefits or quantum of benefits shared

End of Part I

Format 1: Crop Plants

1	2	3	4	5	6	7		8	9	10	11	12	13	14
Crop	Scientific Name	Local Name	Variety	Landscape / Habitat	Approx. area shown	Local Status		Special features	Cropping season	Uses	Associated TK	Other details	Source of Seeds/Plants	Community/ Knowledge Holder
						Past	Present							
Rice	Oryza sativa		Veliyan	Lowland valleys		Plenty	Rare	Tall variety High yield Resistant to drought, flood, pest & diseases		Food Fodder Roofing Fuel	Provides more energy	Suitable for "Valicha" cultivation		Kurichiya Kuruma W. Chetty

The format 1 could be used for documenting information about Millets, Cereals, Oil seeds, Commercial crops, Tuber crops, Vegetables, Legumes, Aromatic crops etc. The column No. 9 'other details' vary with the nature of crops. For measuring local status, there need to identify a particular year - significant changes in ecology occurred - and compare the status as past and present (past = before the particular incident). We have to list out all possible features of a crop/plant and give short forms of the same. If relevant, cultivation practices, propagation techniques, usage etc can be included in the column 8, in associated TK.

Format 2: Fruit Plants

1	2	3	4	5	6		7	8	9	10	11	12
Plant	Scientific Name	Local Name	Variety	Landscape / Habitat	Local Status		Source of Seeds/Plants	Season of Fruiting	Associated TK	Uses	Other details market / own use	Community / Knowledge holder
					Past	Present						
Woody Tree	<i>Mangifera indica</i>	Amb	Wild, Dashehari, Malda, Amrapali, Mallika, Langra, Swarn Rekha, Chausa, Fazli, Totapuri, Ramkila, Baramasim etc.	Sub-tropical	Good	Good	Seedling trees, grafted plants.	March to August	Record available in old books.	Sucking, table, processing	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Litchi chinensis</i>	Lychee	Dehradun, Calcutti, Seedless, Rose Scented	Sub-tropical	Good	Good	Layered plants.	March to July	Introduced by traders and domesticated locally.	Table and processing	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Pidium guajava</i>	Amrood	Wild, Allahbad, Sardar, Lalit, Arka Amulaya, Sheveta, Punjab Pink	Sub-tropical	Good	Good	Seedling trees, grafted/ layered.	March to August, Dec. To January	Introduced by traders and domesticated locally.	Table and processing.	Own uses and sold in market	Popular in local population.
Climber	<i>Vitis vinifera</i>	Angoor	Wild, Perllet, Beauty Seedless	Sub-tropical	Good	Good	Cuttings	Feb. To June	Introduced by traders and domesticated locally.	Table and processing.	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Emblica officinalis</i>	Amla	wild, Banarsi, Neelam, NA 7.	Sub-tropical	Good	Good	Seedling trees, grafted plants.	March to Nov.	Record available in old books.	Processing	Own uses and sold in market	Popular in local population.

Woody Tree	<i>Citrus sinensis</i>	Mosammi	Mosambi, Jaffa, Red Blood	Sub-tropical	Good	Good	Grafted Plants	March to Jan.	Record available in old books.	Table and processing.	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Citrus reticulata</i>	Sangtra	Kinnow, Sangtra	Sub-tropical	Good	Good	Grafted Plants	March to Jan.	Record available in old books.	Table and processing.	Own uses and sold in market	Popular in local population.
Climber	<i>Citrus aurantifolia</i>	Nimboo	Wild, Kagzi, Italian, Eureka	Sub-tropical	Good	Good	Grafted Plants	March to Oct.	Record available in old books.	Processing.	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Citrus limon</i>	Galgal	Wild	Sub-tropical	Good	Good	Seedling andn Grafted Plants	March to Sept.	Record available in old books.	Processing.	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Citrus medica</i>	Kimb	Wild	Sub-tropical	Good	Good	Seedling trees	March to Sept.	Record available in old books.	Processing.	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Citrus jambhiri</i>	Jamiri	Wild	Sub-tropical	Good	Good	Seedling trees	March to Oct.	Record available in old books.	Processing, root stock	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Citrus limettoides</i>	Mithoo	Wild	Sub-tropical	Good	Good	Seedling trees	March to Sept.	Record available in old books.	Table and processing.	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Citrus x floribunda</i>	Kumquat	Wild	Sub-tropical	Good	Good	Grafted Plants	March to Jan..	Record available in old books.	Processing.	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Citrus tangerina</i>	Narangi	Wild	Sub-tropical	Good	Good	Grafted Plants	March to Dec.	Record available in old books.	Ornamental and processing.	Own uses	Popular in local population.
Woody Tree	<i>Zizyphus mauritiana</i>	Ber	Umran, Katha, Seb	Sub-tropical	Good	Good	Grafted Plants	March to Nov.	Record available in old books.	Table purposes	Own uses and sold in market	Popular in local population.

Woody Tree	<i>Zizyphus jujuba</i>	Phowari Ber	Wild	Sub-tropical	Good	Good	Seedlings	March to Nov.	Record available in old books.	Table purposes	Own uses and sold in market	Popular in local population.
Bush	<i>Grewia subinaequalis</i>	Phalsa	Wild	Sub-tropical	Good	Good	Seedlings and Cuttings	March to July	Record available in old books.	Processing	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Syzygium cumini</i>	Jamun	Wild	Sub-tropical	Good	Good	Seedlings and Grafted	March to July	Record available in old books.	Processing	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Punica granatum</i>	Anar	Wild, Ganesh, Kandhari,	Sub-tropical	Good	Good	Cuttings	March to July	Record available in old books.	Table purposes and processing	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Annona squamosa</i>	Custard Apple	Wild	Sub-tropical	Good	Good	Seedlings	March to August	Introduced by traders and domesticated locally.	Table purposes	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Cordia myxa</i>	Lasooda	Wild	Sub-tropical	Good	Good	Seedlings	March to June	Record available in old books.	Processing purposes	Own uses and sold in market	Popular in local population.
Bush	<i>Carissa carandas</i>	Gerna	Wild	Sub-tropical	Good	Good	Seedlings	March to July	Record available in old books.	Table purposes and processing	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Aegle marmalos</i>	Bill	Wild	Sub-tropical	Good	Good	Seedlings	March to July	Record available in old books.	Table purposes and processing	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Pyrus communis</i>	Nakh	Pathar Nakh	Sub-tropical	Good	Good	Grafted Plants	Feb. to June	Introduced by traders and domesticated locally.	Table purposes and processing	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Prunus persica</i>	Aru	Wild, Sun Red, Florida Sun	Sub-tropical	Good	Good	Grafted Plants	Feb. to June	Introduced by traders and domesticated locally.	Table purposes and processing	Own uses and sold in market	Popular in local population.

Woody Tree	<i>Prunus saliciana</i>	Aloocha	Kala Amritsari, Alucha	Sub-tropical	Good	Good	Grafted Plants	Feb. to June	Introduced by traders and domesticated locally.	Table purposes and processing	Own uses and sold in market	Popular in local population.
Herb	<i>Fragaria x ananassa</i>	Strawberry	Chandler	Sub-tropical	Good	Good	Plant Runners	Mach to May	Introduced by traders and domesticated locally.	Table purposes and processing	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Morus alba</i>	Shahtoot	Wild, China	Sub-tropical	Good	Good	Cuttings	March to July	Introduced by traders and domesticated locally.	Table purposes, leaves for rearing Silkworms.	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Ficus carica</i>	Fakhwari	Wild	Sub-tropical	Good	Good	Seedlings	March to July	Introduced by traders and domesticated locally.	Table purposes.	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Atrocarpus lakoocha</i>	Dew	Wild	Sub-tropical	Good	Good	Seedlings	March to July	Record available in old books.	Pickle Purposes.	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Atrocarpus heterophyllus</i>	Jackfruit	Wild	Sub-tropical	Good	Good	Seedlings	March to July	Record available in old books.	Pickle Purposes.	Own uses and sold in market	Popular in local population.
Soft Tree	<i>Carica papaya</i>	Papita	Wild, Red Lady, Pusa Nana	Sub-tropical	Good	Good	Seedlings and hybrids	March to Nov.	Record available in old books.	Table purposes.	Own uses and sold in market	Popular in local population.
Woody Tree	<i>Caprificus insectifera</i>	Rumble	Wild	Sub-tropical	Good	Good	Seedlings	March to July	Record available in old books.	Medicinal purposes.	Own uses	Not much known.
Woody Tree	<i>Terminalia bellirica</i>	Behra	Wild	Sub-tropical	Good	Good	Seedlings	March to August	Record available in old books.	Medicinal purposes.	Own uses	Popular in local population.

Format 3: Fodder Crops / Species

1	2	3	4	5		6	7	8	9	10
Plant	Scientific Name	Local Name	Landscape / Habitat	Local Status		Source of Plants / Seeds	Associated TK	Part Used	Other details	Community / Knowledge holder
				Past	Present					
Barseem	<i>Trifoum alexanderium</i>	Barseem	Winter Forage	Plenty		Agriculture deptt Pvt. Seed store	It has resist once to desiccation and to lerate to water logging condition . It is rich in calcium & phosphours	Whole Plant	Soil with clay loam texture having good water retention capacity are the best suitable for cultivation	
Pearl	<i>Pennisetum glaucum</i>	Bajra	Tropical sub tropical climate	Plenty		Source of Plants / Seeds	High hillering crop	Whole Plant	It is quick growing disease and frost resistant	

Other details include fodder for which animal, special features, medicinal uses if any, seasons of availability, propagation methods, collecting from wild or cultivated etc.

Format 4: Weeds

1	2	3	4	5	6	7		8	9	10	11	12
Plant	Scientific Name	Local Name	Affected crop	Impact	Landscape / Habitat	Local Status		Uses if any	Management options	Associated TK	Other details like exotic	Community / Knowledge holder
						Past	Present					
Bathua	<i>Chenopodium spp.</i>	Baathu	Wheat	Broad leaf and consumed the nutrients of plants and reduce the production	Germination in the field after 20 days	Plenty	Plenty	Nil	1.Use of weedicide		Hady and wider adoptability, multiply very fast	
Sitti	<i>Phalaris minor</i>	Sitti	Wheat	Compete with nutrition, light and space with wheat crop and reduces the narrow leav weed	Grows with wheat crop	Plenty	Plenty	Nil	1.Use of weedicides metribuzinie @ 200 Gms/h a dissolved in 500-600 l if water		Hady and wider adoptability, multiply very fast	
Dhoob	<i>Cynodon dactylon</i>	Dhoob	Maize	Weed emerg with the germination with maize seed and grow along with the plants till the early growth period and cause sever crop weed compitation	Grows with maize crop	Plenty	Plenty	Nil	1. 2-3 weeding followed by earthingup. 2. pre emergence application Atrazine @ 1-1.25 Kg/ per ha of 50% WP		Losses caused by weeds are more during early stage tha later stages	

Other details may include how long the weeds have been suppressing/adversely affecting the crops in this locality, when it came under notice, intensity of natural multiplication etc

Format 5: Pests of Crops

1	2	3	4	5	6	7	8	9	10
Plant	Insect / Animal	Scientific name	Local name	Habitat	Time / season of attack	Management mechanism	Associated TK	Other details	Community knowledge holder
Paddy	Grasshoper	<i>Hieroglyphus niogroreplentum</i>	Tidda, Rajada, Gorha	Polyphagus	June to November	1. Destro eggs by cleaning bunds. 2. Spray the bunds with malathion 5% D@25 Kg/ Ha	Both Nymphs and adults feed on the leaves, they devour the young shoots and newly farm ear heads	Adults are like locust but smaller in size	
	Rice Hisppa	<i>Dicladispa</i>	Neelu tittu	Appeaqr in all varieties of rice	July- sep	1. Clip the affected tips of leaves before transplanting	Quinalphos 25EC 1 litre per ha in 750 ltr of water	The grubs this pest mine into the leaves and adults are external feedders	
Wheat	Field Rats	<i>Bandicota sp. Tatera sp.</i>	Chau, kees	Burrow in soil. Rats are found in nearly all areas of earth which are inhabited by human beings	through out the year	1. Poison baiting 2. bund trimming to minimize harborage. 3. Use indigenous traps	They cause have loss to standing wheat crop and harvested crop in stores.	Domestic rats differ from wild rats in many ways. They are calmer and less likely to bite; they can tolerate greater crowding; they breed earlier and produce more off spring; and their brains, livers, kidneys, adrenal glands and hearts are smaller	
	Termites	<i>Microtermes obesi</i>	Seenak, Seonak, White Ant	Generally appears at wet places, lives in nests made under ground	through out the year	1. Destroy termitaria in an around the field. 2. Never use raw FYM. 3. For termites control in standing crop, dilute 4l of chlorpyriphos	These are social insect that lives under ground in colonies	The damage plant dry up completely and are easily pulled out	

Other details may include possible reasons for insects/animal attack

Format 6: Markets for Domesticated animals

1	2	3	4	5	6	7	8	9
Name of the market & Location	Weekly (D)/ Fortnightly (D) / Monthly (D) / Biannual (M) / Annual (M) [1]	Types of animals bought and sold [2]	Types and Average Number of animals transacted in a day	Places from which animals are brought	Places to which the animals are sold / transported	Name and location of fish market	Types of fishes sold	Source of fish
No specified market. Livestock is purchased directly from Farmer;s home	Weekly	Local/Crossbred Sheep & Goat	2 (approx)	Local	samba	Does not pertain to this department		
-do-	Weekly	Local/Crossbred Sheep & Goat	2	Local	Jammu			
-do-	Weekly	Local/Crossbred Sheep & Goat	2	Local	chadwal			
-do-	Weekly	Local/Crossbred Sheep & Goat	2	Local	hiranagar			

Note: [1] (D) – day; (M) – month;

[2] Types of animals may include: Poultry / Sheep / Goats / Cattle / Ducks / Pigs / Donkeys / Mules / Horses / Camels / Others (Specify)

Format 7: Peoplescape

1	2	3	4	5	6	7	8	9	10	11
Community & Population	Families & Major occupation	Sub- occupation	Depending Landscape	Major resources accessed and seasons of access	Landscape management practices	Resource management practices	Cast / tribe	Social condition	Nature of inhabitants	No. of HHs
Rural, 3750	372, Farming, agriculture	Animal husbandry and Govt./Pvt. service	Agriculture land		Howing, edging, cultivation, fertilization					
<p>Major occupation may be farming. Sub-occupations could be fishing, collection of NTFP animal husbandry, artisans, services Examples of depending landscapes are agriculture landscape, rivers, forest etc.</p> <p>Major resources accessed could be agriculture resources of different nature, fish, birds, water, mud, and etc</p> <p>How the community manages the landscapes they use for satisfying different needs, their strategies and perception</p> <p>How the community manages the resources they access for satisfying different needs, their strategies and perception, conflicts etc</p>										

Format 8: Landscape

Format 8: Landscape													
1			2	3	4	5	6	7	8	9	10	11	12
Major Landscapes			Sub - Landscapes	Feature s and approx. area	Ownersh i p	General flora	General fauna	User groups	Manageme nt practices	General uses	Associated TK	Other details	Community accessed
Agricultural Land	Pond	Fallow Land											
Hilly Area													
Plains													

Provide a brief description of landscapes such as forests, plantations, cultivated land, estuary, pond, lake or other elements

Format 9: Waterscape

1	2	3	4	5	6	7	8	9	10	11	12	13
Waterscape element type	Sub- type	Features and approx area	Ownership	General flora	General fauna	Major uses	User groups	Management practices	General uses	Associated TK	Other details	Community accessed
Bowli (8)												
Pond (2)												

Examples: Ponds, Streams, Rivers, Lake, Canal, Tubewell, Dug well etc.,

Format 10: Soil type

1	2	3	4	5	6	7	8
Soil Type	Color & Texture	Features	Soil management	Plants / crop suitable	Flora and fauna	Associated TK	Other information
Brown forest soil	Silt loam to clay texture	Fine Granular Dub Angular	Use of organic matter	maize, wheat			
Alluvial Soil	Loamy soil						
		blocky structure having Ph 7-8-8.3holding capacity more than 40 %					
		Ph 7.0-7.7 organic carbon 0.18-0.6N	Use of organic matter	wheat, paddy			

Format-11: FRUIT TREES DOMESTICATED BIODIVERSITY

1	2	3	4	5	6	7		8	9	10	11	12	13
S. No.	Plant Type	Local Name	Scientific Name	Variety	Landscape/ Habitat	Local status		Source of Seeds/ Plants	Season of Fruiting	Uses (usages)	Associated TK	Other details maret/ own use	Community/ knowledge holder
						Past	Present						
1	Woody Tree	Amb	<i>Mangifera indica</i>	Local, Dashehari, Malda, Amrapali, Mallika, Langra, Swarn Rekha, Chausa, Fazli, Totapuri, Ramkila, Baramasi.	Sub-tropical	Good	Good	Seedling trees, grafted plants.	March to August	Sucking, table, processing	Record available in old books.	Own uses and sold in market	Popular in local population.
2	Woody Tree	Lychee	<i>Litchi chinensis</i>	Dehradun, Calcutti, Seedless, Rose Scented	Sub-tropical	Good	Good	Layered plants.	March to July	Table and processing	Introduced by traders and domesticated locally.	Own uses and sold in market	Popular in local population.
3	Woody Tree	Amrood	<i>Pidium guajava</i>	Local, Allahbad, Sardar, Lalit, Arka Amulaya, Sheveta, Punjab Pink	Sub-tropical	Good	Good	Seedling trees, grafted/layered.	March to August, Dec. To January	Table and processing.	Introduced by traders and domesticated locally.	Own uses and sold in market	Popular in local population.
4	Climber	Angoor	<i>Vitis vinifera</i>	Local, Perlet, Beauty Seedless	Sub-tropical	Good	Good	Cuttings	Feb. To June	Table and processing.	Introduced by traders and domesticated locally.	Own uses and sold in market	Popular in local population.
5	Woody Tree	Amla	<i>Embelica officinalis</i>	Local, Banarsi, Neelam, NA 7.	Sub-tropical	Good	Good	Seedling trees, grafted plants.	March to Nov.	Processing	Record available in old books.	Own uses and sold in market	Popular in local population.

6	Woody Tree	Mosammi	<i>Citrus sinensis</i>	Mosambi, Jaffa, Red Blood	Sub-tropical	Good	Good	Grafted Plants	March to Jan.	Table and processing.	Record available in old books.	Own uses and sold in market	Popular in local population.
7	Woody Tree	Sangtra	<i>Citrus reticulata</i>	Kinnow, Sangtra	Sub-tropical	Good	Good	Grafted Plants	March to Jan.	Table and processing.	Record available in old books.	Own uses and sold in market	Popular in local population.
8	Woody Tree	Nimboo	<i>Citrus aurantifolia</i>	Local, Kagzi, Italian, Eureka	Sub-tropical	Good	Good	Grafted Plants	March to Oct.	Processing.	Record available in old books.	Own uses and sold in market	Popular in local population.
9	Woody Tree	Galgal	<i>Citrus limon</i>	Local	Sub-tropical	Good	Good	Seedling and Grafted	March to Sept.	Processing.	Record available in old books.	Own uses and sold in market	Popular in local population.
10	Woody Tree	Kimb	<i>Citrus medica</i>	Local	Sub-tropical	Good	Good	Seedling trees	March to Sept.	Processing.	Record available in old books.	Own uses and sold in market	Popular in local population.
11	Woody Tree	Jamiri	<i>Citrus jambhiri</i>	Local	Sub-tropical	Good	Good	Seedling trees	March to Oct.	Processing, root stock	Record available in old books.	Own uses and sold in market	Popular in local population.
12	Woody Tree	Mithoo	<i>Citrus limetoides</i>	Local	Sub-tropical	Good	Good	Seedling trees	March to Sept.	Table and processing.	Record available in old books.	Own uses and sold in market	Popular in local population.
13	Woody Tree	Kumquat	<i>Citrus x floribunda</i>	Local	Sub-tropical	Good	Good	Grafted Plants	March to Jan..	Processing.	Record available in old books.	Own uses and sold in market	Popular in local population.
14	Woody Tree	Narangi	<i>Citrus tangerina</i>	Local	Sub-tropical	Good	Good	Grafted Plants	March to Dec.	Ornamental and processing.	Record available in old books.	Own uses	Popular in local population.
15	Woody Tree	Ber	<i>Zizyphus mauritiana</i>	Umran, Katha, Seb	Sub-tropical	Good	Good	Grafted Plants	March to Nov.	Table purposes	Record available in old books.	Own uses and sold in market	Popular in local population.
16	Woody Tree	Phowari Ber	<i>Zizyphus jujuba</i>	Local	Sub-tropical	Good	Good	Seedlings	March to Nov.	Table purposes	Record available in old books.	Own uses and sold in market	Popular in local population.
17	Bush	Phalsa	<i>Grewia subinaequalis</i>	Local	Sub-tropical	Good	Good	Seedlings and Cuttings	March to July	Processing	Record available in old books.	Own uses and sold in market	Popular in local population.
18	Woody Tree	Jamun	<i>Syzygium cumini</i>	Local	Sub-tropical	Good	Good	Seedlings and Grafted	March to July	Processing	Record available in old books.	Own uses and sold in market	Popular in local population.
19	Woody Tree	Anar	<i>Punica granatum</i>	Local, Ganesh, Kandhari,	Sub-tropical	Good	Good	Cuttings	March to July	Table purposes and processing	Record available in old books.	Own uses and sold in market	Popular in local population.

20	Woody Tree	Lasooda	<i>Cordia myxa</i>	Local	Sub-tropical	Good	Good	Seedlings	March to June	Processing purposes	Record available in old books.	Own uses and sold in market	Popular in local population.
21	Bush	Gerna	<i>Carissa carandas</i>	Local	Sub-tropical	Good	Good	Seedlings	March to July	Table purposes and processing	Record available in old books.	Own uses and sold in market	Popular in local population.
22	Woody Tree	Bill	<i>Aegle marmalos</i>	Local	Sub-tropical	Good	Good	Seedlings	March to July	Table purposes and processing	Record available in old books.	Own uses and sold in market	Popular in local population.
23	Woody Tree	Seb	<i>Malus x domestica</i>	Summer apple	Sub-tropical	...	Good	Grafted Plants	Feb. to June	Table purposes and processing	Introduced by traders and domesticated locally.	Own uses and sold in market	Popular in local population.
24	Woody Tree	Nakh	<i>Pyrus communis</i>	Pathar Nakh	Sub-tropical	Good	Good	Grafted Plants	Feb. to June	Table purposes and processing	Introduced by traders and domesticated locally.	Own uses and sold in market	Popular in local population.
25	Woody Tree	Aru	<i>Prunus persica</i>	Local, Sun Red, Florida Sun	Sub-tropical	Good	Good	Grafted Plants	Feb. to June	Table purposes and processing	Introduced by traders and domesticated locally.	Own uses and sold in market	Popular in local population.
26	Woody Tree	Aloocha	<i>Prunus saliciana</i>	Kala Amritsari, Alucha	Sub-tropical	Good	Good	Grafted Plants	Feb. to June	Table purposes and processing	Introduced by traders and domesticated locally.	Own uses and sold in market	Popular in local population.
27	Herb	Strawberry	<i>Fragaria x ananassa</i>	Chandler	Sub-tropical	Good	Good	Plant Runners	Mach to May	Table purposes and processing	Introduced by traders and domesticated locally.	Own uses and sold in market	Popular in local population.
28	Woody Tree	Shahtoot	<i>Morus alba</i>	Local, China	Sub-tropical	Good	Good	Cuttings	March to July	Table purposes, rearing Silkworms.	Introduced by traders and domesticated locally.	Own uses and sold in market	Popular in local population.

29	Woody Tree	Fig	<i>Ficus carica</i>	Local	Sub-tropical	Good	Good	Seedlings	March to July	Table purposes.	Introduced by traders and domesticated locally.	Own uses and sold in market	Popular in local population.
30	Woody Tree	Dew	<i>Artocarpus lakoocha</i>	Local	Sub-tropical	Good	Good	Seedlings	March to July	Pickle Purposes.	Record available in old books.	Own uses and sold in market	Popular in local population.
31	Woody Tree	Jackfruit	<i>Artocarpus heterophyllus</i>	Local	Sub-tropical	Good	Good	Seedlings	March to July	Pickle Purposes.	Record available in old books.	Own uses and sold in market	Popular in local population.
32	Soft Tree	Papita	<i>Carica papaya</i>	Local Red Lady, Pusa Nana	Sub-tropical	Good	Good	Seedlings and hybrids	March to Nov.	Table purposes.	Record available in old books.	Own uses and sold in market	Popular in local population.

Format 12: Medicinal Plants (Herbs, Shrubs, Trees etc.)

1	2	3	4	5	6	7		8	9	10	11	12
Plant Type	Local Name	Scientific Name	Variety	Landscape/ Habitat	Source of plant/seeds	Local status		Uses (usage)	Part used	Associated TK	Other details market/own use	Community/ Know. Holders
						Past	Present					
Holy Basil	Tulsi	<i>Ocimum tenuiflorum</i>										
Aloe vera	Aloe vera	<i>Aloe vera</i>										

Note: Uses: Food/ Veterinary Medicine,/ Human Medicine (Sub-divisions like for children, women etc),/ Agricultural Purpose (Bio-pesticide)
 Other details: Propagation methods, / Harvesting period,/ Cultivated or collected from wild or both,/ Perennial/annual/seasonal

Format 13: Ornamental Plants/ Trees/Climbers etc.

1	2	3	4	5	6	7	8	9	10
Plant Type	Local Name	Scientific Name	Variety	Source of Plant/Seeds	Commercial/ Non-commercial	Uses	Associated Tk	Other Details	Community/ Knowledge Holder
Ornamental Tree	<i>Kachnar</i>	<i>Bauhinia variegata</i>		<i>Nurseries/ Forest</i>	<i>Non commercial</i>	<i>Ornamental/ Landscaping</i>	<i>Used for Dysentry, Diarrhoea</i>	<i>Pink flowers in Summer</i>	<i>Floriculturists/Nurserymen/ Gardeners</i>
Bushes/	<i>Nerium</i>	<i>Nerium oleander</i>		<i>Nurseries</i>	<i>Non commercial</i>	<i>Ornamental/ Landscaping</i>	<i>Epilepsy, cancer</i>	<i>Avenue plantation</i>	<i>Floriculturists/Nurserymen/ Gardeners</i>
Bushes/	<i>Kaner</i>	<i>Thevetia peruviana</i>		<i>Nurseries</i>	<i>Non commercial</i>	<i>Ornamental/ Landscaping</i>	<i>Fevers</i>	<i>Flower most of the year</i>	<i>Floriculturists/Nurserymen/ Gardeners</i>
Bushes/	<i>Bottle Brush</i>	<i>Callistemmon spp.</i>		<i>Nurseries</i>	<i>Non commercial</i>	<i>Ornamental/ Landscaping</i>	<i>Theraputic uses</i>	<i>Foilage and flowers</i>	<i>Floriculturists/Nurserymen/ Gardeners</i>
Bushes/	<i>Bogan Bael</i>	<i>B.Sp & hybrids</i>		<i>Nurseries</i>	<i>Non commercial</i>	<i>Ornamental/ Landscaping</i>	<i>Antidiabetic, antiinflammatory</i>	<i>Multicoloured flowers</i>	<i>Floriculturists/Nurserymen/ Gardeners</i>
Bushes/	<i>Hibiscus</i>	<i>Hibiscus rosinensis</i>		<i>Nurseries</i>	<i>Non commercial</i>	<i>Ornamental/ Landscaping</i>	<i>Used in fever, constipation</i>	<i>Flower throughout the year</i>	<i>Floriculturists/Nurserymen/ Gardeners</i>
Bushes/									
Bushes/	<i>Motia</i>	<i>Jasminum sambac</i>		<i>Nurseries</i>	<i>Non commercial</i>	<i>Ornamental/ Landscaping</i>	<i>Used in Hepatitis, dysentry</i>	<i>Flower throughout the year</i>	<i>Floriculturists/Nurserymen/ Gardeners</i>
Bushes/									
<i>Herbs Seasonals</i>	<i>Guldopahar</i>	<i>Portulaca grandiflora</i>		<i>Nurseries</i>	<i>Non commercial</i>	<i>Ornamental/ Landscaping</i>	<i>Antioxidant, antibacterial</i>	<i>Summer annual flower</i>	<i>Floriculturists/Nurserymen/ Gardeners</i>
<i>Pot Plants</i>	<i>Agave</i>	<i>Agave angustifolia</i>		<i>Nurseries</i>	<i>Non commercial</i>	<i>Ornamental/ Landscaping</i>	<i>Traditional medicines</i>	<i>Succulent</i>	<i>Floriculturists/Nurserymen/ Gardeners</i>
<i>Pot Plants</i>	<i>Thur</i>	<i>Cactus spp</i>		<i>Nurseries</i>	<i>Non commercial</i>	<i>Ornamental/ Landscaping</i>	<i>Folk medicines</i>	<i>Thorny succulents</i>	<i>Floriculturists/Nurserymen/ Gardeners</i>

Format 15: Domesticated Animals

1	2	3	4	5	6	7		8	9	10	11	12
Animal Type	Local Name	Scientific Name	Breed (local/hybrid)	Features	Method of keeping	Local status		Uses	Associated TK	Commercial rearing	Other details including products and services	Community Know. Holders
						Past	Present					
Sheep	Bhed	<i>Ovis aries</i>	Local	small size, rough coat	Flock rearing	Least concern	Least concern	mutton, wool, manure	Yes	Yes	Bones, skin and gutt	Locals and nomads
Sheep	Bhed	<i>Ovis aries</i>	Rambouillet cross	large size, fine wool	do	do	do	do	do	do	do	do
Goat	Bakri	<i>Capra hirus</i>	Local	small size, low body weight	Flock rearing	Least concern	Least concern	Chevon, hair, manure	do	do	do	do
Goat	do	do	Beetal	large size, high body weight	do	do	do	do	do	do	do	do
Goat	do	do	Kaghani	do	do	do	do	do	do	do	do	do

Uses include milk, meat, skin, fur and etc

Format 16: Culture Fisheries

1	2	3	4	5	6	7		8	9	10	11	12
Fish Type	Local Name	Scientific Name	Variety	Features	Waterscape (pond/bheri/talao)	Local status		Uses	Associated TK	Commercial rearing	Other details	Community Know. Holders
						Past	Present					

Note: Other details include mode of catching fish, time of availability, breeding time, feeds and etc

WILD BIODIVERSITY
Format 18: Trees, Shrubs, Herbs, Tubers, Grasses, Climbers etc.

1	2	3	4	5	6		7	8	9	10	11
Plant Type	Local Name	Scientific Name	Habit	Habitat	Local status		Commercial / own use	Part collected	Associated TK	Other details	Community Knowledge Holder
					Past	Present					
Tree	Chir	<i>Pinus roxburghii</i>	Tree	Sub -tropical	Available	Available	Own Use	Fruits	Used in Gastro Probleme	Medicinal Use	Self observed
Tree	Khair	<i>Accacia catechu</i>	Tree	Sub -tropical	Available	Available	Own Use	Fruits		Medicinal Use	Self observed
Tree	Bour	<i>Ficus benghalensis</i>	Tree	Sub -tropical	Available	Available	Own Use	Fruits			Self observed
Tree	Chilla	<i>Caseria tomentosa</i>	Tree	Sub -tropical	Available	Available	Own Use	leaf and wood			Self observed
Tree	Amlı	<i>Phyllanthus emblica</i>	Tree	Sub -tropical	Available	Available	Own Use	wood			Self observed
Tree	Koakoa	<i>Flacourita indica</i>	Tree	Sub -tropical	Available	Available	Own Use	Fruits			Self observed
Tree	Daronkal	<i>Murraya koenigii</i>	Tree	Sub -tropical	Available	Available	Own Use	leaves			Self observed
Tree	Dudaya	<i>Wrightia parvifolia</i>	Tree	Sub -tropical	Available	Available	Own Use	leaves			Self observed
Tree	Garna	<i>Carissa spinarum</i>	Shrubs	Sub -tropical	Available	Available	Own Use	Fruits			Self observed
Tree	Jamun	<i>Syzygium cumini</i>	Tree	Sub -tropical	Available	Available	Own Use	fruits/wood	Used for Diabetes		Self observed
Tree	Kaam	<i>Mitragyna parvifolia</i>	Tree	Sub -tropical	Available	Available	Own Use	leaf and wood			Self observed
Tree	Kambal	<i>Lannea coromandlica</i>	Tree	Sub -tropical	Available	Available	Own Use	leaf and wood			Self observed

Tree	Kamla	<i>Mallotus philippensis</i>	Tree	Sub -tropical	Available	Available	Own Use	leaf and wood			Self observed
Tree	Khair	<i>Acacia catechu</i>	Tree	Sub -tropical	Available	Available	Own Use	leaf and wood			Self observed
Tree	Kodh	<i>Aloe barbadence</i>	Tree	Sub -tropical	Available	Available	Own Use	leaf and wood			Self observed
Tree	Krongal	<i>Cassia fistula</i>	Tree	Sub -tropical	Available	Available	Own Use	leaf and wood			Self observed
Tree	Lucenia	<i>Leucaenia spp</i>	Tree	Sub -tropical	Available	Available	Own Use	leaf and wood			Self observed
Tree	Plah	<i>Butea monosperma</i>	Tree	Sub -tropical	Available	Available	Own Use	leaf and wood			Self observed
Tree	Phulai	<i>Acacia modesta</i>	Tree	Sub -tropical	Available	Available	Own Use	leaf and wood			Self observed
Tree	panasara	<i>Wendlandia spp</i>	Tree	Sub -tropical	Available	Available	Own Use	leaf and wood			Self observed
Tree	Reetha	<i>Sapindus mukortossi</i>	Tree	Sub -tropical	Available	Available	Own Use	Fruits and wood			Self observed
Tree	Santa	<i>Dodonaeae viscosa</i>	Shurbs	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	sarri	<i>Albezzia spp</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Simbal	<i>Bombax ceiba</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Talli	<i>Dalbergia sissoo</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Thub/Dudhruk	<i>Erythrina spp.</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Balugar	<i>Bauhinia vahili</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Chuindi	<i>Xylosma lingifolium</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	doss/sanam	<i>Colebrookea oppositifolia</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed

Tree	Khini	<i>Ficus hispida</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Kral	<i>Bauhinia vahili</i>	Tree	Sub -tropical	Available	Available	Own Use	Leaves/Flowers			Self observed
Tree	Lana	<i>Ficus hispida</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Dhaman	<i>Grewia optiva</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Charmod	<i>Ehretia spp.</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Badh	<i>Ficus religiosa</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Behra	<i>Terminilia bellirica</i>	Tree	Sub -tropical	Available	Available	Own Use	Fruits/Wood			Self observed
Tree	Bilan	<i>Aegle marmelos</i>	Tree	Sub -tropical	Available	Available	Own Use	Fruits/Wood			Self observed
Tree	Gandila	<i>Nerium oleander</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Gulmorh	<i>Delonix regia</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Oanni	<i>Lyonia ovalifla</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Rumble	<i>Ficus recemosa</i>	Tree	Sub -tropical	Available	Available	Own Use	Fruits/Wood			Self observed
Tree	Draink	<i>Melia azadirach</i>	Tree	Sub -tropical	Available	Available	Own Use	Leaves/Wood			Self observed
Tree	Harad	<i>Terminalia chebula</i>	Tree	Sub -tropical	Available	Available	Own Use	Fruits/Wood			Self observed
Tree	Amb	<i>Mangifera indica</i>	Tree	Sub -tropical	Available	Available	Own Use	Fruits/Wood			Self observed
Tree	Soyanjana	<i>Moringa oleifera</i>	Tree	Sub -tropical	Available	Available	Own Use	Fruits/Wood			Self observed
Tree	Tunnu	<i>Toona ciliata</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed

Tree	Neem	<i>Azadirachta indica</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Plakh	<i>Ficus virens</i>	Tree	Sub -tropical	Available	Available	Own Use	Leaves/Wood			Self observed
Tree	Rehn	<i>Quercus lucotricophora</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Chamar sama	<i>Holoptelea integrifolia</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Lasura	<i>Cordia myxa</i>	Tree	Sub -tropical	Available	Available	Own Use	Fruits/Wood			Self observed
Tree	Kassod	<i>Senna siamea</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	tantary	<i>Oroxylum indicum</i>	Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Branked	<i>Justicia adhatoda</i>	Shrubs	Sub -tropical	Available	Available	Own Use	Leaves			Self observed
Tree	Khar	<i>Saccharum</i>	Tree	Sub -tropical	Available	Available	Own Use	Leaves			Self observed
Tree	Imli	<i>Tamarandis indica</i>	Tree	Sub -tropical	Available	Available	Own Use	Fruits			Self observed
Tree	Cribul		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Kurri		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Narsino		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Pandal		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Rala		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Tai		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Salag		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed

Tree	Karmroo		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Khro		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Gagerada		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Kamkam		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Kangi		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Kenye/Kenyo		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Lanyan		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Karkai/katkai		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Gamai		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Kalam/Kalen		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Karmanglu		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Tanda		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Mankarahan		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Amity		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Banhadam		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Gangara		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed
Tree	Khajoor		Tree	Sub -tropical	Available	Available	Own Use	Wood			Self observed

Format 19: Wild Plant Species of Importance

1	2	3	4	5	6
SI. No.	Local Name	Scientific Name	Variety	Importance (as economic, social, cultural etc.)	Status
1	Ratti	<i>Abrus precatoris</i>	Wild	Social and Economic	Available
2	Khair	<i>Acacia catechu</i>	Wild	Social and Economic	Available
3	Exotic Acacia	<i>Acacia farnesana</i>	Wild	Social and Economic	Available
4	Kikkar	<i>Acacia nilotia</i>	Wild	Social and Economic	Available
5	Parkanda	<i>Achyranthes aspera</i>	Wild	Social and Economic	Available
6	Bael	<i>Aegle marmelos</i>	Wild	Social and Economic	Available
7	Nuriya	<i>Aerva sanguinolenta</i>	Wild	Social and Economic	Available
8	Rambana	<i>Agave americana</i>	Wild	Social and Economic	Available
9	safed Siris	<i>Albizzia procera</i>	Wild	Social and Economic	Available
10	kala siris	<i>Albizzia lebeck</i>	Wild	Social and Economic	Available
11	Kwad Gandal	<i>Aloe barbandensis</i>	Wild	Social and Economic	Available
12	Nad	<i>Arundo donax</i>	Wild	Social and Economic	Available
13	Seski	<i>Artemisia parviflora</i>	Wild	Social and Economic	Available
14	Kathal	<i>Artocarpus heterophyllus</i>	Wild	Social and Economic	Available
15	Chaleri Saag	<i>Amaranthus viridis</i>	Wild	Social and Economic	Available
16	Neem	<i>Azadirachta indica</i>	Wild	Social and Economic	Available

17	bamboo	<i>Bambusa bamboos</i>	Wild	Social and Economic	Available
18		<i>Bambusa nutans</i>	Wild	Social and Economic	Available
19	Baloongar	<i>Bahunia vahlii</i>	Wild	Social and Economic	Available
20	kachnar	<i>Bahunia variegata</i>	Wild	Social and Economic	Available
21	Simbal	<i>Bombax ceiba</i>	Wild	Social and Economic	Available
22	Jungli toot	<i>Broussonetia papyrifera</i>	Wild	Social and Economic	Available
23	Plaah	<i>Butea monosperma</i>	Wild	Social and Economic	Available
24	Bhang	<i>Cannabis sativa</i>	Wild	Social and Economic	Available
25	Chila	<i>Casaria tometosa</i>	Wild	Social and Economic	Available
26	Kringal	<i>Cassia fistula</i>	Wild	Social and Economic	Available
27	Mainphal	<i>Catunaregum spinosa</i>	Wild	Social and Economic	Available
28	Aajan Grass	<i>Cenchrus ciliaris</i>	Wild	Social and Economic	Available
29	Brahmi Buti	<i>Centella asiatica</i>	Wild	Social and Economic	Available
30	karun	<i>Chenopodium murale</i>	Wild	Social and Economic	Available
31	Khas khas	<i>Chrysopogon zizanooides</i>	Wild	Social and Economic	Available
32	kapoor	<i>Cinnamomum camphora</i>	Wild	Social and Economic	Available
33	Bhus	<i>Cirsium arvense</i>	Wild	Social and Economic	Available
34	Sanali or Dussa	<i>Colebrookea oppositifolia</i>	Wild	Social and Economic	Available
35	Shudri	<i>Crateva religiosa</i>	Wild	Social and Economic	Available
36	amer Bel	<i>Cuscuta reflexa</i>	Wild	Social and Economic	Available
37		<i>Cynoglossum lanceolatum</i>	Wild	Social and Economic	Available
38	Barna	<i>Cyperus rotundus</i>	Wild	Social and Economic	Available
39	Tali	<i>Dalbergia sissoo</i>	Wild	Social and Economic	Available

40	Dhatura	<i>Datura stramonium</i>	Wild	Social and Economic	Available
41	Baans	<i>Dendrocalmus</i>	Wild	Social and Economic	Available
42	palain	<i>Debdrocalamus annulatum</i>	Wild	Social and Economic	Available
43	Kalu Grass	<i>dicliptera bupleuroides</i>	Wild	Social and Economic	Available
44	Sadhun	<i>Dioscorea melanophyma</i>	Wild	Social and Economic	Available
45		<i>Dodonaea viscosa</i>	Wild	Social and Economic	Available
46		<i>Dicliptera bupleurooides</i>	Wild	Social and Economic	Available
47		<i>Dioscorea melanophyma</i>	Wild	Social and Economic	Available
48	Santha	<i>Dodonaea viscosa</i>	Wild	Social and Economic	Available
49	duranta	<i>Duranta erecta</i>	Wild	Social and Economic	Available
50	Chamror	<i>Ehretia acuminata</i>	Wild	Social and Economic	Available
51	Dhol Dhak	<i>Erythrina suberosa</i>	Wild	Social and Economic	Available
52	pangara	<i>Erythrina variegata</i>	Wild	Social and Economic	Available
53	safeda	<i>Ecalyptus teretcornis</i>	Wild	Social and Economic	Available
54	Hybrid safeda	<i>Eulaliopsis binata</i>	Wild	Social and Economic	Available
55	Bubbean	<i>Euphorbia roylena</i>	Wild	Social and Economic	Available
56	Trimbal	<i>Ficus auriculata</i>	Wild	Social and Economic	Available
57	Bohr	<i>Ficus benghalensis</i>	Wild	Social and Economic	Available
58	Peepal	<i>Ficus religiosa</i>	Wild	Social and Economic	Available
59	Kakoa	<i>Flacourtia indica</i>	Wild	Social and Economic	Available
60	Lamb Grass	<i>Flemingia chappar</i>	Wild	Social and Economic	Available
61	Kharpoway	<i>Gompherna celosiooides</i>	Wild	Social and Economic	Available
62	Dhaman	<i>Grewia optiva</i>	Wild	Social and Economic	Available

63	Kanphuta	<i>Heteropogon contortus</i>	Wild	Social and Economic	Available
64	Bhattani	<i>Ipomoea carnea</i>	Wild	Social and Economic	Available
65	Chameli	<i>jasminum officinale</i>	Wild	Social and Economic	Available
66	Ratanjot	<i>Jatropha curcas</i>	Wild	Social and Economic	Available
67	Brenker	<i>Justicia adhatoda</i>	Wild	Social and Economic	Available
68	Kembal	<i>lannea coromandelica</i>	Wild	Social and Economic	Available
69	panjphuli	<i>Lantana camera</i>	Wild	Social and Economic	Available
70	Mithu grass	<i>lathyrus sativus</i>	Wild	Social and Economic	Available
71	kamila	<i>mallotus philippensis</i>	Wild	Social and Economic	Available
72	baryar	<i>Malvastreum coromandelianum</i>	Wild	Social and Economic	Available
73	Aam	<i>Magnifera indica</i>	Wild	Social and Economic	Available
74	drehnk	<i>Melia azedarach</i>	Wild	Social and Economic	Available
75	Kaam	<i>Mitragyna parvifolia</i>	Wild	Social and Economic	Available
76	Toot	<i>Morus alba</i>	Wild	Social and Economic	Available
77	Drenkri	<i>Murraya koenigiffi</i>	Wild	Social and Economic	Available
78	gandila	<i>Nerium oleander</i>	Wild	Social and Economic	Available
79	Kua	<i>Loea europaea</i>	Wild	Social and Economic	Available
80	Chitter	<i>Cuspidata</i>	Wild	Social and Economic	Available
81		<i>Opuntia elator</i>	Wild	Social and Economic	Available
82	tetar	<i>Oroxylum indicum</i>	Wild	Social and Economic	Available
83	Congress grass	<i>Parthenium hysterophorus</i>	Wild	Social and Economic	Available
84	Deena nath grass	<i>Pennisetum pedicellatum</i>	Wild	Social and Economic	Available
85	Napier grass	<i>Pennisetum purpureum</i>	Wild	Social and Economic	Available

86	Kahjoor	<i>Phoenix sylvestris</i>	Wild	Social and Economic	Available
87	Amla	<i>Phyllanthus emblica</i>	Wild	Social and Economic	Available
88	Chir	<i>Pinus roxburghii</i>	Wild	Social and Economic	Available
89	Jojra	<i>Puplia lappacea</i>	Wild	Social and Economic	Available
90		<i>Reinwardtia indica</i>	Wild	Social and Economic	Available
91		<i>Ricinus hastatus</i>	Wild	Social and Economic	Available
92		<i>Saccharum bengalense</i>	Wild	Social and Economic	Available
93		<i>Saccharum spontaneum</i>	Wild	Social and Economic	Available
94	basant panchmi	<i>Sapindus mukorossi</i>	Wild	Social and Economic	Available

Format 22: Wild Plants of Medicinal Importance

1	2	3	4	5	6		7	8	9	10	11
Plant (Herb, Shrub, Tree)	Local Name	Scientific Name	Variety	Landscape / Habitat	Local Status		Associated TK	Uses (usage)	Part used	Other details market/ own use	Community/ Knowledge Holder
					Past	Present					
Tree	Khair	<i>Acacia catechu</i>	Wild	Sub-Tropical	Available	Available					
Tree	Phulai or fly	<i>Acacia modesta</i>	Wild	Sub-Tropical	Available	Available					
Tree	Kikar	<i>Acacia nilotica</i>	Wild	Sub-Tropical	Available	Available					
Tree	Parkanda	<i>Achyranthes aspera</i>	Wild	Sub-Tropical	Available	Available					
Tree	Bel	<i>Aegle marmelos</i>	Wild	Sub-Tropical	Available	Available					
Tree	Kramblu	<i>Albizia odoratissima</i>	Wild	Sub-Tropical	Available	Available					
Tree	Neem	<i>Azadirachata indica</i>	Wild	Sub-Tropical	Available	Available					
Tree	Simbal	<i>Bambax ceiba</i>	Wild	Sub-Tropical	Available	Available					
Herbs	Bhang	<i>Cannabis sativa</i>	Wild	Sub-Tropical	Available	Available					
Shrubs	Garna	<i>Carissa spinosa</i>	Wild	Sub-Tropical	Available	Available					
Tree	Krangal	<i>Cassia fistula</i>	Wild	Sub-Tropical	Available	Available					
Herbs	Brahmi buti	<i>Centella asiatica</i>	Wild	Sub-Tropical	Available	Available					
Herbs	Khas khas	<i>Chrysopogon zizanioides</i>	Wild	Sub-Tropical	Available	Available					

Tree	Kapoor	<i>innamomum campho</i>	Wild	Sub-Tropical	Available	Available					
Tree	Fagora	<i>Ficus palmata</i>	Wild	Sub-Tropical	Available	Available					
Tree	Rumble	<i>Ficus racemosa</i>	Wild	Sub-Tropical	Available	Available					
Tree	Toot	<i>Morus alba</i>	Wild	Sub-Tropical	Available	Available					
Shrubs	Drenkeri	<i>Murraya koenigii</i>	Wild	Sub-Tropical	Available	Available					
Tree	Khajoor	<i>Phoenix sylvestris</i>	Wild	Sub-Tropical	Available	Available					
Tree	amla	<i>Phyllanthus emblica</i>	Wild	Sub-Tropical	Available	Available					
Tree	reetha	<i>sapindus mukorossi</i>	Wild	Sub-Tropical	Available	Available					
Tree	Jamun	<i>Syzygium cumini</i>	Wild	Sub-Tropical	Available	Available					
Tree	Imli	<i>Tamarindus indica</i>	Wild	Sub-Tropical	Available	Available					
Tree	Arjun	<i>Terminalia arjuna</i>	Wild	Sub-Tropical	Available	Available					
Tree	Bahera	<i>Terminalia bellirica</i>	Wild	Sub-Tropical	Available	Available					
Tree	Harar	<i>Terminalia chebula</i>	Wild	Sub-Tropical	Available	Available					
Herbs	Giloe	<i>Tinospora sinensis</i>	Wild	Sub-Tropical	Available	Available					

Format 23: Wild relatives of Crops

1	2	3	4	5		6	7	8	9	10
Local Name	Scientific Name	Associated crop	Landscape / Habitat	Local Status		Uses (usage)	Part Used	Associated TK	Other details	Community / Know holder
				Past	Present					
Chaleri Saag	<i>Amaranthus viridis</i>		Sub-Tropical	Available	Available					
Jangli Putna	<i>Mentha arvensis</i>		Sub-Tropical	Available	Available					

Format 24: Ornamental Plants

1	2	3	4	5	6	7	8
Local Name	Scientific Name	Variety	Habitat	Commercial/Non-commercial	Associated Tk	Other Details	Community/ Knowledge Holder
Kachnar	<i>Bauhinia variegata</i>		Terrestrial	Non commercial	Used for Dysentry, Diarrhoea	Pink flowers in Summer	Floriculturists/Nurserymen/Gardeners
Nerium	<i>Nerium oleander</i>		Terrestrial	Non commercial	Epilepsy, cancer	Avenue plantation	Floriculturists/Nurserymen/Gardeners
Kaner	<i>Thevetia peruviana</i>		Terrestrial	Non commercial	Fevers	Flower most of the year	Floriculturists/Nurserymen/Gardeners
Bottle Brush	<i>Callistemmon spp.</i>		Terrestrial	Non commercial	Theraputic uses	Foilage and flowers	Floriculturists/Nurserymen/Gardeners
Bogan Bael	<i>B.Sp & hybrids</i>		Terrestrial	Non commercial	Antidiabetic, antiinflammatory	Multicoloured flowers	Floriculturists/Nurserymen/Gardeners
Agave	<i>Agave angustifolia</i>		Terrestrial	Non commercial	Traditional medicines	Succulent	Floriculturists/Nurserymen/Gardeners
Thur	<i>Cactus spp</i>		Terrestrial	Non commercial	Folk medicines	Thorny succulents	Floriculturists/Nurserymen/Gardeners
			Subtropical				

Format 26: Timber Plants

1	2	3	4		5	6	7	8
Local Name	Scientific Name	Habitat	Local Status		Other Uses, if any	Associated TK	Other Details	Community/ Knowledge Holder
			Past	Present				
Khair	<i>Acacia catechu</i>							
Exotic acacia	<i>Acacia farnesiana</i>							
Kala siris	<i>Albizia lebbek</i>							
Safed siris	<i>Albizia procera</i>							
Kuad Gandal	<i>Aloe barnadensis</i>							
Safeda	<i>Corymbia citriodora</i>							
Talli	<i>Dalbergia sisso</i>							

URBAN BIODIVERSITY

Format 29: Flora

1	2	3	4	5	6	7	8
SI. No.	Local Name	Scientific Name	Type of Plant	Habitat	Flowering Season	Rare/Common	Remarks (Rare / Common etc.)
1	<i>Gutta</i>	<i>Tagetes patula</i>	<i>Herbs Seasonals</i>	<i>Terrestrial/Subtropical</i>	<i>Grows round the year</i>	<i>Common</i>	
2	<i>Gulab</i>	<i>Rosa spp</i>	<i>Herbs Seasonals</i>	<i>Terrestrial/Subtropical</i>	<i>Perennial flower</i>	<i>Common</i>	
3	<i>Guldaudi</i>	<i>Chrysanthemum spp.</i>	<i>Herbs Seasonals</i>	<i>Terrestrial/Subtropical</i>	<i>Winter flower</i>	<i>Common</i>	
4.	<i>Guldopahar</i>	<i>Portulaca grandiflora</i>	<i>Herbs Seasonals</i>	<i>Terrestrial/Subtropical</i>	<i>Summer flower</i>	<i>Common</i>	
5	<i>Dalia</i>	<i>Dahlia pinnata</i>	<i>Herbs Seasonals</i>	<i>Terrestrial/Subtropical</i>	<i>Winter annual flower</i>	<i>Common</i>	

Note: Separate format should be used for road side plantation / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

Format 30: Fauna

1	2	3	4	5	6
SI. No.	Local Name	Scientific Name	Type of Animals (Mammals / Birds / Fish / Insect etc.)	Habitat	Remarks (Rare / Common etc.)
1	Cow.	<i>Bos Indicus</i>	Mammal	Terrestrial	Common
2	Jersey Cow	<i>Bos Taurus</i>	Mammal	Terrestrial	Common
3	Holstein Friesian Cow	<i>Bos Taurus</i>	Mammal	Terrestrial	Common
4	Buffalo.	<i>Bubalus Bubalis</i>	Mammal	Terrestrial	Common
5	Poultry Birds.	<i>Gallus domestius.</i>	Mammal	Terrestrial/Arial	Common

Note: Separate format should be used for road side plantation - habitat / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

Format 31: Any other information of local importance		
1	2	3
Sl. No.	Information of local importance	Remarks
1		

End of Part II