

People Biodiversity Register (PBR): General Details

Name of the Panchayat Samiti :- Bhugtrian

Taluk:- Chanunta

District:- Udhampur

State:- J&K UT

Geographical Area of the Panchayat Samiti:- Semi hilly and Kandi 475.10 Hact.

Population under the Panchayat Samiti: Total 1923

Male:- 1084 **Female:-** 839

Habitat and Topography:- Hilly/Kandi

Climate (Rainfall, Temperature and weather patterns)

Land Use (Nine fold classification available with village records)

Date, Month and Year of PBR Preparation:- 19-08-2020

Management Regime: Reserve Forest (RF)/Joint Forest Management(JGM)/Protected Areas(PA)/ Community Owned a Forest(COM)

Details of Biodiversity Management Committee (BMC) of the Panchayat (One elected Chairperson and six persons nominated by the local body ; not less than one third to be women and not less than 18% belonging to SC/ST)**1)Name of the Chairperson:-** Prikshat Singh**Age:-** 47 Years**Gender:-** Male**Address:-** Bhugtrian**Area of Specialization:-** Administration**2) Name:-** Bimbla Devi**Age:-** 28 Years**Gender:-**Female**Address:-** Bhugtrian**Area of Specialization:-** Member Committee**3)Name:-** Kamala Devi**Age:-** 29 Years**Gender:-** Female**Address:-** Bhugtrian**Area of Specialization:-** Member Committee**4)Name:-** Raj kumar**Age:-** 44 Years**Gender:-** Male**Address:-** Bhugtrian**Area of Specialization:-** Member Committee**5)Name:-** Om Parkash**Age:-** 63 Years**Gender:-** Male**Address:-** Bhugtrian**Area of Specialization:-** Member Committee**6)Name:-** Rattan Singh**Age:-****Gender:-**Male**Address:-** Bhugtrian**Area of Specialization:-** Member Committee**7)Name:-** Mohd. Taj**Age:-** 35 Years**Gender:-** Male**Address:-** Ramnagar**Area of Specialization:-** Member Secretary (Forest Guard)

| |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| |
| List of Vaid, hakims and traditional health care (Human and livestock) practitioners residing and or using biological resources in the jurisdiction of the village |
| 1) Name: |
| Age: |
| Gender: |
| Address: |
| Area of specialization: |
| Location from which the person accesses biological material: Outside of the village medicine locally cannot be prepared |
| Perception of the practitioner on the resource status: |
| Medicinal Use: Vially Imported |
| |
| 2) Name: |
| Age: |
| Gender: |
| Address: |
| Area of specialization: |
| Location from which the person accesses biological material: |
| Perception of the practitioner on the resource status: |
| Medicinal Use: Vital use |
| |
| 3) Name: |
| Age: |
| Gender: |
| Address: |
| Area of specialization: |
| Location from which the person accesses biological material: |
| Perception of the practitioner on the resource status: |
| Medicinal Use: |

List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in agriculture, fisheries, and forestry

1) Name of the Chairperson:

Age:

Gender:

Address:

Area of specialization:

2) Name of the Chairperson:

Age:

Gender:

Address:

Area of specialization:

3) Name of the Chairperson:

Age:

Gender:

Address:

Area of specialization:

4) Name of the Chairperson:

Age:

Gender:

Address:

Area of specialization:

Details of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals involved in the preparation of the PBR

1) Contact Person:

Name and Address:

2) Contact Person:

Name and Address:

3) Contact Person:

Name and Address:

4) Contact Person:

Name and Address:

You may add names of more institutions/NGO/Individuals etc, if necessary

End of Part I

PBR – Formats

AGROBIODIVERSITY

Format 1: Crop Plants

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|---------|--------------------------|------------|---------------------------------------|---------------------|--------------------|--------------|---------|-------------------------------------------------------------------------|-----------------|-----------------------------|----------------------|------------------------------------|---------------------------------------------|-------------------------------|
| Crop | Scientific Name | Local Name | Variety | Landscape / Habitat | Approx. area shown | Local Status | | Special features | Cropping season | Uses | Associated TK | Other details | Source of Seeds/Plants | Community/ Knowledge Holder |
| | | | | | | Past | Present | | | | | | | |
| Rice | <i>Oryza sativa</i> | | Veliyan | Lowland valleys | | Plenty | Rare | Tall variety High yield Resistant to drought, flood, pest & diseases | | Food Fodder Roofing Fuel | Provides more energy | Suitable for “Valicha” cultivation | | Kurichiya Kuruma W. Chetty |
| Rice | <i>Oryza sativa</i> | Dhaan | Veliyan Pura 1121 B- 370 Sarbat | Low land | 3.5 H | -- | -- | Tall variety High yield Resistant to drought, flood, pest & diseases | Kharif | Food & Fodder | Provides more energy | Suitable for “Valicha” cultivation | Agriculture Deptt. KAGHOTE/BHUG TRIAN | Kurichiya Kuruma W. Chetty |
| Maize | <i>Zea mays</i> | Makka | K- 517, 612 DD-9144 | Lowland valleys | 113.4 H | -- | -- | Tall variety High yield Resistant to drought, flood, pest & diseases | Kharif | -do- | -do- | -do- | -do- | -- |
| Wheat | <i>Triticum aestivum</i> | Kanak | HD 2967 3086 1086 | -do- | 154 H | -- | - | Tall variety High yield Resistant to drought, flood, pest & diseases | Rabi | -do- | -do- | | -do- | |
| Musterd | <i>Brassica juncea</i> | Sarso | Pusa Bold Gobi Sarson | Sub Tropical | 350 | -- | - | Mature in 145 to 150 days with 40-45 % oil content | Rabi | -do- | -do- | | -do- | |

The format 1 could be used for documenting information about Millets, Cereals, Oil seeds, Commercial crops, Tuber crops, Vegetables, Legumes, Aromatic crops etc. The column No. 9 other details' vary with the nature of crops. For measuring local status, there need to identify a particular year – significant changes in ecology occurred – and compare the status as past and present (past = before the particular incident). We have to list out all possible features of a crop/plant and give short forms of the same. If relevant, cultivation practices, propagation techniques, usage etc can be included in the column 8, in associated TK.

| Format 3: Fodder Crops / Species | | | | | | | | | | |
|-----------------------------------------|-------------------------------|--------------|---------------------------|--------------|---------|--------------------------|------------------|-----------|---------------------|------------------------------|
| 1 | 2 | 3 | 4 | 5 | | 6 | 7 | 8 | 9 | 10 |
| Plant | Scientific Name | Local Name | Landscape / Habitat | Local Status | | Source of Plants / Seeds | Associated TK | Part Used | Other details | Community / Knowledge holder |
| | | | | Past | Present | | | | | |
| Fooder Oats | <i>Avena sativa</i> | Javi | All type | Fooder | Fooder | Agriculture Dept. | - | All | - | - |
| Sorghum | <i>Sorghum spp</i> | Charri Jawar | Sub Tropical Intermediate | Rare | Rare | Agriculture Dept. | Source of Energy | Whole | Suitable for fodder | Farmers |
| Barseem | <i>Trifolium alexandrinum</i> | Shatala | Sub Tropical Intermediate | Rare | Rare | Agriculture Dept. | Source of Energy | Whole | Suitable for fodder | Farmers |

Other details include fodder for which animal, special features, medicinal uses if any, seasons of availability, propagation methods, collecting from wild or cultivated etc.

| Format 4: Weeds | | | | | | | | | | | | |
|-----------------|---------------------------------|----------------|-------------------------|------------------------------|---------------------------|--------------|---------|---------------------|---------------------------|---------------------------------|---------------------------------|------------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | | 8 | 9 | 10 | 11 | 12 |
| Plant | Scientific Name | Local Name | Affected crop | Impact | Landscape / Habitat | Local Status | | Uses if any | Management options | Associated TK | Other details like exotic | Community / Knowledge holder |
| | | | | | | Past | Present | | | | | |
| Bathu | <i>Chenopodium album</i> | Bathu | Wheat | Decreasing of yield | All | | | Fooder | Mannual weding | -- | -- | |
| Dherv grass | <i>Cynodon dactylon</i> | Khabbal | All crops | Host of insect | All | | | Fooder | Chemical control | -- | -- | |
| Gulli Danda | <i>Phalaris minor</i> | Sittu | Wheat | -do- | All | | | Fooder | -do- | -- | -- | |
| Parthenium | <i>Parthenium hysterophorus</i> | Congress grass | All crops & waste land | -do- | All | | | Nil | -do- | -- | Import from USA with wheat seed | |
| Bhang | <i>Cannabis sativa</i> | Bhang | Maize, Wheat, Vegatable | Elopathic Compete with Crops | Sub Tropical Intermediate | Planty | Planty | Psychoactive effect | Chemical/ Mannual Control | Source for high quality Protein | Local | Farmer |

Other details may include how long the weeds have been suppressing/adversely affecting the crops in this locality, when it came under notice, intensity of natural multiplication etc

| Format 5: Pests of Crops | | | | | | | | | |
|---------------------------------|------------------------|--------------------------------|-------------------|---------------------------|------------------------------------------|--------------------------------------|----------------------|----------------------|-----------------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| Host | Insect / Animal | Scientific Name | Local Name | Habitat | Time / Season of Attack | Management Mechanism | Associated TK | Other details | Community knowledge holder |
| Weeds | Grass Hopper | <i>Caelifera spp.</i> | Trida | Eat veg. area of Plant | Vegetative Growth | Chemicals Application | -- | -- | -- |
| NA | Falls Army worm | <i>Spodoptera frugiperda</i> | Ludi | Nighteural Habbit | Knee high stage | Chemicals Application | -- | -- | -- |
| Soil | Termite | <i>Isoptera spp.</i> | Sink | Eating Roof & Whole Plant | Attack in Germination and Maturity Stage | Chemicals Application | -- | -- | -- |
| Grass | Red Pumpkin Beetel | <i>Aulacophora foveicollis</i> | Bhundi | Veg. Portion | At Veg. Stage | Chemicals Application | -- | -- | -- |
| Foresh W. Land | Monkey | <i>Macaca mulatta</i> | Bandhar | Cob and fruits | Fruting Stage | Beauty of Drums | -- | -- | -- |
| Foresh W. Land | Wild Boar | <i>Sus scrofa</i> | Jangli Suar | Cob and fruits | Fruting Stage | Beauty of Drums (Mechanical Control) | -- | -- | -- |
| Weeds | Aphids Jassides | <i>Aphis gossypii</i> | Tela | Suking on veg. portion | Vegetative Stage | Chemicals Application | -- | -- | -- |
| Vegetative & Fruits | Snail | <i>Helix spp.</i> | Chakki | Veg. & Fruits | Through out season | Chemicals Application | -- | -- | -- |

Other details may include possible reasons for insects/animal attack

Format 6: Markets for Domesticated animals

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|------------------------------------------|----------------------------------------------------------------------------------|---------------------------------------------|----------------------------------------------------------------|----------------------------------------------|-----------------------------------------------------------|-----------------------------------------|-----------------------------|-----------------------|
| Name of the market & location | Weekly (D)/ Fortnightly (D) / Monthly (D) / Biannual (M) / Annual (M) [1] | Types of animals bought and sold [2] | Types and Average Number of animals transacted in a day | Places from which animals are brought | Places to which the animals are sold / transported | Name and location of fish market | Types of fishes sold | Source of fish |
| Nil | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Note: [1] (D) – day; (M) – month;

[2] Types of animals may include: Poultry / Sheep / Goats / Cattle / Ducks / Pigs / Donkeys / Mules / Horses / Camels / Others (Specify)

| Format 7: Peoplescape | | | | | | | | | | |
|-----------------------------------|----------------------------------------|------------------------|----------------------------|-------------------------------------------------------|---------------------------------------|--------------------------------------|---------------------|-------------------------|------------------------------|-------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| Community & Population | Families & Major occupation | Sub- occupation | Depending Landscape | Major resources accessed and seasons of access | Landscape management practices | Resource management practices | Cast / Tribe | Social condition | Nature of inhabitants | No. of HHs |
| Nil | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Major occupation may be farming. Sub-occupations could be fishing, collection of NTFP animal husbandry, artisans, services Examples of depending landscapes are agriculture landscape, rivers, forest etc.
Major resources accessed could be agriculture resources of different nature, fish, birds, water, mud, and etc
How the community manages the landscapes they use for satisfying different needs, their strategies and perception
How the community manages the resources they access for satisfying different needs, their strategies and perception, conflicts etc

| Format 8: Landscape | | | | | | | | | | | | | |
|----------------------------|------|-------------|------------------|---------------------------|-----------|---------------|---------------|-------------|----------------------|--------------|---------------|---------------|--------------------|
| 1 | | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Major Landscapes | | | Sub - Landscapes | Features and approx. area | Ownership | General Flora | General Fauna | User groups | Management Practices | General Uses | Associated TK | Other Details | Community Accessed |
| Agricultural Land | Pond | Fallow land | | | | | | | | | | | |
| Nil | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Provide a brief description of landscapes such as forests, plantations, cultivated land, estuary, pond, lake or other elements

| Format 9: Waterscape | | | | | | | | | | | | |
|--------------------------------|------------------|---------------------------------|------------------|----------------------|----------------------|-------------------|--------------------|-----------------------------|---------------------|----------------------|----------------------|---------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| Waterscape element type | Sub- Type | Features and approx area | Ownership | General flora | General fauna | Major uses | User groups | Management practices | General uses | Associated TK | Other details | Community accessed |
| Nil | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

Examples: Ponds, Streams, Rivers, Lake, Canal, Tubewell, Dug well etc.,

Format 12: Medicinal Plants (Herbs, Shrubs, Trees etc.)

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | | 8 | 9 | 10 | 11 | 12 |
|------------|------------|----------------------------|---------|-----------------------|--------------------------|--------------|---------|--------------|-----------|---------------|------------------------------------|-----------------------------|
| Plant Type | Local Name | Scientific Name | Variety | Landscape/ Habitat | Source of Plant/Seeds | Local status | | Uses (usage) | Part Used | Associated TK | Other details market/own use | Community/ Know. Holders |
| | | | | | | Past | Present | | | | | |
| Tree | Amla | <i>Phyllanthus emblica</i> | Local | Badhole | Seeds | | | Medicinal | | | | |
| Tree | Ber | <i>Zizyphus mauritiana</i> | Local | Badhole | Seeds | | | Medicinal | | | | |
| Tree | Harad | <i>Terminalia chebula</i> | Local | Badhole | Seeds | | | Medicinal | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

Note: Uses: Food/ Veterinary Medicine./ Human Medicine (Sub-divisions like for children, women etc),/ Agricultural Purpose (Bio-pesticide)
 Other details: Propagation methods, / Harvesting period,/ Cultivated or collected from wild or both,/ Perennial/annual/seasonal

Format 15: Domesticated Animals

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | | 8 | 9 | 10 | 11 | 12 |
|-------------|------------|--------------------------------------|----------------------|-------------|---------------------|--------------|----------|------|---------------|--------------------|-----------------------------------------------|-------------------------|
| Animal Type | Local Name | Scientific Name | Breed (Local/Hybrid) | Features | Method of keeping | Local Status | | Uses | Associated TK | Commercial Rearing | Other details including products and services | Community Know. Holders |
| | | | | | | Past | Present | | | | | |
| Cattle | Gow | <i>Bos indicus</i> | Local | Medium Size | Traditional | Rare | Rare | | Yes | No | Milk, Dung Drought | |
| Buffalo | Munj | <i>Bubalus bubalis</i> | Local | Medium Size | Traditional | Moderate | Moderate | | Yes | No | Milk, Dung Drought | |
| Dog | Kutta | <i>Canis lupus</i> | Local | Medium Size | Traditional | Rare | Moderate | | Yes | No | Herding Companionship | |
| Chicken | Murga | <i>Gallus gallus</i> | Local | Medium Size | Backyard Commercial | Rare | Rare | | Yes | No | Meat, Eggs | |
| Sheep | Bhead | <i>Ovis aries</i> | Local | Medium Size | Flock Rearing | Plenty | Rare | | Yes | Yes | Muttan | Local and Nomads |
| Goat | Bakri | <i>Capra-hircus</i> | Local | Medium Size | Flock Rearing | Plenty | Rare | | Yes | Yes | Muttan | Local and Nomads |
| Horse | Godah | <i>Equus caballus</i> | Local | Medium Size | Flock Rearing | Plenty | Rare | | Yes | Yes | Muttan | Local and Nomads |
| Duck | Bathak | <i>Anas platyrhynchos domesticus</i> | Local | Medium Size | Flock Rearing | Plenty | Rare | | Yes | Yes | Muttan | Local and Nomads |
| Mule | Khachar | <i>Equus spp.</i> | Local | Medium Size | Flock Rearing | Plenty | Rare | | Yes | Yes | Muttan | Local and Nomads |
| | | | | | | | | | | | | |

Uses include milk, meat, skin, fur and etc

| Format 16: Culture Fisheries | | | | | | | | | | | | |
|------------------------------|------------------------------------|--------------------------------|--------------|-----------|----------------------------------|------------------------------------------------|-------------------------------------------------------------------------|-----------------|---------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | | 8 | 9 | 10 | 11 | 12 |
| Fish Type | Local Name | Scientific Name | Variety | Features | Waterscape (Pond/Bheri/Talao) | Local status | | Uses | Associated TK | Commercial Rearing | Other details | Community Know. Holders |
| | | | | | | Past | Present | | | | | |
| Carp | Rohu | <i>Labeo rohita</i> | IMC's | Bony Fish | (Pond/Bheri/Talao) | Carp culture was taken up after the year 2002. | Carp Culture is being taken up with the facilitation of the department. | Human Food Fish | Partial | Yes | <p>Mode of Catching Fish:- Drag Netting , Cast Netting etc.,</p> <p>Breeding Time:- Monsoon season and Common Carp also breeds during the month of March and April.</p> <p>Fish Seed is procured from the differnet Farms of the Department.</p> <p>Traditionally Feeding is done by mixing Mustard Oil Cake Rice Bran, Wheat Bran,Crushed Maize etc. But now a days formulated pelleted feed is also available.</p> | Yes, Among Farming Community. |
| | Mrigal | <i>Cirrhinus mrigala</i> | | | | | | | | | | |
| | Catla | <i>Catla catla</i> | | | | | | | | | | |
| | Common Carp | <i>Cyprinus carpio</i> | Exotic Carps | | | | | | | | | |
| | Grass Carp | <i>Ctenopharyngodon idella</i> | | | | | | | | | | |
| Silver Carp | <i>Hypophthalmichthys molitrix</i> | | | | | | | | | | | |

Note: Other details include mode of catching fish, time of availability, breeding time, feeds and etc

Format 20: Aquatic Biodiversity

| 1 | 2 | 3 | 4 | 5 | 6 | | 7 | 8 | 9 | 10 |
|-----------------|---------------------------|------------------------------------------|-------------------|-------------------------------|----------------------------------|-------------------------------------------------------|-------------------------------------------------|---------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| Local Name | Scientific Name | Variety | Features | Habitat | Local Status | | Uses | Associated TK | Other details | Community/ Knowledge Holder |
| | | | | | Past | Present | | | | |
| Mahseer | <i>Tor pitutora</i> | Wild, Fresh Water & Hill Stream Fishies. | Bony, Fresh Water | Fresh water Streams & Rivers. | All Fish species were available. | Mahaseer is now a days is reported very few in catch. | Human Food Fish. Sport Fish (Mahaser and Trout) | Yes | Mode of Catching Fish:- Cast Net, Fishing Rod and Hook line. Breeding Time:- Breeds in Monsoon season. | Yes, Among Fishermen and Angling Community. |
| Keadie/Khrot | <i>Labeo spp.</i> | | | | | | | | | |
| Gauns | <i>Bagarius spp.</i> | | | | | | | | | |
| Channa | <i>Channa spp.</i> | | | | | | | | | |
| Fresh Water eel | <i>Mastacembelus spp.</i> | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Other details may include mode of catching fish, time of availability, breeding time, etc

Format 21: Wild Aquatic Plant Species of Importance

| 1 | 2 | 3 | 4 | 5 | 6 |
|-------|------------|----------------------|---------|---------------------------------------------------------------------------------------|--------|
| S.No. | Local Name | Scientific Name | Variety | Importance | Trends |
| 1 | Aak | <i>Ipomea carnea</i> | Wild | Used as firewood, Medicinal Value, Bicompost. | |
| 2 | Duck Weed | <i>Lemna minor</i> | Wild | Source of food for aquatic water fowl, Animal Fodder, Waste water nutrients recovery. | |
| 3 | Bariyan | <i>Acorus spp.</i> | Wild | Has medicinal value | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Format 22: Wild Plants of Medicinal Importance

| 1 | 2 | 3 | 4 | 5 | 6 | | 7 | 8 | 9 | 10 | 11 |
|---------------------------|------------|-----------------|---------|---------------------|--------------|---------|---------------|--------------|-----------|-------------------------------|-----------------------------|
| Plant (Herb, Shrub, Tree) | Local Name | Scientific Name | Variety | Landscape / Habitat | Local Status | | Associated TK | Uses (usage) | Part used | Other details market/ own use | Community/ Knowledge Holder |
| | | | | | Past | Present | | | | | |
| Curry Patta | | | | | | | | Medicinal | | | |
| Beda | | | | | | | | Medicinal | | | |
| Amla | | | | | | | | Medicinal | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Note: Uses: Food/Veterinary Medicine/Human Medicine (Sub-divisions like for children, women etc)/Agricultural Purpose (Bio-pesticide)
 Other details: Harvesting period /Perennial/annual/seasonal

| Format 23: Wild relatives of Crops | | | | | | | | | | |
|-------------------------------------------|-----------------|-----------------|---------------------|--------------|---------|--------------|-----------|---------------|---------------|-------------------------|
| 1 | 2 | 3 | 4 | 5 | | 6 | 7 | 8 | 9 | 10 |
| Local Name | Scientific Name | Associated crop | Landscape / Habitat | Local Status | | Uses (usage) | Part Used | Associated TK | Other details | Community / Know holder |
| | | | | Past | Present | | | | | |
| Nil | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Note: Other details may include 'function as a substitute plant' in the absence of a particular plant

Format 24: Ornamental Plants

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|------------|-----------------|---------|---------|----------------------------------|---------------|------------------|-----------------------------|
| Local Name | Scientific Name | Variety | Habitat | Commercial / Non-commercial Uses | Associated TK | Any other Detail | Community/ Knowledge Holder |
| Nil | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| Format 29: Flora | | | URBAN BIODIVERSITY | | | |
|------------------|------------|-----------------|--------------------|---------|------------------|------------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| Sr. No. | Local Name | Scientific Name | Type of Plants | Habitat | Flowering Season | Remarks (Rare / Common etc.) |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Note: Separate format should be used for road side plantation / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

Format 30: Fauna

| 1 | 2 | 3 | 4 | 5 | 6 |
|---------|------------|-----------------|--------------------------------------------------------|---------|------------------------------|
| Sr. No. | Local Name | Scientific Name | Type of Animals (Mammals / Birds / Fish / Insect etc.) | Habitat | Remarks (Rare / Common etc.) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| Format 31: Any other information of local importance | | |
|-------------------------------------------------------------|----------------------------------------|----------------|
| 1 | 2 | 3 |
| Sr. No. | Information of local importance | Remarks |
| | | |

End of Part II