| People Biodiversity Register (PBR): General Details   |
|---|
| Name of the Panchayat Samiti: Jandror B   |
| Taluk: Ghordi   |
| District:Udhampur   |
| State: J&K UT   |
| Geographical Area of the Panchayat Samiti: 432 Hec.   |
| Population under the Panchayat Samiti: 1819   |
| Male: 960 Female: 859   |
| Habitat and Topography: Hilly Area  |
| Climate (Rainfall, Temperature and weather patterns) Intermadiate Zone  |
| Land use(nine fold classification available with village records)   |
| Date, Month and Year of PBR Preparation: 30/09/2020   |
| Management Regime: Reserve Forest (RF/Joint Forest Management(JGM)/Protected Areas(PA)/ Community Owned and Managed Forest(COM) |

Г

## Annexure 1

| Details of Biodiversity Management Committee (BMC) of the Panchayat (One elected Chairperson and six persons<br>cominated by the local body ; not less than one third to be women and not less than 18% belonging to SC/ST) |  |
|---|--|
| ) Name of the Chairperson: Smt Santosh Devi   |  |
| age: 34 yrs   |  |
| Gender: Female  |  |
| Address: Jandror B  |  |
| Area of specialization:   |  |
| ) Name: Sh Ajeet Singh  |  |
| Age: 56 yrs   |  |
| Gender: Male  |  |
| Address: Jandror B  |  |
| Area of specialization:   |  |
| ) Name: Surinder Kumar  |  |
| Age: 29 yrs   |  |
| Gender: Male  |  |
| Address: Jandror B  |  |
| Area of specialization:   |  |
| ) Name: Smt Nelma Devi  |  |
| <b>Age:</b> 45 yrs  |  |
| Gender: Female  |  |
| Address: Jandror B  |  |
| Area of specialization:   |  |
| ) Name: Smt Satya Devi  |  |
| Age: 37 yrs   |  |
| Gender: Female  |  |
| Address: Jandror B  |  |
| Area of specialization:   |  |
| ) Name: Sh Mohan Lal  |  |
| Age: 46 yrs   |  |
| Gender: Male  |  |
| Address: Jandror B  |  |
| Area of specialization:   |  |
| ) Name: Dharam Chand  |  |
| Age: 47yrs  |  |
| Gender: Male  |  |
| Address: Jandror B  |  |
| Area of specialization:   |  |

## Annexure-2

| List of Vaids, hakims and traditional health care (Human and livestock) practitioners residing and or using biologic resources occurring within the jurisdiction of the village |
|---|
| 1) Name: Thakar Das   |
| Age: 65 Yrs   |
| Gender:   |
| Address: Jandror B  |
| Area of specialization: Bone specialist   |
| Location from which the person accesses biological material:  |
| Perception of the practitioner on the resource status:  |
| Medicinal Use:  |
| 2) Name: Ramesh Chander   |
| Age: 64 Yrs   |
| Gender: Male  |
| Address: Jandror B  |
| Area of specialization: Fanda   |
| Location from which the person accesses biological material:  |
| Perception of the practitioner on the resource status:  |
| Medicinal Use:  |
| 3) Name: Hazar Singh  |
| Age: 45 Yrs   |
| Gender: Male  |
| Address: Jandror B  |
| Area of specialization: Fanda   |
| Location from which the person accesses biological material:  |
| Perception of the practitioner on the resource status:  |
| Medicinal Use:  |
|   |

| Annexure   |
|--|
| List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in<br>agriculture, fisheries, and foresty |
| 1) Name of the Chairperson:  |
| Age:   |
| Gender:  |
| Address:   |
| Area of specialization:  |
| 2) Name of the Chairperson:  |
| Age:   |
| Gender:  |
| Address:   |
| Area of specialization:  |
| 3) Name of the Chairperson:  |
| Age:   |
| Gender:  |
| Address:   |
| Area of specialization:  |
| 4) Name of the Chairperson:  |
| Age:   |
| Gender:  |
| Address:   |
| Area of specialization:  |

Γ

| De<br>pr | etails of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals in<br>eparation of the PBR |
|----------|---|
| 1)       | Contact Person:   |
|          | Name and Address:   |
| 2)       | Contact Person:   |
|          | Name and Address:   |
| 3)       | Contact Person:   |
|          | Name and Address:   |
| 4)       | Contact Person:   |
|          | Name and Address:   |
| Yo       | ou may add names of more institutions/NGO/Individuals etc, if necessary   |

|              |  |  |   |                                     | Annexure 5  |
|--------------|--|--|---|-------------------------------------|---|
| Detail of ac | cess to biological resources and traditio                  | nal knowledge granted, details of the c  | collection fee imposed and details of                                 | the benefit derived and the m       | ode of their sharing  |
| S.No         | Name and address of the<br>Person/Institute/company others | Local and Scientific Name of the<br>biological material Accessed and<br>quantity | Date and resolution of the BMC<br>and endorsement by the<br>Panchayat | Detail of collection fee<br>imposed | Anticipated mode of sharing benefits or<br>quantum of benefits shared |
|              |  |  |   |                                     |   |
|              |  |  |   |                                     |   |
|              |  |  |   |                                     |   |
|              |  |  |   |                                     |   |
|              |  |  |   |                                     |   |

End of Part I

| Format | Part II<br>PBR – Formats<br>AGROBIODIVERSITY<br>format 1: Crop Plants |       |                               |           |                         |        |          |  |          |             |                         |               |   |                        |  |
|--------|---|-------|-------------------------------|-----------|-------------------------|--------|----------|--|----------|-------------|-------------------------|---------------|---|------------------------|--|
| 1      | 1 2 3 4 5 6 7 8 9 10 11 12 13 14                                      |       |                               |           |                         |        |          |  |          |             |                         |               |   |                        |  |
| C      | Scientific  | Local | <b>N</b> 7. <b>*</b> 4        | Landscape | Approx.                 | Local  | l Status |  | Cropping | Uses        | Associated              |               | Source of                                   | Community/             |  |
| Сгор   | Name  | Name  | Variety                       | / Habitat | area shown<br>(hectare) | Past   | Present  | Special features   | season   | USES        | ТК                      | Other details | Seeds/ Plants                               | Knowledge<br>Holder    |  |
| Maize  | Zea mays  | Muck  | Improved<br>Varieties<br>only | Hilly     | 241.65                  | Plenty | Rare     | Tall variety High<br>yield Resistant to<br>drought, flood,<br>pest<br>& diseases | Kharif   | Food Fodder | Provides more<br>energy | -             | Farmers /<br>Department/<br>Private dealers | Farmers/<br>Department |  |
| Wheat  | Triticum<br>aestivum  | Kank  | Improved<br>Varieties<br>only | Hilly     | 25                      | Plenty | Rare     | Tall variety High<br>yield Resistant to<br>drought, flood,<br>pest<br>& diseases | Rabi     | Food Fodder | Provides more<br>energy | -             | Farmers /<br>Department/<br>Private dealers | Farmers/<br>Department |  |

The format 1 could be used for documenting information about Millets, Cereals, Oil seeds, Commercial crops, Tuber crops, Vegetables, Legumes, Aromatic crops etc. The column No. 9 'other details' vary with the nature of crops. For measuring local status, there need to identify a particular year - significant changes in ecology occurred - and compare the status as past and present (past = before the particular incident). We have to list out all possible features of a crop/plant and give short forms of the same. If relevant, cultivation practices, propagation techniques, usage etc can be included in the column 8, in associated TK.

| Forma      | Format 2: Fruit Plants |            |                    |                        |            |                   |                           |                       |               |                  |                                      |                                 |             |                   |  |
|------------|------------------------|------------|--------------------|------------------------|------------|-------------------|---------------------------|-----------------------|---------------|------------------|--------------------------------------|---------------------------------|-------------|-------------------|--|
| 1          | 2                      | 3          | 4                  | 5                      |            | 6                 | 7                         | 8                     | 9             | 10               | 11                                   | 12                              |             |                   |  |
| Plant      | Scientific Name        | Local Name | Variety            | Landscape /<br>Habitat |            | Status<br>Present | Source of<br>Seeds/Plants | Season of<br>Fruiting | Associated TK | Uses             | Other details<br>market /<br>own use | Community /<br>Knowledge holder |             |                   |  |
| Apricot    | Prunus armeniaca       | Khobani    | Improved           | Hilly                  | Suff       | icient            | Department/<br>Locals     | Summer                | -             | Income<br>Source | Market/ Own                          | Department/ Local               |             |                   |  |
| Walnut     | Juglans regia          | Khode      | Normal             | Hilly                  | Suff       | icient            | Department/<br>Locals     | Summer                | -             | Income<br>Source | Market/ Own                          | Department/ Local               |             |                   |  |
| Peach      | Prunus persica         | Adu        | Improved/<br>Local | Hilly                  | Sufficient |                   | Department/<br>Locals     | Summer                | -             | Income<br>Source | Market/ Own                          | Department/ Local               |             |                   |  |
| Mango      | Magnifera indica       | Aamb       | Local              | Hilly                  | Sufficient |                   | Sufficient                |                       | Local         | Summer           |                                      | Income<br>Source                | Market/ Own | Department/ Local |  |
| Apple Pear | Pyrus pyrifolia        | Nakh       | Local              | Hilly                  | Suff       | icient            | Local                     | Summer                |               | Income<br>Source | Market/ Own                          | Department/ Local               |             |                   |  |
| Pear       | Pyrus spp.             | Bagugosha  | Local              | Hilly                  | Suff       | icient            | Local                     | Summer                |               | Income<br>Source | Market/ Own                          | Department/ Local               |             |                   |  |
| Banana     | Musa spp.              | Kela       | Local              | Hilly                  | Suff       | icient            | Local                     | Summer                |               | Income<br>Source | Market/ Own                          | Department/ Local               |             |                   |  |
| Orange     | Citrus sinesis         | Santara    | Local              | Hilly                  | Suff       | icient            | Local                     | Summer                |               | Income<br>Source | Market/ Own                          | Department/ Local               |             |                   |  |
|            | Citrus medica          | Kimb       | Local              | Hilly                  | Suff       | icient            | Local                     | Summer                |               | Income<br>Source | Market/ Own                          | Department/ Local               |             |                   |  |
|            | Ziziphyus              | Baer       | Local              | Hilly                  | Suff       | icient            | Local                     | Summer                |               | Income<br>Source | Market/ Own                          | Department/ Local               |             |                   |  |

| Format 3: | ormat 3: Fodder Crops / Species |        |             |          |          |                         |   |                               |               |                  |  |  |  |  |  |
|-----------|---------------------------------|--------|-------------|----------|----------|-------------------------|---|-------------------------------|---------------|------------------|--|--|--|--|--|
| 1         | 2                               | 3      | 4           | 5        |          | 6                       | 7   | 8                             | 9             | 10               |  |  |  |  |  |
| Plant     | Scientific                      | Local  | Landscape / | Local    | Status   | Source of Plants /      | Associated  | Part                          | Other details | Community /      |  |  |  |  |  |
|           | Name                            | Name   | Habitat     | Past     | Present  | Seeds                   | ТК  | Used                          | Other details | Knowledge holder |  |  |  |  |  |
| Sorghum   | Sorghum spp.                    | Cherri | Hilly       | Abundant | Abundant | Farmers /<br>Department | Nutritious & palatable<br>fodder, Source of energy<br>for animals | Above ground part of plant    | Fodder        | Farmers          |  |  |  |  |  |
| Maize     | Zea mays                        | Makki  | Hilly       | Abundant | Abundant | Farmers /<br>Department | Nutritious & palatable<br>fodder, Source of energy<br>for animals | Above ground part of plant    | Fodder        | Farmers          |  |  |  |  |  |
| Bajra     | Pennisetum<br>americanum        | Bajra  | Hilly       | Abundant | Abundant | Farmers /<br>Department | Nutritious & palatable<br>fodder, Source of energy<br>for animals | Above ground<br>part of plant | Fodder        | Farmers          |  |  |  |  |  |

Other details include fodder for which animal, special features, medicinal uses if any, seasons of availability, propagation methods, collecting from wild or cultivated etc.

| Format 4          | Format 4: Weeds             |                       |               |        |             |          |          |             |                         |               |                      |                                    |  |  |  |
|-------------------|-----------------------------|-----------------------|---------------|--------|-------------|----------|----------|-------------|-------------------------|---------------|----------------------|------------------------------------|--|--|--|
| 1                 | 2                           | 3                     | 4             | 5      | 6           | ,        | 7 8      |             | 9                       | 10            | 11                   | 12                                 |  |  |  |
|                   |                             |                       |               | _      | Landscape / | Local    | Status   |             | Management              |               | Other details        | Community /<br>Knowledge<br>Holder |  |  |  |
| Plant             | Scientific Name             | Local Name            | Affected crop | Impact | Habitat     | Past     | Present  | Uses if any | options                 | Associated TK | like exotic          |                                    |  |  |  |
| Dub Grass         | Cynodon -<br>dactylon       | Dub Grass             | Rabi/ Kharif  |        | Hilly       | Abundant | Abundant | Fooder      | Mechanical,<br>Chemical | -             | Agri. &<br>wasteLand | Farmers                            |  |  |  |
| Wild oats         | Avena fatua                 | Laan / Jangli<br>Javi | Oats          |        | Hilly       | Abundant | Abundant | Fooder      | Above ground parts      | -             | Agri. &<br>wasteLand | Farmers                            |  |  |  |
| Wild Rice         | Echinochloa colona          | Saankh                | Paddy         |        | Hilly       | Abundant | Abundant | Fooder      | Above ground parts      | -             | Agri. &<br>wasteLand | Farmers                            |  |  |  |
| White top<br>weed | Parthenium<br>hysterophorus | Jadi                  |               |        | Hilly       | Abundant | Abundant |             |                         |               |                      | Local                              |  |  |  |

Other details may include how long the weeds have been suppressing/adversely affecting the crops in this locality, when it came under notice, intensity of natural multiplication etc

| Form | Format 5: Pests of Crops |                    |              |                   |                            |                                  |                  |   |                               |  |  |  |  |  |  |
|------|--------------------------|--------------------|--------------|-------------------|----------------------------|----------------------------------|------------------|---|-------------------------------|--|--|--|--|--|--|
| 1    | 2                        | 3                  | 4            | 5                 | 6                          | 7                                | 8                | 9   | 10                            |  |  |  |  |  |  |
| Host | Insect / Animal          | Scientific Name    | Local Name   | Habitat           | Time / Season of<br>Attack | Management<br>Mechanism          | Associated<br>TK | Other Details   | Community Knowledge<br>Holder |  |  |  |  |  |  |
|      | Cut worm                 | Agrotis ipsilon    | Ludi/ Toka   | Attacks all crops | All seasons                | Mechanical& Chemical<br>measures | -                | Cause extensive damage<br>to almost all<br>crops,attacks humans | Farmers/ General Public       |  |  |  |  |  |  |
|      | Field rats               | Rattus meltada     | fpri-        | Attacks all crops | All seasons                | Mechanical& Chemical<br>measures | -                | Cause extensive damage<br>to almost all<br>crops,attacks humans | Farmers/ General Public       |  |  |  |  |  |  |
|      | Monkey                   | Macaca mulatta     | Bander/ Tolo | Attacks all crops | All seasons                | Mechanical& Chemical<br>measures | -                | Cause extensive damage<br>to almost all<br>crops,attacks humans | Farmers/ General Public       |  |  |  |  |  |  |
|      | Porcupine                | erethizon dorsatum | Say          | Attacks all crops | All seasons                | Mechanical& Chemical<br>measures | -                | Cause extensive damage<br>to almost all<br>crops,attacks humans | Farmers/ General Public       |  |  |  |  |  |  |
|      | Fox                      | Vulpes vulpes      | Ged          |                   |                            |                                  |                  |   |                               |  |  |  |  |  |  |

Other details may include possible reasons for insects/animal attack

| 1                                | 2  | 3  | 4   | 5  | 6  | 7                                   | 8                       | 9              |  |  |  |  |
|----------------------------------|--|--|---|--|--|-------------------------------------|-------------------------|----------------|--|--|--|--|
| Name of the<br>market & location | Weekly (D)/ Fortnightly (D) /<br>Monthly (D) / Biannual (M) /<br>Annual (M)<br>[1] | Types of animals<br>bought and sold<br>[2] | Types and Average<br>Number of animals<br>transacted in a day | Places from which<br>animals are brought | Places to which the<br>animals are sold /<br>transported | Name and location<br>of fish market | Types of<br>fishes sold | Source of fish |  |  |  |  |
|                                  |  |  |   |  |  |                                     |                         |                |  |  |  |  |
|                                  | NO ORGANISED MARKET  |  |   |  |  |                                     |                         |                |  |  |  |  |

Note: [1] (D) – day; (M) – month; [2] Types of animals may include: Poultry / Sheep / Goats / Cattle / Ducks / Pigs / Donkeys / Mules / Horses / Camels / Others (Specify)

| Format 7: Peop            | olescape                          |                    |                        |  |                                      |                                     |                    |                  |                          |            |
|---------------------------|-----------------------------------|--------------------|------------------------|--|--------------------------------------|-------------------------------------|--------------------|------------------|--------------------------|------------|
| 1                         | 2                                 | 3                  | 4                      | 5  | 6                                    | 7                                   | 8                  | 9                | 10                       | 11         |
| Community &<br>Population | Families &<br>Major<br>Occupation | Sub-<br>Occupation | Depending<br>Landscape | Major resources<br>accessed and<br>seasons of access | Landscape<br>Management<br>Practices | Resource<br>Management<br>Practices | Cast<br>/ Tribe    | Social Condition | Nature of<br>Inhabitants | No. of HHs |
| Hindu & Muslim            |                                   |                    |                        |  |                                      |                                     | General, SC/<br>ST |                  |                          |            |
|                           |                                   |                    |                        |  |                                      |                                     |                    |                  |                          |            |
|                           |                                   |                    |                        |  |                                      |                                     |                    |                  |                          |            |
|                           |                                   |                    |                        |  |                                      |                                     |                    |                  |                          |            |
|                           |                                   |                    |                        |  |                                      |                                     |                    |                  |                          |            |
|                           |                                   |                    |                        |  |                                      |                                     |                    |                  |                          |            |

Major occupation may be farming. Sub-occupations could be fishing, collection of NTFP animal husbandry, artisans, services Examples of depending landscapes are agriculture landscape, rivers, forest etc. Major resources accessed could be agriculture resources of different nature, fish, birds, water, mud, and etc How the community manages the landscapes they use for satisfying different needs, their strategies and perception How the community manages the resources they access for satisfying different needs, their strategies and perception, conflicts etc

| Format                     | Format 8: Landscape              |      |                                       |           |  |                                 |         |                       |  |                             |  |          |               |
|----------------------------|----------------------------------|------|---------------------------------------|-----------|--|---------------------------------|---------|-----------------------|--|-----------------------------|--|----------|---------------|
|                            | 1                                |      | 2                                     | 3         | 4  | 5                               | 6       | 7                     | 8  | 9                           | 10                                       | 11       | 12            |
| Major 1                    | Landsc                           | apes | Sub -                                 | Features  |  |                                 | General |                       | Management   |                             |  | Other    | Community     |
| Agricultural<br>Land       | Sub -<br>L and scapes and approx |      | and approx.<br>area                   | Ownership | General Flora                                | neral Flora Fauna U             |         | User groups Practices |  | Associated TK               | Details                                  | Accessed |               |
| Culitvated<br>Land         | -                                | -    | Cultivated Land                       |           | Agricultural<br>Lands are<br>privately owned | Wild Plants /<br>Weeds          | Insect  | -                     | Ploughing,<br>Sowing, weeding,<br>hoeing,<br>harvesting etc. | Food, Fooder,<br>Fibre etc. | Medicinal,<br>Traditional,<br>Religious. | -        | Self Observed |
| Non-<br>Cultivated<br>Land | -                                | -    | Non- Irrigated<br>Area/ State<br>Land |           | Agricultural<br>Lands are<br>privately owned | Wild Plants /<br>Weeds          | Insect  | -                     | -  | Fooder                      | Medicinal,<br>Traditional,<br>Religious. | -        | Self Observed |
| Grazing Land               | -                                | -    | State Land                            |           | Govt/Private                                 | Wild Plants /<br>Weeds/ Grasses | Insect  | -                     | -  | Fooder                      | Medicinal,<br>Traditional,<br>Religious. | -        | Self Observed |

The above information is not exhaustive and relevant additional information to be filled up by the concerned departments.

Provide a brief description of landscapes such as forests, plantations, cultivated land, estuary, pond, lake or other elements

| Format 9:                     | Watersca  | ре                                     |                          |   |   |  |                                       |  |  |               |                  |                              |
|-------------------------------|-----------|--|--------------------------|---|---|--|---------------------------------------|--|--|---------------|------------------|------------------------------|
| 1                             | 2         | 3                                      | 4                        | 5   | 6   | 7  | 8                                     | 9  | 10   | 11            | 12               | 13                           |
| Waterscape<br>Element<br>Type | Sub- Type | Features and<br>Approx Area            | Ownership                | General Flora   | General<br>Fauna                              | Major Uses   | User Groups                           | Management<br>Practices  | General Uses                                     | Associated TK | Other<br>Details | Community<br>Accessed        |
| Stream                        | -         | Direct small<br>underground<br>streams | Revenue/<br>Private Land | Mostly Ferms,<br>Bryophytes,<br>Pteridophytes             | Amphibians                                    | Daily<br>household<br>and drinking                   | All the<br>people of the<br>said area | Traditionaly<br>management practices<br>for strengthening of<br>bunds and deepning of<br>tank beds | Washing  | -             | -                | General People<br>of Village |
| Canals                        | -         | From the bigger<br>nalas               | Revenue/<br>Private Land | All crops<br>including fruits,<br>vegetables &<br>Flowers | Frog,<br>Tadpoles,<br>Fishes, Water<br>snakes | Irrigation,<br>Hydro<br>Power,<br>Chakki/<br>Gharats | Farmer                                | Small Check Dams   | Irrigation,<br>drinking of<br>domestic<br>animal | -             | -                | Local villagers              |
| Nalas                         | -         | Direct smal<br>underground<br>streams  | Revenue/<br>Private Land | All crops<br>including fruits,<br>vegetables &<br>Flowers | Frog,<br>Tadpoles,<br>Fishes, Water<br>snakes | Irrigation   | Farmer                                | Check Dams   | Irrigation,<br>drinking of<br>domestic<br>animal | -             | -                | Local villagers              |
| Bauli                         |           |  | Local                    | Ferns,<br>Bryophytes,<br>pteriodophyte                    | Amphibians,<br>Insects                        | Daily<br>household<br>and Drinking                   | Local People                          |  | Daily<br>Household                               |               |                  | Local people                 |
| Kool                          |           |  |                          |   |   |  |                                       |  |  |               |                  |                              |

Examples: Ponds, Streams, Rivers, Lake, Canal, Tubewell, Dug well etc.,

| Format 10: | Soil type            |   |                 |  |   |                                      |                   |
|------------|----------------------|---|-----------------|--|---|--------------------------------------|-------------------|
| 1          | 2                    | 3   | 4               | 5  | 6   | 7                                    | 8                 |
| Soil Type  | Color & Texture      | Features  | Soil Management | Plants / Crop Suitable   | Flora and Fauna   | Associated TK                        | Other Information |
| Sandy Soil | Brown/Red/<br>Yellow | Well drained soil,<br>adequate FYM & nitrogen<br>content, prone to soil<br>erosion due to steep slope | Sandy Loam      | Kharif crops like Maize, Sorgum etc.<br>Rabi crops like Wheat, Mustard etc.<br>& other crops like cucurbits etc. | Flora: Fagada, Shisham, Dhaman,<br>Retha, Sehtoot, Aru, Jamun,<br>Gargle, Papita etc.<br>Fauna: Billi, Dog, Cow, Sheep,<br>Goat, Horse, Mule etc. | Religious/ Medicinal/<br>Traditional | -                 |
| Sandy Soil | Brown/Red/<br>Yellow | Well drained soil,<br>adequate FYM & nitrogen<br>content  | Sandy Clay Loam | Kharif crops like Maize, Paddy etc.<br>Rabi crops like Wheat, Mustard etc.<br>& other crops like cucurbits etc.  | Flora: Fagada, Shisham, Dhaman,<br>Retha, Sehtoot, Aru, Jamun,<br>Gargle, Papita etc.<br>Fauna: Billi, Dog, Cow, Sheep,<br>Goat, Horse, Mule etc. | Religious/ Medicinal/<br>Traditional | -                 |

The above information is not exhaustive and relevant additional information to be filled up by the concerned departments.

|       |       |                  |         |            | DOME       | STICATE    | D BIODIVE     | RSITY     |              |               |                             |              |
|-------|-------|------------------|---------|------------|------------|------------|---------------|-----------|--------------|---------------|-----------------------------|--------------|
|       |       |                  |         |            | ]          | Format 11  | : Fruit Trees | 5         |              |               |                             |              |
| 1     | 2     | 3                | 4       | 6          |            | 7          | 8             | 9         | 10           | 11            | 12                          | 13           |
| Plant | Local | Scientific Name  | Variata | Landscape/ | Loca       | l Status   | Source of     | Season of |              | Associated TV | Other details<br>Market/Own | Community/   |
| Туре  | Name  | Scientific Name  | Variety | Habitat    | Past       | Present    | Plant/Seeds   | Fruiting  | Uses (usage) | Associated TK | Market/Own<br>Use           | Know. Holder |
|       | Kimb  | Citrus medica    | Local   |            | Sufficient | Sufficient | Local         |           |              |               |                             | Local        |
|       | Aamb  | Magnifera indica | Local   |            | Sufficient | Sufficient | Local         |           |              |               |                             | Local        |
|       | Amrud | Psidium Guajava  | Local   |            | Sufficient | Sufficient | Local         |           |              |               |                             | Local        |
|       | Baer  | Ziziphyus spp.   | Local   |            | Sufficient | Sufficient | Local         |           |              |               |                             | Local        |
|       | Kela  | Musa             | Local   |            | Sufficient | Sufficient | Local         |           |              |               |                             | Local        |
|       | Nakh  | Pyrus pyrifolia  | Local   |            | Sufficient | Sufficient | Local         |           |              |               |                             | Local        |
|       | Dhakh | Vitis spp.       | Local   |            | Sufficient | Sufficient | Local         |           |              |               |                             | Local        |

| Format 12  | 2: Medicir | nal Plants (He             | erbs, Shru | ıbs, Trees etc          | 2.)          |           |           |  |   |                          |                             |                     |  |
|------------|------------|----------------------------|------------|-------------------------|--------------|-----------|-----------|--|---|--------------------------|-----------------------------|---------------------|--|
| 1          | 2          | 3                          | 4          | 5                       | 6            | ,         | 7         | 8  | 9   | 10                       | 11                          | 12                  |  |
| Plant Type | Local Nama | Scientific Name            | Variety    | Landscape/              | Source of    | Local     | status    | Uses (usage)                                   | Part used   | Associated               | Other details<br>market/own | Community/<br>Know. |  |
| Tiant Type |            | Scientific Ivame           | v aricty   | Habitat                 | Plant/ Seeds | Past      | Present   | Uses (usage)                                   | i art ustu  | ТК                       | use                         | Holders             |  |
| Tree       | Kainth     | Pyrus pashia               | Wild       | Revenue/Private<br>Land |              | Local     | Available | Leaves, fruits                                 | Leaves are used for<br>staining purposes and<br>fruits are edible             | Traditional<br>Medicines | Own use                     | Self observed       |  |
| Tree       | Kau        | Olea cuspidata             | Wild       | Revenue/Private<br>Land |              | Available | Available | Stem, branches                                 | Stem and branches are<br>used for making<br>handles of agricultural<br>tools. | Unknown                  | Own use                     | Self observed       |  |
| Tree       | Draink     | Melia azedarach            | Wild       | Revenue/Private<br>Land |              | Available | Available | Antioxidant,<br>antianalgesic,<br>antidiabetic | Leaves and Seed   | Medicinal                | Own use                     | Self observed       |  |
| Tree       | Kembla     | Mallotus<br>philippinensis | Wild       | Revenue/Private<br>Land |              |           | Available | Dying and herbal<br>remedies                   | Fruit   | Staining agent           | Own use                     | Self observed       |  |
| Shrub      | Bana       | Vitex negundu              | Wild       | Revenue/Private<br>Land |              | Available | Available | Muscle relaxant, pain relieving                | Leaves  | Medicinal and religious  | Own use                     | Self observed       |  |

| Shrub   | Brainkad     | Adhadoda vasica         | Wild | Revenue/Private<br>Land | Available | Available | Treatment of<br>bronchitis, cough<br>and cold   | Stem, flower and leaves | Medicinal and<br>traditional | Own use        | Self observed |
|---------|--------------|-------------------------|------|-------------------------|-----------|-----------|---|-------------------------|------------------------------|----------------|---------------|
| Shrub   | Lal Gandera  | Nerium indicum          | Wild | Revenue/Private<br>Land | Available | Available | Medicinal<br>properties like<br>anthelmintic,<br>diuretic, cardio<br>tonic, anti cancer | Roots, leaves and bark  | Medicinal                    | Own use        | Self observed |
| Shrub   | Kewda        | Agave americans         | Wild | Revenue/Private<br>Land | Available | Available | Medicinal<br>properties   | Whole plant             | Medicinal                    | Own use        | Self observed |
| Shrub   | Kuad Gandal  | Aloe barbadensis        | Wild | Revenue/Private<br>Land | Available | Available | Medicinal properties  | Whole plant             | Medicinal                    | Own use        | Self observed |
| Herb    | Kadi Pata    | Murraya koenigii        | Wild | Revenue/Private<br>Land | Available | Available | Antibacterial,<br>antidiabetic  | Leaves                  | Medicinal                    | Own use        | Self observed |
| Climber | Gandal/ eloy | Tinospora<br>cardifolia | Wild | Revenue/Private<br>Land | Available | Available | Used to treat<br>diabities, hifh<br>colestrol, allergy,<br>upset stomach,<br>gout       | Stem, branches          | Medicinal                    | Own use        | Self observed |
| Climber | Mlungad      | Bauhinia<br>vahlliwight | Wild | Revenue/Private<br>Land | Available | Available | Antibacterial,<br>antidiabetic,<br>analgesic, anti-<br>inflammatory                     | Leaves,Stem             | Medicinal                    | Market/Own use | Self observed |
|         | Kranagal     | Cassia fistula          |      |                         |           |           |   |                         |                              |                |               |

| Format 13: Ornamental Plants/ Trees/Climbers etc. |              |                 |         |                          |                                |      |               |               |                            |  |  |  |
|---|--------------|-----------------|---------|--------------------------|--------------------------------|------|---------------|---------------|----------------------------|--|--|--|
| 1   | 2            | 3               | 4       | 5                        | 6                              | 7    | 8             | 9             | 10                         |  |  |  |
| Plant Type  | Local Name   | Scientific Name | Variety | Source of<br>Plant/Seeds | Commercial/<br>Non- Commercial | Uses | Associated TK | Other details | Community/ Know.<br>Holder |  |  |  |
|   | Chameli      | Jasmium         | Local   |                          |                                |      |               |               | Local                      |  |  |  |
|   | Gulab        | Rosa spp.       | Local   |                          |                                |      |               |               | Local                      |  |  |  |
|   | Dyar         | Devdar spp.     | Local   |                          |                                |      |               |               | Local                      |  |  |  |
|   | Hibiscus     | Hibiscus        | Local   |                          |                                |      |               |               | Local                      |  |  |  |
|   | Gutti        | Targetes spp.   | Local   |                          |                                |      |               |               | Local                      |  |  |  |
|   | Bougan villa | Bouganvillea    | Local   |                          |                                |      |               |               | Local                      |  |  |  |

| 1           | 2          | 3   | 4            | 4         | 5             | 6             | 7   | 8             | 9                 | 10            |
|-------------|------------|---|--------------|-----------|---------------|---------------|---|---------------|-------------------|---------------|
| Plant Type  | Local Name | Name Scientific Name Habitat Local status Wild/ Home- Other |              |           | Associated TK | Other Details | Community/  |               |                   |               |
| T lant Type |            | Scientific Ivanie   | Habitat      | Past      | Present       | Garden        | Uses (Multi)  | Associated TK | Other Details     | Know. Holder  |
| Tree        | Talli      | Dalbergia sissoo  | Sub-Tropical | Available | Available     | -             | Wood used for Furniture<br>and agricultural<br>equipments | Medicinal     | -                 | Self Observed |
| Tree        | Toot       | Morus serrata   | Sub-Tropical | Available | Available     | -             | Wood used for Furniture                                   | Medicinal     | Fruits are edible | Self Observed |
| Tree        | Draink     | Melia azedarach   | Sub-Tropical | Available | Available     | -             | Wood used for Furniture                                   | Medicinal     | -                 | Self Observed |
| Tree        | Jamun      | Syzygium cumini   | Sub-Tropical | Available |               | -             | Wood used for Furniture                                   | Medicinal     | Fruits are edible | Self Observed |

The above information is not exhaustive and relevant additional information to be filled up by the concerned departments.

| Format  | 15: Domes  | ticated Anima   | lls           |           |               |           |           |              |                        |            |                                     |                              |
|---------|------------|-----------------|---------------|-----------|---------------|-----------|-----------|--------------|------------------------|------------|-------------------------------------|------------------------------|
| 1       | 2          | 3               | 4             | 5         | 6             | ,         | 7         | 8            | 9                      | 10         | 11                                  | 12                           |
| Animal  | Local Name | Scientific Name | Breed (local/ | Features  | Method of     | Local     | status    | Uses         | Associated             | Commercial | Other details<br>including          | Community<br>Know.           |
| Туре    |            | Science Want    | hybrid)       | reatures  | keeping       | Past      | Present   | 0.505        | ТК                     | Rearing    | products and<br>services            | Holders                      |
|         | Gaay       | Bosindicus      | Local         | Humped    | Semiintensive | Large     | Less      | Milk         | Milk good<br>for brain | Nil        | Ghee, curd,Butter,<br>kaladi,cheese | Farmer                       |
| Cattle  | Jersey     | Bos Tarus       | Jersey Hybrid | Humpless  | Stallfed      | Less      | Large     | drought milk | Milk good<br>for brain | Yes        | Ghee, curd,Butter,<br>kaladi,cheese | Farmer                       |
|         | Sahiwal    | Bosindicus      | Local         | Humped    |               | Less      | Large     | drought milk | Milk good<br>for brain | No         | Ghee, curd,Butter,<br>kaladi,cheese | Farmer                       |
| OX      | Beal       | Bosindicus      | Local/Hybrid  | Humped    | Semiintensive | Large     | Less      |              | Ploughing              | No         | Ploughing, carting                  | Farmer                       |
| Buffalo | Bhains     | Bubblous        | Local/Hybrid  | Humpless  | Semiintensive | Large     | Less      | Milk         | Ploughing              | No         | Ploughing, carting                  | Farmer                       |
| Bullaio | Bildills   | Bubalis         | Local/Hybrid  | Trumpless | Seminitensive | Large     | Less      | WIIK         | Tiougining             | INU        | l loughing, carting                 | Tarmer                       |
| Buffox  | Saand      | Bubblous        | T 1/TThi-d    | 11        | Semiintensive | Tamaa     | L         | Discribing   | Discoling              | No         |                                     | Eamour                       |
|         |            | Bubalis         | Local/Hybrid  | Humpless  | Semintensive  | Large     | Less      | Ploughing    | Ploughing              | INO        | Ploughing, carting                  | Farmer                       |
| Goat    | Bakri      | Capra Hercus    | Local/Hybrid  | -         | Domesticated  | Available | Available | Milk, Meat   | -                      | Yes        | Meat, Milk,Hide                     | Farmer,<br>Bakerwal,shepherd |
| Sheep   | Bhed       | Ovisovis        | Local/Hybrid  | -         | Domesticated  | Available | Available | Meat         | -                      | Yes        | Meat and wool                       | Farmer,<br>Bakerwal,shepherd |

| Dog    | Kutta   | Cannis lupus | Local/Hybrid | - | Pet/<br>Domesticated          | Available | Available | Guarding     | - | No | Guarding/security | Individual               |
|--------|---------|--------------|--------------|---|-------------------------------|-----------|-----------|--------------|---|----|-------------------|--------------------------|
| Cat    | Billi   | Felis Catus  | Local        | - | Domesticated                  | Available | Available | Pest Control | - | No | -                 | -                        |
| Horse  | Ghorda  | Equscabalus  | Local/Hybrid | - | Domesticated                  | Available | Available | Drought      | - | -  | Drought, racing   | Indiviual horse<br>owner |
| Pig    | Suar    | Subscrofa    | Local        | - | free roaming                  | Available | Available | Meat         | - | -  | Meat              | Pig owner                |
| Mule   | Khachar | -            | Local        | - | Domesticated                  | Available | Available | Drought      | - | -  | drought           | Mule Owner               |
| Donkey | Gadda   | Equus asinus | Local        | - | Domesticated,<br>free roaming | Available | Available | Drought      | - | -  | loading drought   | Donkey owner             |

Uses include milk, meat, skin, fur and etc

| Format 1    | l6: Culture | Fisheries                  |              |                  |                            |   |   |                    |            |            |   |                                     |
|-------------|-------------|----------------------------|--------------|------------------|----------------------------|---|---|--------------------|------------|------------|---|-------------------------------------|
| 1           | 2           | 3                          | 4            | 5                | 6                          | 7   | ,   | 8                  | 9          | 10         | 11  | 12                                  |
| Fish Tame   | Lead Name   | Saintifa Nama              | Variata      | <b>F</b> actoria | Waterscape<br>(Pond/Bheri/ | Local   | status  | Taxa               | Associated | Commercial | Other details   | Community                           |
| Fish Type   | Local Name  | Scientific Name            | Variety      | Features         | (Pond/Bherl/<br>Talao)     | Past  | Present   | Uses               | ТК         | Rearing    | Other details   | Know.<br>Holders                    |
| Panchayat I | Barta       |                            |              |                  |                            |   |   |                    |            |            |   |                                     |
|             | Rohu        | Labeo rohita               |              |                  |                            |   |   |                    |            |            | Mode of Catching Fish:-<br>Drag Netting , Cast<br>Netting etc.,   |                                     |
|             | Mrigal      | Cirrhinus mrigla           | IMC's        |                  |                            |   |   |                    |            |            | Breeding Time:-<br>Monsoon season and   |                                     |
|             | Catla       | Catla catla                |              |                  |                            |   | Carp Culture  |                    |            |            | Common Carp also<br>breeds during the month<br>of March and April.  |                                     |
| Carps       | Common Carp | Cyprinus carpio            |              | Bony Fish        | (Pond/Bheri/<br>Talao)     | Carp culture<br>was taken up<br>after the year<br>2002. | is being taken<br>up with the<br>facilitation of<br>the | Human<br>Food Fish | Partial    | Yes        | Fish Seed<br>is procured from the   | Yes, Among<br>Farming<br>Community. |
|             |             |                            |              |                  |                            |   | department.   |                    |            |            | differnet Farms of the Department.  |                                     |
|             | Grass Carp  | Ctenopharyngodon<br>idella | Exotic Carps |                  |                            |   |   |                    |            |            | Traditionally<br>Feeding is done by<br>mixing Mustard Oil<br>Cake Rice Bran, Wheat<br>Bran,Crushed Maize etc.<br>But now a days<br>formulated pelleted feed<br>is also available. |                                     |

| Format 17: Ma                          | rkets / Fairs | for Domesticated A                                     | nimals, Medi | icinal Plants and o                                    | ther products                      |   |   |   |
|--|---------------|--|--------------|--|------------------------------------|---|---|---|
| 1                                      | 2             | 3  | 4            | 5  | 6                                  | 7   | 8   | 9   |
| Name of the<br>Weekly Market /<br>Fair | Location      | Weekly / Fortnightly &<br>Others<br>Bi-annual / Annual | Day held     | Month incase of bi-<br>annual or annual<br>market fair | Types of animal<br>bought and sold | Number of animals<br>(average) transacted in a<br>day | Places from where the animals are arrived | Places to where the<br>animals are<br>transported |
|  |               |  |              |  |                                    |   |   |   |
|  |               |  |              |  |                                    |   |   |   |
|  |               |  |              |  |                                    |   |   |   |
|  |               |  |              |  |                                    |   |   |   |
|  |               |  |              |  |                                    |   |   |   |
|  |               |  |              |  |                                    |   |   |   |
|  |               |  |              |  |                                    |   |   |   |

|            | WILD BIODIVERSITY<br>Format 18: Trees, Shrubs, Herbs, Tubers, Grasses, Climbers etc. |                      |       |         |            |            |              |                |               |               |                  |  |  |  |
|------------|--|----------------------|-------|---------|------------|------------|--------------|----------------|---------------|---------------|------------------|--|--|--|
| 1          | 2  | 3                    | 4     | 5       |            | 6          | 7            | 8              | 9             | 10            | 11               |  |  |  |
| Plant Type | Local Name   | Scientific Name      | Habit | Habitat | Local      | status     | Commercial / | Part Collected | Associated TK | Other Details | Community        |  |  |  |
|            | Local Maine  | Security Mane        | Habit | Habitat | Past       | Present    | Own Use      | Tart Concettu  | Associated TK |               | Knowledge Holder |  |  |  |
| Tree       | Talli  | Dalbergia sissoo     |       |         | Sufficient | Sufficient |              |                |               |               | Local            |  |  |  |
| Tree       | Chir   | Pinus roxburghii     |       |         | Sufficient | Sufficient |              |                |               |               | Local            |  |  |  |
| Tree       | Aak  | Calotropis gigantea  |       |         | Sufficient | Sufficient |              |                |               |               | Local            |  |  |  |
| Tree       | Timbru   | Zanthoxyllem amartum |       |         | Sufficient | Sufficient |              |                |               |               | Local            |  |  |  |
| Tree       | Sentha   | Dodonea spp.         |       |         | Sufficient | Sufficient |              |                |               |               | Local            |  |  |  |
| Tree       | Gerna  | Carissa spp.         |       |         | Sufficient | Sufficient |              |                |               |               | Local            |  |  |  |
| Tree       | Brahmi   | Bacopa spp.          |       |         | Sufficient | Sufficient |              |                |               |               | Local            |  |  |  |
| Tree       | Toot   | Morus alba           |       |         | Sufficient | Sufficient |              |                |               |               | Local            |  |  |  |
| Tree       | Tooni  | Toona cilata         |       |         | Sufficient | Sufficient |              |                |               |               | Local            |  |  |  |
| Tree       | Khajur   | Phoenix dactylifera  |       |         | Sufficient | Sufficient |              |                |               |               | Local            |  |  |  |
| Tree       | Banafsha   | Viola odorata        |       |         | Sufficient | Sufficient |              |                |               |               | Local            |  |  |  |
| Tree       | Gucchi   | Morchella esculenta  |       |         | Sufficient | Sufficient |              |                |               |               | Local            |  |  |  |

| Format 19: V | Vild Plant Species of Imp | ortance              |         |  |        |
|--------------|---------------------------|----------------------|---------|--|--------|
| 1            | 2                         | 3                    | 4       | 5  | 6      |
| S.No.        | Local Name                | Scientific Name      | Variety | Importance<br>(as Economic, Social, Cultural etc.) | Status |
| 1            | Aak                       | Calotropis gigantea  | Local   |  |        |
| 2            | Haard                     | Terminalis chebula   | Local   |  |        |
| 3            | Sentha                    | Dodonea spp.         | Local   |  |        |
| 4            | Banafsha                  | Viola odorata        | Local   |  |        |
| 5            | Doodan/ Reetha            | Sapindus mukortossi  | Local   |  |        |
| 6            | Timbru                    | Zanthoxyllem amartum | Local   |  |        |
| 7            | Gerna                     | Carissa carandus     | Local   |  |        |

Г

| Format 20: Aq   | uatic Biodiversity       | Ţ           |             |                      |                  |   |                         |               |  |                           |
|-----------------|--------------------------|-------------|-------------|----------------------|------------------|---|-------------------------|---------------|--|---------------------------|
| 1               | 2                        | 3           | 4           | 5                    |                  | 6   | 7                       | 8             | 9  | 10                        |
| LastNass        | cal Name Scientific Name |             | Features    | Habitat              | Loca             | l Status                                      | Turn                    | Associated TV |  | Community/                |
| Local Name      | Scientific Name          | Variety     | Features    | Habitat              | Past             | Present                                       | Uses                    | Associated TK | Other details  | Knowledge Holder          |
| Panch           | ayat Barta               |             |             |                      |                  |   |                         |               |  |                           |
| Mahseer         | Tor pitutora             |             |             |                      |                  |   |                         |               |  |                           |
| Keadie/Khrot    | Labeo spp.               |             |             |                      |                  |   |                         |               | Mode of Catching Fish:-<br>Cast Net, Fishing Rod and |                           |
| Gauns           | Bagarius spp.            | Wild, Fresh | Bony, Fresh | Fresh water          | All Fish species | Mahaseer is<br>now a days is<br>reported very | Human Food<br>Fish.     | Yes           | Hook line.   | Yes, Among Fishermen      |
| Channa          | Channa spp.              | Water.      | Water       | Streams &<br>Rivers. | were available.  | reported very few in catch.                   | ( Mahaser<br>and Trout) | Yes           | Breeding Time:-<br>Breeds in Monsoon season.         | and Angling<br>Community. |
| Fresh Water eel | Mastacembelus spp.       |             |             |                      |                  |   | and frout)              |               |  |                           |

| mat 21: Wild | Aquatic Plant Species of Im | portance        |         |                 |        |
|--------------|-----------------------------|-----------------|---------|-----------------|--------|
| 1            | 2                           | 3               | 4       | 5               | 6      |
| S.No.        | Local Name                  | Scientific Name | Variety | Importance      | Trends |
| 1            | Banakash                    |                 | Wild    | Medicinal Value |        |
|              |                             |                 |         |                 |        |
|              |                             |                 |         |                 |        |
|              |                             |                 |         |                 |        |
|              |                             |                 |         |                 |        |
|              |                             |                 |         |                 |        |
|              |                             |                 |         |                 |        |

| Format 22:   | ormat 22: Wild Plants of Medicinal Importance |                      |         |             |       |         |               |              |             |                 |                  |  |  |  |
|--------------|---|----------------------|---------|-------------|-------|---------|---------------|--------------|-------------|-----------------|------------------|--|--|--|
| 1            | 2   | 3                    | 4       | 5           |       | 6       | 7             | 8            | 9           | 10              | 11               |  |  |  |
| Plant (Herb, | Local Nama                                    | Sojontific Nome      | Variate | Landscape / | Local | Status  | Associated TV | Uses (usego) | Dont used   | Other details   | Community/       |  |  |  |
| Shrub, Tree) | Local Name                                    | Scientific Name      | Variety | Habitat     | Past  | Present | Associated TK | Uses (usage) | Part used   | Market/ Own Use | Knowledge Holder |  |  |  |
| Tree         | Harad   | Terminalis chebula   |         |             | Suff  | icient  |               |              | Dried fruit |                 | Local            |  |  |  |
| Tree         | Timbru  | Zanthoxyllem amartum |         |             | Suff  | icient  |               |              | Stem, Fruit |                 | Local            |  |  |  |
| Shrub        | Aak   | Calotropis gigantea  |         |             | Suff  | icient  |               |              | Stem        |                 | Local            |  |  |  |
| Shrub        | Sentha  | Dodonea spp.         |         |             | Suff  | icient  |               |              | Stem        |                 | Local            |  |  |  |
| Shrub        | Gerna   | carissa spp.         |         |             | Suff  | icient  |               |              | Fruit       |                 | Local            |  |  |  |

Note: Uses: Food/Veterinary Medicine/Human Medicine (Sub-divisions like for children, women etc)/Agricultural Purpose (Bio-pesticide) Other details: Harvesting period /Perennial/annual/seasonal

| Format 23: | Wild relatives of | f Crops         |                     |      |         |         |      |            |               |                            |
|------------|-------------------|-----------------|---------------------|------|---------|---------|------|------------|---------------|----------------------------|
| 1          | 2                 | 3               | 4                   | :    | 5       | 6       | 7    | 8          | 9             | 10                         |
| Local      | Scientific        | Associated Crop | Landscape / Habitat |      | Status  | Uses    | Part | Associated | Other details | Community / Know<br>holder |
| Name       | Name              | Associated Crop |                     | Past | Present | (usage) | Used | ТК         |               | holder                     |
|            |                   |                 |                     |      |         |         |      |            |               |                            |
|            |                   |                 |                     |      |         |         |      |            |               |                            |
|            |                   |                 |                     |      |         |         |      |            |               |                            |
|            |                   |                 |                     |      |         |         |      |            |               |                            |
|            |                   |                 |                     |      |         |         |      |            |               |                            |
|            |                   |                 |                     |      |         |         |      |            |               |                            |
|            |                   |                 |                     |      |         |         |      |            |               |                            |
|            |                   |                 |                     |      |         |         |      |            |               |                            |
|            |                   |                 |                     |      |         |         |      |            |               |                            |

Note: Other details may include 'function as a substitute plant' in the absence of a particular plant

| Format 24: O | rnamental Plants |         |         |                                     |                  |                     |                                |
|--------------|------------------|---------|---------|-------------------------------------|------------------|---------------------|--------------------------------|
| 1            | 2                | 3       | 4       | 5                                   | 6                | 7                   | 8                              |
| Local Name   | Scientific Name  | Variety | Habitat | Commercial / Non-Commercial<br>Uses | Associated<br>TK | Any other<br>Detail | Community/ Knowledge<br>Holder |
| Gulab        | Rosa spp.        |         |         |                                     |                  |                     | Local                          |
| Gutti        | Targetes spp.    |         |         |                                     |                  |                     | Local                          |
| Surajmukhi   | Helianthus annus |         |         |                                     |                  |                     | Local                          |
|              |                  |         |         |                                     |                  |                     |                                |

| Format 25: F | ormat 25: Fumigate / Chewing Plants |                               |         |                     |      |          |         |           |            |               |                  |  |  |  |
|--------------|-------------------------------------|-------------------------------|---------|---------------------|------|----------|---------|-----------|------------|---------------|------------------|--|--|--|
| 1            | 2                                   | 3                             | 4       | 5                   |      | 6        | 7       | 8         | 9          | 10            | 11               |  |  |  |
| Plant (Herb, | Local                               | Scientific                    | ¥7      | <b>H</b> - 1. 4 - 4 | Loca | l Status | Uses    | Destand   | Associated | Other details | Community        |  |  |  |
| Shrub, Tree) | Name                                | Name                          | Variety | Habitat             | Past | Present  | (usage) | Part used | ТК         | (mode of use) | knowledge holder |  |  |  |
| Herb         | Putna                               | Mentha spp.                   |         |                     | Suff | ficient  |         |           |            |               | Local            |  |  |  |
| Herb         | Saunf                               | Foeniculum vulgare            |         |                     | Suff | ficient  |         |           |            |               | Local            |  |  |  |
| Herb         | Tulsi                               | Ocimum tenuiflorum            |         |                     | Suff | ficient  |         |           |            |               | Local            |  |  |  |
| Herb         | Methi                               | Trigonella foenum-<br>graecum |         |                     | Suff | icient   |         |           |            |               | Local            |  |  |  |

| ormat 26: Tin | nber Plants      |         |            |            |                    |                  |               |                      |
|---------------|------------------|---------|------------|------------|--------------------|------------------|---------------|----------------------|
| 1             | 2                | 3       |            | 4          | 5                  | 6                | 7             | 8                    |
| LandNama      | Seierdiffe Norre | Habitat | Local      | Status     | Other Here if any  | A see sinted TTV | Other Detelle | Community/ Knowledge |
| Local Name    | Scientific Name  | Habitat | Past       | Present    | Other Uses, if any | Associated TK    | Other Details | Holder               |
| Talli         | Dalbergia sissoo |         | Sufficient | Sufficient |                    |                  |               | Local                |
| Chir          | Pinus roxburghii |         | Sufficient | Sufficient |                    |                  |               | Local                |
| Tooni         | Toona ciliata    |         | Sufficient | Sufficient |                    |                  |               | Local                |
|               |                  |         |            |            |                    |                  |               |                      |
|               |                  |         |            |            |                    |                  |               |                      |
|               |                  |         |            |            |                    |                  |               |                      |
|               |                  |         |            |            |                    |                  |               |                      |
|               |                  |         |            |            |                    |                  |               |                      |

| Format 27  | A: Coastal a | nd Marine Flora   | l       |      |           |                 |                 |            |               |                      |
|------------|--------------|-------------------|---------|------|-----------|-----------------|-----------------|------------|---------------|----------------------|
| 1          | 2            | 3                 | 4       |      | 5         | 6               | 7               | 8          | 9             | 10                   |
| Plant Type | Local Name   | Scientific Name   | Habitat | Loca | al Status | Parts Collected | Commercial Uses | Other Uses | Associated TK | Community/ Knowledge |
| Plant Type | Local Maine  | Scientific Ivalle | Habitat | Past | Present   | (if any)        | (if any)        | Other Uses | Associated TK | Holder               |
|            |              |                   |         |      |           |                 |                 |            |               |                      |
|            |              |                   |         |      |           |                 |                 |            |               |                      |
|            |              |                   |         |      |           |                 |                 |            |               |                      |
|            |              |                   |         |      |           |                 |                 |            |               |                      |
|            |              |                   |         |      |           |                 |                 |            |               |                      |
|            |              |                   |         |      |           |                 |                 |            |               |                      |

| Format 27   | Format 27 B: Coastal and Marine Fauna |  |                 |         |         |                      |   |            |               |        |
|-------------|---------------------------------------|--|-----------------|---------|---------|----------------------|---|------------|---------------|--------|
| 1           | 2                                     | 3  | 4               | 5       |         | 6                    | 7 | 8          | 9             | 10     |
|             | Local Name                            | ne Scientific Name Habitat Local Status Parts Commercial Us (if any) | Commercial Uses | al Uses |         | Community/ Knowledge |   |            |               |        |
| Animal Type | Local Name                            |  | Haditat         | Past    | Present |                      |   | Other Uses | Associated TK | Holder |
|             |                                       |  |                 |         |         |                      |   |            |               |        |
|             |                                       |  |                 |         |         |                      |   |            |               |        |
|             |                                       |  |                 |         |         |                      |   |            |               |        |
|             |                                       |  |                 |         |         |                      |   |            |               |        |

| Format 28: Wild Animals (Mammals, Birds, Reptiles, Amphibia, Insects, others) |            |                    |         |             |             |              |         |               |               |                     |               |                     |
|---|------------|--------------------|---------|-------------|-------------|--------------|---------|---------------|---------------|---------------------|---------------|---------------------|
| 1   | 2          | 3                  | 4       | 5           | 6           |              | 7       | 8             | 9             | 10                  | 11            | 12                  |
|   |            |                    |         |             | Season when | Local Status |         |               |               | Mode of Hunting,    |               | Community/          |
| Animal Type   | Local Name | Scientific Name    | Habitat | Description | seen        | Past         | Present | Uses (if any) | Associated TK | collecting (if any) | Other details | Knowledge<br>Holder |
|   | Ko         | Varanus            |         |             | All season  | Plenty       | Plenty  |               |               |                     |               | Local               |
|   | Sae        | Erethizon dorsatum |         |             | All season  | Plenty       | Plenty  |               |               |                     |               | Local               |
|   | Ged        | Vulpes vulpes      |         |             | All season  | Plenty       | Plenty  |               |               |                     |               | Local               |
|   | Noul       | Herpestidae        |         |             | All season  | Plenty       | Plenty  |               |               |                     |               | Local               |
|   | Tota       | Psittaciformes     |         |             | All season  | Plenty       | Plenty  |               |               |                     |               | Local               |
|   | Chitra     | Chitra             |         |             | All season  | Plenty       | Rare    |               |               |                     |               | Local               |
|   | Saap       | Naja naja          |         |             | All season  | Plenty       | Plenty  |               |               |                     |               | Local               |
|   | Khad kanu  | Oryctolagus        |         |             | All season  | Plenty       | Plenty  |               |               |                     |               | Local               |
|   | Kaa        | Corvus             |         |             | All season  | Plenty       | Plenty  |               |               |                     |               | Local               |
|   | Resh       | Ursus spp.         |         |             | All season  | Plenty       | Plenty  |               |               |                     |               | Local               |

|         | URBAN BIODIVERSITY |                 |                |         |                  |                              |  |  |  |  |
|---------|--------------------|-----------------|----------------|---------|------------------|------------------------------|--|--|--|--|
|         | Format 29: Flora   |                 |                |         |                  |                              |  |  |  |  |
| 1       | 2                  | 3               | 4              | 5       | 6                | 7                            |  |  |  |  |
| Sr. No. | Local Name         | Scientific Name | Type of Plants | Habitat | Flowering Season | Remarks (Rare / Common etc.) |  |  |  |  |
|         |                    |                 |                |         |                  |                              |  |  |  |  |
|         |                    |                 |                |         |                  |                              |  |  |  |  |
|         |                    |                 |                |         |                  |                              |  |  |  |  |
|         |                    |                 |                |         |                  |                              |  |  |  |  |
|         |                    |                 |                |         |                  |                              |  |  |  |  |

Note: Separate format should be used for road side plantation / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

| Format 3 | Format 30: Fauna |                 |   |         |                              |  |  |  |  |
|----------|------------------|-----------------|---|---------|------------------------------|--|--|--|--|
| 1        | 2                | 3               | 4   | 5       | 6                            |  |  |  |  |
| Sr. No.  | Local Name       | Scientific Name | Type of Animals (Mammals / Birds /<br>Fish / Insect etc.) | Habitat | Remarks (Rare / Common etc.) |  |  |  |  |
|          |                  |                 |   |         |                              |  |  |  |  |
|          |                  |                 |   |         |                              |  |  |  |  |
|          |                  |                 |   |         |                              |  |  |  |  |
|          |                  |                 |   |         |                              |  |  |  |  |
|          |                  |                 |   |         |                              |  |  |  |  |
|          |                  |                 |   |         |                              |  |  |  |  |

Note: Separate format should be used for road side plantation - habitat / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

| Format 31: Any other information of local importance |                                 |         |  |  |  |  |  |
|--|---------------------------------|---------|--|--|--|--|--|
| 1  | 2                               | 3       |  |  |  |  |  |
| Sr. No.  | Information of local importance | Remarks |  |  |  |  |  |
|  |                                 |         |  |  |  |  |  |

End of Part II