

People Biodiversity Register (PBR): General Details

Name of the Panchayat Samiti: Dugga

Taluk: Bhaderwah

District: Doda

State: J&K UT

Geographical Area of the Panchayat Samiti: 1951 Hac.

Geographical Area of the Panchayat Samiti: 2500

Male: 1500

Female: 1000

Habitat and Topography: hilly and plain both

Climate (Rainfall, Temperature and weather patterns): Temperate region with moderate rainfall

Land Use (Nine fold classification available with village records): Agriculture and horticulture

Date, Month and Year of PBR Preparation:

Management Regime: Reserve Forest (RF)/Joint Forest Management(JGM)/Protected Areas(PA)/ Community Owned and Managed

Details of Biodiversity Management Committee (BMC) of the Panchayat (One elected Chairperson and six persons nominated body ; not less than one third to be women and not less than 18% belonging to SC/ST)**1)Name of the Chairperson:** Mukesha Devi**Age:** 40**Gender:** Female**Address:** Dugga (Chinta)**Area of specialization:** Sarpanch**2) Name:** Kulbushan**Age:** 63**Gender:** Male**Address:** Viilage Dugga**Area of specialization:** Health**3) Name:** Amar Chand**Age:** 65**Gender:** Male**Address:** Viilage Dugga**Area of specialization:****4)Name:** Narinder Kumar**Age:** 60**Gender:** Male**Address:** Dugga**Area of specialization:****5)Name:** Sarista Devi**Age:** 55**Gender:** Female**Address:** Rehi**Area of specialization:****6)Name:** Mohi Din**Age:** 57**Gender:** Male**Address:** Naska**Area of specialization:****7)Name:** Sourabh**Age:** 28**Gender:** male**Address:** Dhareja**Area of specialization:** Secretary Panchayat

List of Vaid, hakims and traditional health care (Human and livestock) practitioners residing and or using biological resources occurring within the jurisdiction of the village

1)Name:

Age:

Gender:

Address:

Area of specialization:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

2) Name:

Age:

Gender:

Address:

Area of specialization:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

3)Name:

Age:

Gender:

Address:

Area of specialization:

Location from which the person accesses biological material:

Perception of the practitioner on the resource status:

Medicinal Use:

List of individuals perceived by the villagers to possess Traditional Knowledge (TK) related to biodiversity in agriculture, fisheries and forestry

1) Name of the Chairperson: Mukesha Devi

Age: 40

Gender: Female

Address: Chinta

Area of specialization: Sarpanch

2) Name of the Chairperson: Tek Chand

Age: 70

Gender: Male

Address: Dugga

Area of specialization: Agriculture

3) Name of the Chairperson: Pyar Singh

Age: 57

Gender: Male

Address: dugga

Area of specialization: fisheries

4) Name of the Chairperson:

Age:

Gender:

Address:

Area of specialization:

Details of schools, colleges, departments, universities, government institutions, non-governmental organization and individuals involved in the preparation of the PBR

1) **Contact Person:** 9596843893

Name and Address: Mukesha Devi

2) **Contact Person:** 9596912131

Name and Address: Sourabh

3) **Contact Person:**

Name and Address:

4) **Contact Person:**

Name and Address:

You may add names of more institutions/NGO/Individuals etc, if necessary

Detail of access to biological resources and traditional knowledge granted, details of the collection fee imposed and details of the benefit derived and the mode of their sharing

S.No	Name and address of the Person/Institute/company others	Local and Scientific Name of the biological material Accessed and quantity	Date and resolution of the BMC and endorsement by the Panchayat	Detail of collection fee imposed	Anticipated mode of sharing benefits or quantum of benefits shared

End of Part I

**Part II
PBR – Formats
AGROBIODIVERSITY**

Format 1: Crop Plants

1	2	3	4	5	6	7		8	9	10	11	12	13	14
Crop	Scientific Name	Local Name	Variety	Landscape /Habitat	Approx Area Sown	Local Status		Special features	Cropping Season	Uses	Associated TK	Other Details	Source of Seeds / Plants	Community /Knowledge Holder
						Past	Present							
Maize	<i>Zea mays</i>	Kookri	Plandri, Rashi4794, Bio-9621, Bio-9220	Hilly temperate and intermediate		Local	Improved varieties	April sown, local variety dentles, corn & flour sweet in taste	Kharif	Major food item, used as flour, feed to cattle, poultry etc.	Local variety plandri sown before 15 th april.	NA	HH kept seed, Deptt. Of agriculture, private seed dealers	Local/ Aged farmers of rural communities possess TK
Wheat	<i>Triticum aestivum</i>	Kanak, gandham	HS-240, VL-804, HS-507	Hilly, temperate and intermediate		Local varieties	Improved varieties	Late maturity	Rabi	Food item, used as flour, feed to cattle, poultry etc.	NA	NA	HH kept seed, Deptt. Of agriculture, private seed dealers	Local/ Aged farmers of rural communities possess TK
Barley	<i>Hordeum vulgare</i>	Joo	Local barley, ratna, sonu	Hilly, temperate and intermediate		Local varieties	Improved varieties	Most efficient under rainfall conditions	Rabi	Grains used as cattle feed besides, green crop used as fodder.	NA	NA	Self, Agriculture Department	Local/ Aged farmers of rural communities possess TK
Brown Mustard	<i>Brassica juncea</i>	Sarsoon	Local, KS-101, KOS-1	Temperate and intermediate		Local varieties and low production	Improved varieties and high production	Crop severely affected by the snowfall during the month of dec-feb	Rabi	Green leaves used as vegetables and seeds used for extracting oil used in cooking and for other relevant purposes		NA	Farm saved seed, from peer groups of farmers, from deptt. Of agriculture and other relevant sources	Cultivation and management practices among the farming communities across the district.
Radish	<i>Raphanus sativus</i>	Mooli	Local turnip shaped radish	Temperate conditions		Local turnip shaped kansargermplasm	NA	NA	2-3 crops round the year	Eaten raw, used as vegetable and pickle making	Traditional variety and cultivation practice	Round, sharp, white colored	Seed being traditionally cultivated and focussed locally	Farmers of the area
Kale	<i>Brassica oleracea</i>	Haak	G.M Dari, Khanyari	Hilly temperate and intermediate		Plenty	plenty	high yield production	Kharief and Rabi crop	Ass vegetable	Rich in fibre	Suitable for all areas	HH kept seed, Deptt. Of agriculture, private seed dealers	Local/ Aged farmers of rural communities possess TK
Bottle gourd	<i>Lagenaria siceraria</i>	Aul	Local variety	Hilly temperate and intermediate		Plenty	plenty	high yield production	Kharief	As vegetable	good for health	Suitable for all areas	HH kept seed, Deptt. Of agriculture, private seed dealers	Local/ Aged farmers of rural communities possess TK
Potato	<i>Solanum tuberosum</i>	Aalu	Pahadi aalu	Hilly temperate and intermediate		Plenty	plenty	high yield production	kharief	as vegetable and chips	rich in proteins and carbohydrates	suitable for almost plain areas	HH kept seed, Deptt. Of agriculture, private seed dealers	Local/ Aged farmers of rural communities possess TK

Frenchbeans	<i>Phaseolus vulgaris</i>	frashbean	pahadibean	Hilly temperate and intermediate		local varieties	Improved varieties and high production	high yield production	may to october	As vegetable	rich in iron and magnese	Suitable for all areas	HH kept seed, Deptt. Of agriculture, private seed dealers	Local/ Aged farmers of rural communities possess TK
Mustard	<i>Brassica juncea</i>	sarso	local	Hilly temperate and intermediate		plenty	average	NA	rabi	extraction of oil	rich im zinc potassium ,magnese	Suitable for all areas	HH kept seed, Deptt. Of agriculture, private seed dealers	Local/ Aged farmers of rural communities possess TK
Tomato	<i>Lycopersicum esculentum</i>	Rotawanghun	cherry tomato, roma SS-1	Mid/temperate hills		Local varieties	Improved varieties and high production	NA	July-September	as vegetable and jam	Rich in vitamin C and Lycopene	NA	Seed being traditionally cultivated and focussed locally	Local/ Aged farmers of rural communities possess TK

Format-2 : Fruit Plants

1	2	3	4	5	6		7	8	9	10	11	12
Plant	Scientific Name	Local Name	Variety	Landscape /Habitat	Local Status		Source of Seeds / Plants	Season of fruiting	Associated TK	Uses	Other Details markt / own use	Community /Knowledge Holder
					Past	Present						
Apple	<i>Malus domestica</i>	Saib	Red Delicious, Golden Delicious, Maharaji, American etc.	Temperate Hills	Rare	Plenty	Nurseries	Aug-Oct		Fruit, Economy Generation	Marketing, Own use	department of horticulture
Pear	<i>Pyrus spp.</i>	Nakh	Patharnakh, China pear	Mid Hills	Plenty	Plenty	Nurseries	Aug-Sep		Fruit, Economy Generation	Marketing, Own use	department of horticulture
Peach	<i>Prunus persica</i>	Aaroo	July Elberta, Quetta	Mid Hills	Rare	Rare	Nurseries	June-July		Fruit	Marketing, Own use	department of horticulture
Apricot	<i>Prunus armeniaca</i>	Khubani, Sadi	Local apricot, Bebcu	Mid Hills	Plenty	Plenty	Nurseries	June-July		Fruit	Own Use	department of horticulture
Walnut	<i>Juglans regia</i>	Akhrot	Paper/Thin Shelled, Hard & Medium Shelled	Temperate Hills	Plenty	Plenty	Nurseries& Locally raised	Sept-Oct		Dry-fruit, Economy generation	Marketing, Own use	department of horticulture
Plum	<i>Prunus salicina</i>	Aaloo Bukhara	Santa rosa. Aloo Bukhara	Mid Hills	Rare	Rare	Nurseries& Locally raised	July-Aug		Fruit	Own use	department of horticulture
Pecannut	<i>Carya illinoensis</i>	Pecan	Western shell	Mid/temperate hills	Rare	Rare	Nurseries	Sept-Oct		Dry Fruit	Marketing	department of horticulture
Plum	<i>Prunus salicina</i>	Aaloo Bukhara	Santa rosa, Allo Bukhara	Mid Hills	Rare	Rare	Nurseries, locally raised	July-august		Fruit	Maketing, own use	department of horticulture
Persimmon	<i>Diospyros</i>	Amlook	Local	Mid/temperate hills	Rare	Rare	Locally raised	July-august		Fruit	Marketing	department of horticulture
Quince	<i>Cydonia oblonga</i>	Bhai	Local	Mid/temperate hills	Rare	Rare	locally raised	July-September		Fruit, Seed	own use, Marketing	department of horticulture
Grapes	<i>Vitis vinifera</i>	Dasch	local	Mid/ temperate	Average	Average	locally raised, govt nurseries	July to september		Fruit	own use, Marketing	department of horticulture
Pomegranate	<i>Punica granatum</i>	anaar	anaar	Mid/temperate hills	average	average	locally raised	July-September		Fruit	own use, Marketing	department of horticulture

Format 3:-Fodder Crops / Species

1	2	3	4	5		6	7	8	9	10
Plant	Scientific Name	Local Name	Landscape /Habitat	Local Status		Source of Seeds / Plants	Associated TK	Part Used	Other Details	Community /Knowledge Holder
				Past	Present					
Oats	<i>Avena sativa</i>	Ghaas	Temperate/ Intermediate	Local varieties	Improved varieties	Self	Stored in locally made indigenous structure called "Tye"	Crop	NA	NA
Berseem (Egyptian Clover)	<i>Trifolium alexandrium</i>	Gjaas	Irrigated areas	NA	Improved varieties	Self	NA	Crop	NA	NA
sorghum	<i>Sorghum bicolor</i>	charri	Temperate/ Intermediate	local varities	local varities	self	NA	crop		local farmers of rural community
crowfoot grass	<i>Dactyloctenium australe</i>	Beran	Temperate/ Intermediate	local varities	Improved varieties	self	NA	Crop	containg lots of fibre	local farmers of rural community
jhonson grass	<i>Sorghum halepense</i>	Bray	Temperate/ Intermediate	local varities	Improved varieties	self	NA	crop	associated with maize crop	local farmers of rural community
lambs quarters	<i>Chemopodium album</i>	kunah	Temperate/ Intermediate	local varities	Improved varieties	self	NA	crop	associated with maize crop	local farmers of rural community
Tall buckweed	<i>Fagopyrum cymosum</i>	Fafra	Temperate/ Intermediate	local varities	Improved varieties	self	NA	crop	associated with maize crop	local farmers of rural community
Milkweed	<i>Euphorbia thymifolia</i>	Dudli	Temperate/ Intermediate	local varities	local varities	self	NA	crop	containing milky fluid like substance	local farmers of rural community

Format-4 : Weeds

1	2	3	4	5	6	7		8	9	10	11	12
Plant	Scientific Name	Local Name	Affected Crop	Impact	Landscape /Habitat	Local Status		Uses if any	Management Options	Associated TK	Other Details like exotic	Community /Knowledge Holder
						Past	Present					
Ipomoea	<i>Ipomea sp.</i>	Zeharbael	Maize	Destroys the plant	Temperate and Intermediate	No weed management`	Scientific based weed management	Nil	Proper and timely removal	Nil	NA	NA
Ipomoea	<i>Ipomea aquatica</i>	Ghaas	paddy	Destroys the plant	Temperate and Intermediate	No weed management`	Scientific based weed management	Nil	Proper and timely removal	Nil	NA	NA
Celosia	<i>Celosia Argentina</i>	Neeli	Paddy	Destroys the plant	Temperate and Intermediate	No weed management`	Scientific based weed management	Nil	Proper and timely removal	Nil	NA	NA
Mash	<i>Cyprus esculentus</i>	Ghass	-		Temperate and intermediate areas of the District	No weed management	Weed management on scientific lines being followed by the farmers	-	-	-	-	No TK associated with either knowledge or management of Ipomea weed
Johnson grass	<i>Sorghum halepense</i>	Bray	Maize	Affect crop yield	Temperate/ Intermediate	average	Weed management on scientific lines being followed by the farmers	nil	hand picking	competes with main crop		local farmers of rural community
Milk weed	<i>Euphorbia thymifolia</i>	Dudli	maize	Affect crop yield	Temperate/ Intermediate	Average	Weed management on scientific lines being followed by the farmers	nil	using weedicide or hand picking	competes with main crop	NA	local farmers of rural community
bang	<i>Cannabis indica</i>	bang	khariief crops	Affect crop yield	agricultural land and wasteland	average	average	nil	mechanical and chemical	competes with main crop	NA	local farmers of rural community
water clover	<i>Marsilia quadrifolia</i>	Ham, Aaw	Paddy	Affect crop yield	Temperate and Intermediate	plenty	Weed management on scientific lines being followed by the farmers	nil	weedicide Butachlore	competes with main crop	NA	local farmers

Format-5: Pests of Crops

1	2	3	4	5	6	7	8	9	10
Host	Insect /Animals	Scientific Name	Local Name	Habitat	Time / Season of Attack	Management mechanism	Associated TK	Other Details	Community /Knowledge Holder
	Leaf folder	<i>Cnaphalocracis</i>	Patta Modak	Paddy fields	Tillering stage/ monsoon	Dragging rope across the field, light traps, spraying chloropyfos, cypermethrin or cartap hydrochloride to kill the larvae	Clipping of upper portion of seedlings	NA	NA
Paddy	Stem Borer	<i>Scirpophaga incertulas</i>	Tanna shedak	Paddy fields	July to September	Soil solarisation in May or June. Cartap hydrochloride 4G @1.25kg/Kanal or carbofuran 3G @1Kg/Kanal`	NA	ETL 5% dead heart	NA
	Aphids	<i>Sitoboin avenae</i>	Tella	Polyphagous	Feb-April	Proper spray of insecticides	NA	NA	NA
	Pink stem borer	<i>Sesamia inferens</i>	Ludi	Polyphagous/ debris	Nov-feb	Field sanitisation and continuous removal and destruction of infected plants	NA	NA	NA
Wheat	Termites	<i>Odontotermes</i>	Sink	Polyphagous/ sandy and loamy soils	Kharif	Field sanitisation and continuous removal and destruction of infected plants	NA	NA	NA
	Stem borer	<i>Chilo partellus</i>	Ludi	Polyphagous	Kharif	Field sanitisation and continuous removal and destruction of infected plants	NA	NA	NA
Maize	Corn worm	<i>Helicoverpa armigera</i>	Sundi	Maize cobs	Kharif	Field sanitisation and continuous removal and destruction of infected plants. Installing pheromone traps @ 6-10/acre	NA	NA	NA
Tomato	fruit borer	<i>Helicoverpa zea</i>	corn earworms	leaves ,shoots ,buds and flower	may -september	spray dimethoate			

vegetables	leaf borer	<i>Spodoptera exigua</i>	pediye	attack on leaves	Kharif	Proper spray of insecticides	Reduces crop yield	NA	local farmers of rural community
Bottleguard	fruitfly	<i>Dacus cucurbita</i>	stem rot	pulp of the fruits	july to october	Dusting with some repellents	causes fungal and bacterial infection	NA	local farmers of rural community
Rajma	watery soft rot	<i>Sclerotinia sclerotiorum</i>	Dhoru	stem, leaves and pods	july to october		Reduces crop yield	NA	local farmers of rural community
Potato	white grab	<i>Holotrichia species</i>		root and tubers	march= nov	drench the soil with chloropyriphas	Reduces crop yield	NA	local farmers of rural community
Maize	Armyworm	<i>Spodoptera frugiperda</i>	Tokka	upper part of maize	Kharif	Proper spray of insecticides	Reduces crop yield	NA	local farmers of rural community

Format 6: Markets for Domesticated animals

1	2	3	4	5	6	7	8	9
Name of the market & location	Weekly (D)/ Fortnightly (D) / Monthly (D) / Biannual (M) / Annual (M) [1]	Types of animals bought and sold [2]	Types and Average Number of animals transacted in a day	Places from which animals are brought	Places to which the animals are sold / transported	Name and location of fish market	Types of fishes sold	Source of fish

Note: [1] (D) – day; (M) – month;

[2] Types of animals may include: Poultry / Sheep / Goats / Cattle / Ducks / Pigs / Donkeys / Mules / Horses / Camels / Others (Specify)

Format 8: Landscape

1			2	3	4	5	6	7	8	9	10	11	12
Major Landscapes			Sub - Landscapes	Features and approx. area	Ownership	General flora	General fauna	User groups	Management practices	General uses	Associated TK	Other details	Community accessed
Agricultural land	Pond	Fallow land											
Non-Cultivated Land			Non-Irrigated Land		Govt. as well as private	Marshy, Swampy plants	Insects and Amphibians	Villagers	Crop Rotation, Terracing	Cultivation	Available for farming	Nil	Low income communities
Forest Land			Forest Land		Govt. Land	Deodar, Pine, Spruce etc.	Wild animals, Insects	Villagers	Afforestation, Closers	Firewood, timber, medicinal plants etc.	NA	Nil	Every Community
Irrigated land			Irrigated land		Private land	Rice, Vegetables flowers etc.	Amphibians, Insects	Zamindars	Canals, Channels, Khuls, Distributories etc	Crop Cultivation	Available for farming	Nil	Every Community

Provide a brief description of landscapes such as forests, plantations, cultivated land, estuary, pond, lake or other elements

Format-10: Soil Type

1	2	3	4	5	6	7	8
Soil Type	Color & Texture	Features	Soil Management	Plants / crop suitable	Flora and Fauna	Associated TK	Other information
Black soil	black in colour and clayey in nature	highly fertile and rich in calcium carbonate and poor in nitrogen and phosphorous ,highly retentive of moisture	NA	wheat,maize tomatoes, green chillies etc	both	NA	
Laterite soil	red or rusty in colour and coarser in texture	acidic in texture and unsuitable for cultivation	NA	less fertile, potatoes and fruits	both	NA	
clay soil	partially off white or yellowish in colour and clayey in texture	sticky ,low permeability, rich in calcium, iron ,magnesium	NA	wheat,vegetables	both	NA	
Alluvial soil	light grey or ash grey	fertile soil and rich in potash and lime	NA	pulses, vegetables, fruits etc	both	NA	

Format 11: Fruit Trees

1	2	3	4	5	6	7		8	9	10	11	12	13
Plant	Scientific Name	Local Name	Variety	Habit	Landscape /Habitat	Local Status		Source of Seeds / Plants	Season of fruiting	Associated TK	Uses	Other Details markt / own use	Community /Knowledge Holder
						Past	Present						
Apple	<i>Malus domestica</i>	Saib	Red Delicious, Golden Delicious, Maharaji, American etc.	Tree, regular bearing	Temperate Hills	Rare	Plenty	Nurseries	Aug-Oct	Fruit, Economy Generation		Marketing, Own use	Department of horticulture
Pear	<i>Pyrus spp.</i>	Nakh	Patharnakh, China pear	Tree, regular bearing	Mid Hills	Plenty	Plenty	Nurseries	Aug-Sep	Fruit, Economy Generation		Marketing, Own use	Department of horticulture
Peach	<i>Prunus persica</i>	Aaroo	July Elberta, Quetta	Tree, regular bearing	Mid Hills	Rare	Rare	Nurseries	June-July	Fruit		Marketing, Own use	Department of horticulture
Apricot	<i>Prunus armeniaca</i>	Khubani, Sadi	Local apricot, Bebco	Tree, regular bearing	Mid Hills	Plenty	Plenty	Nurseries	June-July	Fruit		Own Use	Department of horticulture
Walnut	<i>Juglans regia</i>	Akhrot	Paper/Thin Shelled, Hard & Medium Shelled	Tree, regular bearing	Temperate Hills	Plenty	Plenty	Nurseries& Locally raised	Sept-Oct	Dry-fruit, Economy generation		Marketing, Own use	Department of horticulture
Plum	<i>Prunus salicina</i>	Aaloo Bukhara	Santa rosa. Aloo Bukhara	Tree, regular bearing	Mid Hills	Rare	Rare	Nurseries& Locally raised	July-Aug	Fruit		Own use	Department of horticulture
Persimmon	<i>Diospyros</i>	Amlook	Local	Tree, regular bearing	Mid/temperate hills	rare	rare	locally raised	July-august	fruit		Marketing	Department of horticulture
Almond	<i>Prunus amygdalus</i>	badam	local	Tree, regular bearing	Mid Hills	Average	Rare	locally raised or department of agriculture	july to sept	dry fruit economy generation		own use	Department of horticulture
Cherry	<i>Prunus avium</i>	cherry	local	Tree, regular bearing	Temperate Hills	average	average	Nurseries& Locally raised	may july	Fruit		Marketing, Own use	Department of horticulture
Fig	<i>Ficus carica</i>	Anjeer	local	Tree, regular bearing	Mid/temperate hills	Average	average	Nurseries	Aug-Oct	fruit		Marketing ,own use	Department of horticulture

Format 12: Medicinal Plants (Herbs, Shrubs, Trees etc.)

1	2	3	4	5	6	7		8	9	10	11	12
Plant Type	Local Name	Scientific Name	Variety	Landscape/ Habitat	Source of Plant/seeds	Location Status		Uses (usage)	Part used	Associated TK	Other details market/own use	Community know Holders
						Past	Present					
Herb	Tamatar	<i>Solanum lycopersicum</i>	Local	Temperate	Cultivated	available	Available	To reduce heart diseases, kidney stones and gall bladder stones	Fruit	Cure heart and stone diseases	Fruit	Local people
Herb	Dhaniya	<i>Coriandrum sativum</i>	local	Temperate	Cultivated	Available	Available	Used for loss of appetite, tooth aches	Seeds	Cure pain	Seeds	Local people
Herb	Pudina	<i>Mentha spicata</i>	Local/wild	Temperate	Cultivated/ naturally grown	available	Available	To cure infection	Leaf	Cure infection	both	Local people
Herb	Pyaz	<i>Allium cepa</i>	Temperate	Cultivated	available	Available	To cure cold and cough	Roots	To relive cough and cold	Extract	both	Local people
Herb	Lahsun	<i>Allium sativum</i>	Local	Temperate	cultivated	Available	Available	To cure wounds	Whole plant	Used for wounds	As such	Local people
Herb	Green Chilly	<i>Capsicum annuum</i>	Local	Temperate	cultivated	Available	Available	To improve immune system	entire	Improve eye site	Fruit	Local people
Herb	Neg chetri	<i>Trillium govanianum</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Available	Anti inflammatory remedy	Whole plant	available	marketing and own use	naturally / rural farmers
Herb	Zakhm e hayat	<i>Bergenia ciliata</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Available	Wound healing, vomiting, fever, cough and pulmonary infections	leaves	available	marketing and own use	naturally / rural farmers
Herb	chooray	<i>Angelica glauca</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Available	dysentery, stomach troubles, infantile atrophy, menorrhagia and rinderpest	stems	available	marketing and own use	naturally / rural farmers

Herb	Gucchi	<i>Helvella esculenta</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Available	Various medicinal uses	whole plant	available	marketing and own use	naturally / rural farmers
Herb	pitpapda	<i>Fumeria parviflora</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Available	treatment of fever, gastritis, diarrhea etc	whole plant	available	marketing and own use	naturally / rural farmers
Herb	Patreesh	<i>Aconitum heterophyllum</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Available	used against diarrhoea , general weakness and fever	roots	available	marketing and own use	naturally / rural farmers
Herb	Ceski	<i>Artemisia absinthium</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Available	remedy for indigestion, gastric pains, antiseptic etc	stem and leaves	available	marketing and own use	naturally / rural farmers
Herb	Bethri dhoop	<i>Juniperus communis</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Available	curing asthma, against swellings, stimulant and diuretic	flower fruits	available	marketing and own use	naturally / rural farmers
Shrub	Kuth	<i>Sassurea costus</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Available	dysentery,dental trouble, heart problems etc	leaves/ roots	available	marketing and own use	naturally / rural farmers
Herb	jungli straberry	<i>Fragaria nubicola</i>	wild	Temperate	naturally grown	available	average	Stomach disorders	fruit	available	marketing and own use	naturally / rural farmers
Herb	Haand dandelian	<i>Taraxacum officinale</i>	wild	Temperate	seeds	rare	rare	treatment of skin ,indigestion, jaundice etc	Leaves	available	marketing and own use	naturally / rural farmers
Herb	Banfsha	<i>Viola serpens</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Available	cough and cold	whole plant	available	marketing and own use	naturally / rural farmers
Herb	Dramun	<i>Cynodon dactylon</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Available	used for cough	Stem/ leaves	available	marketing and own use	naturally / rural farmers
Shrub	Datura	<i>Datura stramonium</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Available	medicine	Seeds	available	marketing and own use	naturally / rural farmers
Shrub	Soi	<i>Urtica dioica</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Average	Rehumitides	Leaves/ stem	available	marketing and own use	naturally / rural farmers

Herb	Bhang	<i>Cannabis sativa</i>	Local/wild	Temperate	naturally grown	Available	Available	treatment of pain , loss of appetite , insomnia , depression etc	Leaves/ stem	available	marketing and own use	naturally / rural farmers
Herb	Kaudh	<i>Picrorhiza kurroa</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Available	Pain reliever		available	marketing and own use	naturally / rural farmers
Herb	Kishmay	<i>Berberis lycium</i>	Local/wild	Temperate	Cultivated/ naturally grown	Available	Available	Jaundice		available	marketing and own use	naturally / rural farmers
Herb	Teevnd	<i>Viburnum grandiflorum</i>	wild	Temperate	naturally grown	plenty	average	cough and anticold	flowers /seeds	available	marketing and own use	naturally / rural farmers
Herb	Baryan	<i>Acorus calamus</i>	Local/wild	swampy marshy areas	naturally grown	plenty	average	treatment of gouts	rhizome/ lowe part	available	marketing	naturally / rural farmers
herb	Malzudi	<i>Ainsiaea apterea</i>	wild	Temperate	naturally grown	plenty	average	used to treat stomach ache and urinary disease	stem leaves	available	marketing and own use	naturally / rural farmers

Format 14: Timber Plants / Trees

1	2	3	4	5		6	7	8	9	10
Plant Type	Local Name	Scientific Name	Habitat	Local status		Wild/ home- garden	Other uses (multi)	Associated TK	Other details	Community/ Know. holder
				Past	Present					
Tree	Walnut	<i>Juglans regia</i>	Temperate	Least	Plenty	Wild , home	Furniture, tooth cleaner	na	unknown	Department of horticulture and local people
Tree	Banj	<i>Quercus incana</i>	Temperate	Plenty	Plenty	Wild	Firewood	NA	Unknown	Department of horticulture and local people
Tree	Apricot	<i>Prunus armeniaca</i>	Temperate	Least	Plenty	Wild, home	Furniture, firewood	NA	Unknown	Department of horticulture and local people
Tree	Peach	<i>Prunus persica</i>	temperate	Least	Plenty	Wild, home	Firewood	NA	Unknown	Department of horticulture and local people
Tree	Keth	<i>Pyrus pashia</i>	Temperate	Plenty	Least	Wild	Firewood	NA	Unknown	Department of horticulture and local people
Tree	Moru oak	<i>Quercus floribunda</i>	Temperate	Plenty	Average	wild	Furniture, firewood	NA	Strongest wood	Department of horticulture and local people
Tree	Fur	<i>Abies pindrow</i>	Temperate	Plenty	Average	wild	Furniture, firewood	NA	Unknown	Department of horticulture and local people
perinnial	Kail	<i>Pinus wallichiana</i>	Temperate	Plenty	Average	wild	Furniture, firewood	NA	Unknown	Department of horticulture and local people
perinnial	Tulkul	<i>Morus nigra</i>	Temperate	Plenty	Average	wild/ home- garden	fodder for silk worm and Firewood	NA	Unknown	Department of horticulture and local people
perinnial	Devdar	<i>Cedrus deodara</i>	Temperate	Plenty	Average	wild	Furniture, firewood	NA	Strongest wood	Department of horticulture and local people

perennial	Kikar	<i>Robinia pseudoacacia</i>	Temperate	Plenty	Average	wild	fodder for animals and firewood	NA	Unknown	Department of horticulture and local people
Tree	Kharsoo	<i>Quercus semicarpifolia</i>	Temperate	Plenty	Plenty	Wild	Firewood		unknown	Department of horticulture and local people
Tree	Khau	<i>Olea cuspidata</i>	Temperate	Plenty	Least	Wild	Firewood		unknown	Department of horticulture and local people
Tree	Rubinkul	<i>Robinia sp</i>	Temperate	Plenty	least	wild/ home- garden	Furniture, firewood	NA	Unknown	Department of horticulture and local people

Format 15: Domesticated Animals

1	2	3	4	5	6	7		8	9	10	11	12
Animal Type	Local Name	Scientific Name	Breed (local/hybrid)	Features	Method of keeping	Local Status		Uses	Associated TK	Commercial rearing	Other details including products and Services	Community Know.Holders
						Past	Present					
Yak	Yak	<i>Bos grunniens</i>	Local	Large size/ more weight	Free Range & Stall Feeding	Avevrage	Decreased	used for ploughing and threshing	nil	nil	agricultural purposes	Locals, nomads
Cattle	Deshi Baschi	<i>Bos indicus</i>	Local	Humped	Free Range & Stall Feeding	Abundant	Decreased	Female for Milk & Male for Draught Purpose	Nil	Nil	Ghee , Curd, Butter, Desi Klari, Paneer	All
	Jersey	<i>Bos taurus</i>	Jr. CB	Dished Face		Very Few	Increased					All
	Doraghi	<i>Bos taurus</i>	Hf CB	B/W Spotted		Very Few	Increased					All
Buffalo	Bhain	<i>Bubales bubalis</i>	Desi/ Local	N.D.	Free Range & Stall Feeding	Very Few	Very Few	Female for Milk & Male for Breeding Purpose	Nil	Nil	Ghee , Curd, Butter, Desi Klari, Paneer	Gujjar
Equine	Khacchar	<i>Equus Caballus</i>	N.D	Height Less than 9 Hands	Intensive	Abundant	Decreased	Draught purpose	Nil	Nil	Riding Purpose	All
	Ghoda											
Canine	Kuttar	<i>Canis familaris</i>	Local	N.D.	Stray	Abundant	Abundant	Guarding Purpose	Nil	Nil	Nil	Non specific
Feline	Balai	<i>Felis catus</i>	N.D.	Grey coloured	Stray	Abundant	Abundant	To kill rats	Nil	Nil	Nil	Non specific

Poultry	Kukkar	<i>Gallus domesticus</i>	Desi/ Local	Enriched Meat Flavour	Intensive, Free range, Backyard	Abundant	Decreased	Egg/Meat	Nil	Nil	Nil	All
	Farmi Kukkar		Chabro Cross	Good Egg Yielder		Very Few	Increased					All
Goat	Bakri	<i>Capra hircus</i>	Kaghani (bakarwali)	Large size/ more weight	Flock rearing	Rare	Plenty	Mutton, manure	Nil	Yes	Mutton, wool, manure, hides	Locals, nomads

Format 18: Trees, Shrubs, Herbs, Tubers, Grasses, Climbers etc.

1	2	3	4	5	6		7	8	9	10	11
Plant Type	Local Name	Scientific Name	Habit	Habitat	Local status		Commercial / own use	Part collected	Associated TK	Other details	Community Knowledge Holder
					Past	Present					
Tree	Deodar	<i>Cedrus deodara</i>	Tree	Temperate	dense	Least	Commercial, own use	Whole for different uses		Roofing, furniture etc	Gh Hassan
Tree	Kail	<i>Pinus wallichiana</i>	Tree	Temperate	dense	Least dense	Commercial, own use	Whole for different uses		Roofing, furniture etc	Khalid hussain
Tree	Chir	<i>Pinus roxburghii</i>	Tree	Temperate	dense	Least dense	Commercial, own use	Whole for different uses		Roofing, furniture etc	Sant Ram
Plant	Bankakri	<i>Podophyllum hexandrum</i>	Plant	Temperate	Available	Available	Commercial, own use	Fruit		It has been found to be effective in controlling skin diseases and recently attracted attention for use in certain form of cancer	
Herb	Banafsha	<i>Viola odorata</i>	Herb	Temperate	Available	Available	Commercial, own use	Flower		Flowers are used in perfumery and are also used medicinally as demulcent and biliousness and lungs troubles	
Climber	Kins	<i>Dioscorea deltoidea</i>	Climber	Temperate	Available	Available	Commercial, own use	Tuber		The tubers yield Diosgenin, which is used to synthesize sex hormones and Corisone, Cortisone is extensively and used in rheumatism and allergic conditions. Propagation of the species is through rhizome.	
Mushroom	Guchhies	<i>Morchella spp.</i>	Mushroom	Temperate	Available	Available	Commercial, own use	Whole plant		Used in medicines preparation	
Tree	Moru oak	<i>Quercus floribunda</i>	Temperate	Temperate	Plenty	Average	Commercial, own use	Whole plant	Strongest wood	Furniture	local farmers of rural community

Tree	Fur	<i>Abies pindrow</i>	Temperate	Temperate	Plenty	Average	Furniture, firewood	Whole plant	Furniture, roofing	Furniture	local farmers of rural community
perinnial	Kikar	<i>Robinia pseudoacacia</i>	Temperate	Temperate	Plenty	Average	, own use	Whole plant	Firewood	fodder for animals and firewood	local farmers of rural community
Herb	Neg chetri	<i>Trillium govanianum</i>	Local/wild	Temperate	Available	Available	Commercial, own use	Whole plant	Anti inflammatory remedy ,	Medicinal use	local farmers of rural community
Herb	Zakhm e hayat	<i>Bergenia ciliata</i>	Local/wild	Temperate	Available	Available	Commercial, own use	leaves	Wound healing, vomiting ,fever, coughand pulmonary infections	Medicinal use	local farmers of rural community
Herb	chooray	<i>Angelica glauca</i>	Local/wild	Temperate	Available	Available	Commercial, own use	stems	dysentery, stomach troubles , infantile atrophy,menorrhagia andrinderpest	Medicinal use	local farmers of rural community
Herb	pitpapda	<i>Fumeria parviflora</i>	Local/wild	Temperate	Available	Available	Commercial, own use	whole plant	treatment of fever, gastritis, diarrhea etc	Medicinal use	local farmers of rural community
Herb	Patreesh	<i>Aconitum heterophyllum</i>	Local/wild	Temperate	Available	Available	Commercial, own use	roots	used against diarrhoea , general weakness and fever	Medicinal use	local farmers of rural community
Herb	Ceski	<i>Artemesia absinthium</i>	Local/wild	Temperate	Available	Available	Commercial, own use	leaves/ stems	remedy for indigestion, gastric pains, antiseptic etc	Medicinal use	local farmers of rural community
Herb	Banfsha	<i>Violas serpens</i>	Local/wild	Temperate	Available	Available	Commercial, own use	whole plant	cough and cold	Medicinal use	local farmers of rural community
Herb	Dramun	<i>Cynodon dactylon</i>	Local/wild	Temperate	Available	Available	Commercial, own use	Stem/ leaves	used for cough	Medicinal use	local farmers of rural community
Shrub	Datura	<i>Datura stramonium</i>	Local/wild	Temperate	Available	Available	Commercial, own use	Seeds	medicine	Medicinal use	local farmers of rural community
Shrub	Soi	<i>Urtica dioica</i>	Local/wild	Temperate	Available	Average	Commercial, own use	Leaves/ stem	Rehumitides	Medicinal use	local farmers of rural community
Herb	Bhang	<i>Cannabis sativa</i>	Local/wild	Temperate	Available	Available	Commercial, own use	Leaves/ stem	treatment of pain , loss of appetite , insomnia , depression etc	Medicinal use	local farmers of rural community

Format 19: Wild Plant Species of Importance

1	2	3	4	5	6
S.No.	Local Name	Scientific Name	Variety	Importance (economic,social,cultural etc.)	Status
1	Akhroot	<i>Juglans regia</i>	wild	Economically important as farmer fetches good price, socially important for different cuisines, improves good cholesterol	Available
2	Bhang	<i>Cannabis sativa</i>	wild	Commercial extraction banned, given to animals to improve their health	Available
3	GuchiMashroom	<i>Morchella esculenta</i>	wild	Dried and sold which fetches Rs.10000-15000 per Kg used in making pulao (cuisine), as aphrodisiac in medicine	Available
4	Kasrod	<i>Diplazium</i>	wild	Used as vegetable, collected by locals and sold	Available
5	kulmosh	<i>Viburnum cotinifolium</i>	wild	fruits	Available
6	cauliflower fungus/ kakho	<i>Sparassis crispa</i>	wild	mushroom	Available
7	Pendak	<i>Crataegus songarica</i>	wild	fruits	Available
8	Faagu	<i>Ficus palmata</i>	wild/ local	fruits	Available
9	Timru	<i>Zanthoxylum armatum</i>	wild	used as a flavouring agent , spice and medicinal use also	Available
10	Chukru	<i>Oxyria digyna</i>	wild	Used as vegetable, collected by locals and sold	Available
11	Fafra	<i>Fagopyrum cymosum</i>	wild	Used as vegetable, collected by locals and sold	Available
12	shedi(bakar)	<i>Sparrasis radiata</i>	wild	Used as vegetable, collected by locals and sold	Available
13	Bhrami	<i>Taxus baccata</i>	Wild Plant	Medicinal Plant and used to cure cancer	Available
14	kundi	<i>Peziza violacea</i>	wild	Used as vegetable, collected by locals and sold	Available
15	Bankakri	<i>Podophyllum hexandrum</i>	wild	Used as vegetable, collected by locals and sold	Available
16	Bhang	<i>Cannabis sativa</i>	wild	medicinal use	Available
17	Bathappad	<i>Boletus edulis</i>	wild	Used as vegetable, collected by locals and sold	Available

Format 21: Wild Aquatic Plant Species of Importance

1	2	3	4	5	6
S.No.	Local Name	Scientific Name	Variety	Importance (economic,social,cultural etc.)	Trends
1	West himalyan alder	<i>Alnus nitida</i>	local	medicinal use of bark of this tree	abundant
2	Duckweed	<i>Spirodela polyrhiza</i>	local	use animals for feedingand also helps in bioremediation	abundant

Format 22: Wild Plants of Medicinal Importance

1	2	3	4	5	6		7	8	9	10	11
Plant(herb, shrub,tree)	Local Name	Scientific Name	Variety	Landscape/habitat	Local status		Associated TK	uses	Part used	Other details market/own use	c.knowledge holder
					Past	Present					
Herb	Banafsha	<i>Viola spp.</i>	Herb	Temperate	Available	Available	Available	Flowers are used in perfumery and are also used medicinally as demulcent and biliousness and lungs troubles	Flower	own use	
Plant	Bankakri	<i>Podophyllum hexandrum</i>	plant	Temperate	Available	Available	Available	It has been found to be effective in contolling skin diseases and recently attracted attention for use in certain form of cancer	Fruit	own use	local farmers of rural community
Herb	Kishmay	<i>Berberies lycium</i>	Herb	Temperate	Available	Available	Available	used to tereat Jaundice		own use /marketing	local farmers of rural community
Herb	Teevnd	<i>Viburnum grandiflorum</i>	Herb	Temperate	plenty	average	Available	cough and anticold	flowers /seeds	own use /marketing	local farmers of rural community
herb	Malzudi	<i>Ainsiaea apterea</i>	wild	Temperate	naturally grown	plenty	average	used to treat stomach ache and urinary disease	stem leaves	own use /marketing	local farmers of rural community
Herb	chooray	<i>Angelica glauca</i>	Herb	Temperate	abundant	abundant	Available	dysentry, stomach troubles , infantile atrophy,menorrhagia andrinderpest	stems	own use /marketing	local farmers of rural community
Herb	pitpapda	<i>Fumeria parviflora</i>	Herb	Temperate	abundant	average	Available	treatment of fever, gastritis, diarrhea etc	whole plant	own use /marketing	local farmers of rural community
Herb	Patreesh	<i>Aconitum heterophyllum</i>	Herb	Temperate	abundant	average	Available	used against diarrhoea , general weakness and fever	roots	own use /marketing	local farmers of rural community

Herb	Dramun	<i>Cynodon dactylon</i>	Herb	Temperate	abundant	abundant	Available	used for cough	Stem/ leaves	own use /marketing	local farmers of rural community
Herb	Datura	<i>Datura stramonium</i>	Herb	Temperate	Available	Available	Available	medicine	Seeds	own use /marketing	local farmers of rural community
Herb	Soi	<i>Urtica dioica</i>	Herb	Temperate	abundant	Average	Available	Rehumitides	Leaves/ stem	own use /marketing	local farmers of rural community
Climber	Kins	<i>Dioscorea deltoidea</i>	Climber	Temperate	Available	Available	Available	The t yield Diosgenin, which is used to synthesize sex hormones and Corisone, Cortisone is extensively and used in rheumatism and allergic conditions. Propagation of the species is through rhizome.	Tuber	own use	local farmers of rural community
Mushroom	Guchhies	<i>Morchella spp</i>	Mushroom	Temperate	Abundant	rare	available	Used in medicines prepration	Whole plant	own use /marketing	local farmers of rural community

Format 24: Ornamental Plants

1	2	3	4	5	6	7	8
Local Name	Scientific Name	Variety	Habitat	Commercial/non-commercial uses	Associated Tk	Any other detail	Community knowledge holder
Rose	<i>Rosa sanctum</i>	Red rose	Low land	Commercial	Ornamental	Not Known	Self observed
Merigold	<i>Targetes erecta</i>	local	Natural	both	ornamental	-	-
bull bay	<i>Magnolia grandiflora</i>	Local	Natural	Both	Ornamental and medicinal		Self observed
green spire	<i>Euonymus japonicus</i>	Local	land scape plant	non commercial	Ornamental		Self observed

Format 25: Fumigate / Chewing Plants

1	2	3	4	5	6		7	8	9	10	11
Plant (herb,shrub, Tree)	Local Name	Scientific Name	Variety	Habitat	Local status		Uses	Part used	Ass.TK	Other details	Community knowledge holder
					Past	Present					
Herb	Ajwain	<i>Trachyspermum ammi</i>	Forest	Temperate	Available	Available	Cooking	Seeds	treat digestive problems	NA	local farmers
Herb	Pudina	<i>Mentha longifolia</i>	Herbaceous perennial	temperate regions /homegardens	plenty	plenty	herbal uses, beverages etc	leaves	used with vinegar remove dandruff	NA	local farmers
Herb	Baberbeol	<i>Ocimum basicilum</i>	Herbaceous perennial	temperate regions /homegardens	average	average	spice and cosmetic use	seeds	cosmetic use	NA	local farmers
Herb	saunf	<i>Foeniculum vulgare</i>	Herbaceous perennial	temperate regions /homegardens	plenty	average	used as a spice and some other medicinal uses	saunf	cooking and chewing	NA	local farmers
Herb	Methi	<i>Trigonella foenum- graecum</i>	Annual plant	temperate regions /homegardens	plenty	average	used in stomach troubles and anaemia	leaves and seeds	cooking	NA	local farmers
Herb	Baryan(sweet flag)	<i>Acorus calamus</i>	Herbaceous perennial	marshy areas	average	average	used to teat stomach ailments, gouts etc	rhizomes and leaves	treat digestive problems	NA	local farmers
Herb	Rohni	<i>Allium sativium</i>	perennial bulbous	temperate regions /homegardens	plenty	plenty	spice	cloves	used as a medicine to treat insect bites	NA	local farmers

Format 26: Timber Plants

1	2	3	4	5	6	7	8
Local Name	Scientific Name	Habitat	Local	Other uses, if any	Associated Tk	Any other detail	Community knowledge holder
Deodar	<i>Cedrus deodara</i>	dense	Least	Roofing, furniture etc		Whole for different uses	forestry
Kail	<i>Pinus wallichiana</i>	dense	Least dense	Roofing, furniture etc		Whole for different uses	forestry
Chir	<i>Pinus roxburghii</i>	dense	Least dense	Roofing, furniture etc		Whole for different uses	forestry
Rubinkul	<i>Robinia sp</i>	Terrestrial temperate	Forest, Temperate	Furniture, roofing	NA	Commercial, own use	forestry
Drek	<i>Melia azedarach</i>	Terrestrial temperate	Forest, Temperate	,firewood , furniture	NA	Commercial, own use	forestry
Moru oak	<i>Quercus floribunda</i>	Terrestrial temperate	Forest, Temperate	furniture, roofing ,ploughing equipment etc	NA	Commercial, own use	forestry
Kikar	<i>Robinia pseudoacacia</i>	Terrestrial temperate	Forest, Temperate	use for fodder ,firewood	NA	Commercial, own use	forestry
Chinar	<i>Platanus orientalis</i>	Terrestrial temperate	Forest, Temperate	Furniture, roofing	NA	Commercial, own use	forestry
Shisham	<i>Dalbergia sissoo</i>	Terrestrial temperate	Forest, Temperate	Furniture, roofing	NA	Commercial, own use	forestry
Teak	<i>Tectona granis</i>	Terrestrial temperate	Forest, Temperate	furniture, roofing etc	NA	Commercial, own use	forestry
Tulkul	<i>Morus nigra</i>	Terrestrial temperate	Forest, Temperate	firewood , fodder for silkworm etc.	NA	Commercial, own use	local people
Spruce	<i>Picea smithiana</i>	Tree	Forest, Temperate	Dense	Less dense	Commercial, own use	Furniture, roofing
Walnut	<i>Juglans regia</i>	Terrestrial temperate	Forest, Temperate	Furniture, tooth cleaner	NA	Commercial, own use	local people
Banj	<i>Quercus incana</i>	Terrestrial temperate	Forest, Temperate	Furniture, roofing	NA	Commercial, own use	local people
Apricot	<i>Prunus armeniaca</i>	Terrestrial temperate	Forest, Temperate	Furniture, roofing	NA	Commercial, own use	local people
Peach	<i>Prunus persica</i>	Terrestrial temperate	Forest, Temperate	Furniture, roofing	NA	Commercial, own use	local people
Keth	<i>Pyrus pashia</i>	Terrestrial temperate	Forest, Temperate	Furniture, roofing	NA	Commercial, own use	local people

Format 28: Wild Animals (Mammals, Birds, Reptiles, Amphibia, Insects, others)

1	2	3	4	5	6	7		8	9	10	11	12
Animal Type	Local Name	Scientific Name	Habitat	Description	Season when seen	Local status		uses if any	Ass. TK	Mode of hunting	Other details	Community/ Knowledge Holder
						Past	Present					
Mammals	Chitra	<i>Panthera pardus</i>	Forest	endangered	Winter season	Least	More	-	-	Weapon	endangered	-
Mammal	Bhalu	<i>Ursus americanus</i>	Forest	-	summer	Least	More	-	-	Weapon	-	-
Mammal	Fox	<i>Vulpes vulpes</i>	Forest	-	All season	More	More	-	-	Weapon	-	-
Mammal	Monkey	<i>Cercopithecidae</i>	Forest	-	All season	More	More			Weapon	-	-
Mammal	Roons	<i>Lophophorus</i>	Forest	endangered	All season	Least	Least	-	-	Weapon	endangered	-
Birds	Neel	<i>Gyps africanus</i>	forest	Endangered	All season	Least	Least	-	-	Weapon	Endangered	-
Birds	Gid	<i>Pheasant</i>	Forest	Critically Endangered	All season	Least	Least	-	-	Weapon	Critically Endangered	-
Birds	Chakore	<i>Columba livia</i>	Forest	Endangered	All season	Least	Least	-	-	Weapon	Endangered	-
Birds	kabutar	<i>Ptyas mucosa</i>	Forest	-	All season	More	More	-	-	Weapon	-	-
Reptile	Saanf	<i>Lycodon mackinmoni</i>	Forest	-	summer	More	More	-	-	Stick	-	-
Reptile	Saanf	<i>Hemidactylus brookii</i>	Forest	-	Summer	More	More	-	-	Stick	-	
Lizards	chipkali	<i>Oncorhynchus mykiss</i>	Forest/Local	-	Summer	More	More	-	-	Stick	-	
Aquatic	Fish	<i>Gyps himalayensis</i>	Pond / Nalla	-	all	More	More	-	-	Hook n Net	-	
Insects	spider	<i>Clamator jacobinus</i>	Local/ Forest	-	All	More	More	-	-	-	-	-

Insects	Ant	<i>Picus chlorolophus</i>	Local/ Forest	-	All	More	More	-	-	-	-	
Bird	Kova	<i>Corvus macrorhynchos</i>	Forest		All time	Available	Less	No		Prohibited	Maintains forest ecosystem	Self-observed
Snake	Surf /sap	<i>Serpentes</i>	Forest /water		All time	Available	Less	No		Prohibited	Maintains forest ecosystem	Self-observed
Fishes	Machli	<i>Raiamas guttatus</i>	Water		All time	Available	Available	No		Prohibited	Maintains forest ecosystem	Self-observed
Bird	Myna	<i>Acridotheres tristis</i>	Forest		all time	common	common	No		Prohibited	Maintains forest ecosystem	Self-observed
Insect	Tuller	<i>Apis mellifera</i>	Temperate region	Dark brown colour body	Spring and summer	common	common	extraction of honey		NA	pollinating agent	Self-observed
Insect	Mohh	<i>Aedes sp.</i>	Temperate region	white marking on their legs and body	summer	common	common	Na		NA	body parasite of human and animals	Self-observed
Insect	spider	<i>Araneus mitificus</i>	Temperate region	males are smaller and less colourful than females	all time	common	common	Na		NA	NA	Self-observed
Insect	Bomsin	<i>Pheretima posthuma</i>	Temperate region	individual are hermaphrodite with segmented bodies	during summers	common	common	Na		Na	known as farmers friends	Self-observed
Insect	Raeii	<i>Tapinoma sessile</i>	nests in open soil ,under stones etc	small sized insects with varied body	during summers	common	common	NA		NA	Strongly attracted to sweet substances	Self-observed
Insect	Tcharr	<i>Cimex lectularius</i>	Temperate region	Adult cimex are light brown in colour ,flat oval	during summers	common	common	NA		na	nuisance pest	Self-observed
Amphibian	Meinn	<i>Hoplobatrachus tigerinus</i>	semi aquatic	solitary and nocturnal in nature	during spring to autumn	common	average	NA		NA		Self-observed

URBAN BIODIVERSITY

Format 29: Flora

1	2	3	4	5	6	7
Sr. No.	Local Name	Scientific Name	Type of Plants	Habitat	Flowering Season	Remarks (Rare / Common etc.)

Note: Separate format should be used for road side plantation / Parks and Gardens / Housing estate / Commercial buildings/ other institutional areas, Private club premises and also for Aquatic (water) habitat and Terrestrial (land) habitat

Format 30: Fauna

1	2	3	4	5	6
Sr. No.	Local Name	Scientific Name	Type of Animals (Mammals / Birds / Fish / Insect etc.)	Habitat	Remarks (Rare / Common etc.)

Format 31: Any other information of local importance		
1	2	3
Sr. No.	Information of local importance	Remarks

End of Part II